Artificial Intelligence

Melissa Winstanley

What do you think of when you think "artificial intelligence"?

What is "intelligence"?

- Turing test
  - Discussion between human and computer
  - Computer passes if human cannot tell that it is a computer
- Chatterbot programs
  - ELIZA
  - ALICE (Artificial Linguistic Internet Computer Entity)
  - But are they "intelligent" if they don't "understand"?

Is human-style intelligence possible?

Human Brain

10^{11} neurons
10^{14} synapses
Cycle time: 10^{-3} sec

Computer

10^7 transistors
10^{10} bits of RAM
Cycle time: 10^{-9} sec

Search

- Techniques for systematically finding or constructing solutions to problems
- Examples:
  - Games
  - Path planning
  - Natural language processing
  - Machine learning
  - Driving a car
- Most (if not all) problems in AI can be formulated as search problems

How search works

- Input
  - Set of states
  - Operators (and cost of each operator)
  - Start state
  - Goal state or test
- Output
  - Path from start state to goal state

Example: 8-Puzzle

- 8 puzzle

- States?
- Operators?
- Goal state?
- Path cost?

Start State   Goal State

8-Puzzle Search Tree

Types of Search Strategies

- Which order will we traverse the nodes in the search tree?
- Uninformed search
  - Depth-first search
    - Explore all children before backtracking
  - Breadth-first search
    - Explore all nodes at the same level first
  - Iterative-deepening search
    - Combines the best parts of depth-first and breadth-first

Smarter strategies: Informed search

- How can we make search even better?
- Determine how "good" each child node is, and choose the "best"
- Use a heuristic function, f(n) = h(n), to estimate the cost from the node to the goal state, and choose the node with the lowest cost
- This is called best-first search

Example: 8-Puzzle

- What might be a good heuristic function?

Start State   Goal State

Search in action

- Depth-first search
  - http://www.youtube.com/watch?v=dtoFAvtVE4U&feature=relmfu
- Breadth-first search
  - http://www.youtube.com/watch?v=z6lUnb9ktkE&feature=relmfu
- Heuristic best-first search
  - http://www.youtube.com/watch?v=huJEgJ82360&feature=relmfu

Real-life example

- Deep Blue: chess-playing computer developed by IBM
- Defeated world champion chess master Garry Kasparov in 1997
- Used informed search
  - Huge processing capacity
  - Heuristic function that took into account hundreds of factors of each state
  - Also used start-game and end-game databases of good moves

More than a chatterbot

- AI has been applied in...
  - Finance
  - Robotics
  - Games
  - Medicine
  - Engineering
  - The Web

Finance

- Input: stock/bond/commodities market
- Output: trades
- Goals
  - Mining of financial data
  - Fraud detection
  - Trading

Robotics

- Input: sensors
- Output: motors, voice
- Types
  - Computer vision
  - Self-driving cars
  - Mars Rover
  - Emergency vehicles

Software

- Input: your speech or typed words
- Output: text response
- Types
  - Siri
  - Automated assistants
  - Autopilots

Medicine

- Input: vital signs
- Output: a diagnosis
- Applications
  - Patient diagnosis
  - Hospital management
  - Image interpretation
  - Surgery?

Engineering/Industry

- Input: a program or design
- Output: flaws or improvements
- Applications
  - Scheduling of manufacturing process
  - Program checking
  - Dangerous jobs

Machine Learning

- Machine learning is acquiring, organizing, processing, and analyzing data using sophisticated algorithms
  - Subset of artificial intelligence
- Artificial intelligence is building programs or devices that act intelligently

Difficulties

- Common sense is hard
  - John gave Pete a book.
  - John gave Pete a hard time.
  - John gave Pete a black eye.
  - John gave in.
  - John gave up.
  - John's legs gave out beneath him.
  - It is 300 miles, give or take 10.
- Meaning is hard
  - The spirit is willing but the flesh is weak. (English)
  - The vodka is good but the meat is rotten. (Russian)

xkcd.com
ALICE - http://alice.pandorabots.com/