

CSE 143, Spring 2016

Programming Assignment #1: LetterInventory (30 points)

Due Thursday, June 30, 2016, 11:30 PM

In this programming assignment you will practice using arrays and classes. You will turn in a file named `LetterInventory.java` online using the turnin link on the Homework section of the course web site.

Program Description:

In this assignment, you will implement a class called `LetterInventory` that can be used to keep track of an inventory of letters of the alphabet. The constructor for the class takes a `String` and computes how many of each letter are in the `String`. This is the information the object keeps track of (how many a's, how many b's, etc). It ignores the case of the letters and ignores anything that is not an alphabetic character (e.g., it ignores punctuation characters, digits and anything else that is not a letter).

Your class should have the following public methods:

```
public LetterInventory(String data)
```

Constructs an inventory (a count) of the alphabetic letters in the given string, ignoring the case of letters and ignoring any non-alphabetic characters.

```
public int get(char letter)
```

Returns a count of how many of this letter are in the inventory. Letter might be lowercase or uppercase (your method shouldn't care). If a non-alphabetic character is passed, your method should throw an `IllegalArgumentException`.

```
public void set(char letter, int value)
```

Sets the count for the given letter to the given value. Letter might be lowercase or uppercase. If a non-alphabetic character is passed or if value is negative, your method should throw an `IllegalArgumentException`.

```
public int size()
```

Returns the sum of all of the counts in this inventory. This operation should be "fast" in that it should store the size rather than having to compute it each time this method is called.

```
public boolean isEmpty()
```

Returns true if this inventory is empty (all counts are 0). This operation should be fast in that it should not need to examine each of the 26 counts when it is called.

```
public String toString()
```

Returns a `String` representation of the inventory with the letters all in lowercase and in sorted order and surrounded by square brackets. The number of occurrences of each letter should match its count in the inventory. For example, an inventory of 4 a's, 1 b, 1 l and 1 m would be represented as "[aaaablm]".

```
public LetterInventory add(LetterInventory other)
```

Constructs and returns a new `LetterInventory` object that represents the sum of this letter inventory and the other given `LetterInventory`. The counts for each letter should be added together. The two `LetterInventory` objects being added together (this and other) should not be changed by this method.

```
public LetterInventory subtract(LetterInventory other)
```

Constructs and returns a new `LetterInventory` object that represents the result of subtracting the other inventory from this inventory (i.e., subtracting the counts in the other inventory from this object's counts). If any resulting count would be negative, your method should return null. The two `LetterInventory` objects being subtracted (this and other) should not be changed by this method.

Below is an example of how the add method would be called.

```
LetterInventory inventory1 = new LetterInventory("George W. Bush");
LetterInventory inventory2 = new LetterInventory("Hillary Clinton");
LetterInventory sum = inventory1.add(inventory2);
```

The first inventory would correspond to [beegghorsuw], the second would correspond to [achiilllnorty] and the third would correspond to [abceegghhiilllnnoorrstuwy].

You should implement this class with an **array** of 26 counters (one for each letter) along with any other data fields you find that you need. Remember, though, that we want to minimize the number of data fields when possible. You might be tempted to implement the add method by calling the toString method but you are not allowed to use that approach because it would be inefficient for inventories with large character counts. You should introduce a class constant for the value 26 to add to readability.

You will need to know certain things about the properties of letters and type char. There is a section about type char in chapter 4 of the textbook. One of the most important ideas is that the values of type char have corresponding integer values. There is a character with value 0, a character with value 1, a character with value 2 and so on. You can compare different values of type char using less-than and greater-than tests, as in:

```
if (ch >= 'a') {
    ...
}
```

All of the lowercase letters appear grouped together in type char ('a' is followed by 'b' followed by 'c', and so on) and all of the uppercase letters appear grouped together in type char ('A' followed by 'B' followed by 'C' and so on). Because of this, you can compute a letter's displacement (or distance) from the letter 'a' with an expression like the following (this expression assumes the variable letter is of type char and stores a lowercase letter):

```
letter - 'a'
```

Going in the other direction, if you know a character's integer equivalent, you can cast the result to char to get the character. For example, suppose that you want to get the letter that is 8 away from 'a'. You could say:

```
char result = (char) ('a' + 8);
```

This assigns the variable result the value 'i'.

As in these examples, you should write your code in terms of displacement from a fixed letter like 'a' rather than including the specific integer value of a character like 'a'.

You probably want to look at the String and Character classes for useful methods (e.g., there is a toLowerCase method in each). You will have to pay attention to whether a method is static or not. The String methods are mostly instance methods because Strings are objects. The Character methods are all static because char is a primitive type. For example, assuming you have a variable called s that is a String, you can turn it to lowercase by saying:

```
s = s.toLowerCase();
```

This is a call on an instance method where you put the name of the object first. But char values are not objects and the toLowerCase method in the Character class is a static method. So assuming you have a variable called ch that is of type char, you'd turn it to lowercase by saying:

```
ch = Character.toLowerCase(ch);
```

The `ArrayIntList` class from lecture provides a good example of the kind of documentation we expect you to include. You do not have to use the pre/post format, but you must include the equivalent information, including exactly what type of exception is thrown if a precondition is violated. Remember to mention all important behavior that a client would want to know about.

Development Strategy:

One of the most important techniques for software professionals is to develop code in stages rather than trying to write it all at once (the technical term is *iterative enhancement* or *stepwise refinement*). It is also important to be able to test the correctness of your solution at each different stage.

We have noticed that many 143 students do not develop their code in stages and do not have a good idea of how to test their solutions. As a result, for this assignment we will provide you with a development strategy and some testing code. We aren't going to provide exhaustive testing code, but we'll give you some good examples of the kind of testing code we want you to write.

We are suggesting that you develop the program in three stages:

1. In this stage we want to test constructing a `LetterInventory` and examining its contents. So the methods we will implement are the constructor, the `size` method, the `isEmpty` method, the `get` method, and the `toString` method. Even within this stage you can develop the methods slowly. First do the constructor and `size` methods. Then add the `isEmpty` method. Then add the `get` method. Then add the `toString` method. The testing program will test them in this order, so it will be possible to implement them one at a time.
2. In this stage we want to add the `set` method to the class that allows the client to change the number of occurrences of an individual letter. The testing program will verify that other methods work properly in conjunction with `set` (the `get`, `isEmpty`, `size`, and `toString` methods).
3. In this stage we want to include the `add` and `subtract` methods. You should write the `add` method first and make sure it works. The testing program first tests `add`, so don't worry that the fact that the tests on `subtract` fail initially.

We will be providing testing code for each of these three stages and for **this program only** you are allowed to discuss how to write testing code with other students. Keep in mind that the tests are not guaranteed to be exhaustive. They are meant to be examples of the kinds of tests you should perform.

Style Guidelines and Grading:

Properly **encapsulate** your objects by making any data fields in your class `private`. Avoid unnecessary fields; use fields to store important data of your objects but not to store temporary values only used in one place. Fields should always be initialized inside a constructor or method, never at declaration.

You should follow good general Java style guidelines such as: appropriately using control structures like loops and `if/else` statements; avoiding redundancy using techniques such as methods, loops, and factoring common code out of `if/else` statements; properly using indentation, good variable names, and types; and not having any lines of code longer than 100 characters in length.

You should **comment** your code with a heading at the top of your class with your name, section, and a description of the overall program. Also place a comment heading on top of each method, and a comment on any complex sections of your code. Comment headings should use descriptive complete sentences and should be written *in your own words*, explaining each method's behavior, parameters, return values, and assumptions made by your code, as appropriate.

Unless otherwise specified, your solution should use only material taught in class and in the book chapters covered so far.