

Lecture Notes 6: Javascript

CSE 190 M (Web Programming) Spring 2007
University of Washington

Reading: Sebesta Ch. 4 sections 4.1 - 4.6.4, 4.8, 4.9.1 - 4.9.3, 4.14




What is Javascript?

- a lightweight programming language (scripting)
- used to make web pages interactive
 - insert dynamic text into HTML (ex: user name)
 - react to events (ex: page load user click)
 - get information about a user's computer (ex: browser type)
 - perform calculations on user's computer (ex: form validation)
- a web standard (but not supported identically by all browsers)
- NOT related to Java other than by name and some syntactic similarities

Differences between Javascript and Java

- interpreted not compiled
- more relaxed syntax and rules
 - fewer and "looser" data types
 - variables don't need to be declared
 - errors often silent (few exceptions)
- key construct is the function rather than the class
 - (more procedural less object-oriented)
- contained within a web page and integrates with its HTML/CSS content



Injecting Dynamic Text: `document.write()`

```
document.write( "message" );
```

- prints specified text to page
- can be used to display HTML
- argument can be a literal string in quotes or a variable

Variabls

```
var name = value;  
  
var clientName = "Connie Client";  
var age = 32;  
var weight = 137.4;
```

- type is not specified, but Javascript does have types
 - (a "loosely typed" language)
 - values are often converted between types automatically as needed
 - variable names are case sensitive
 - explicitly declared using var keyword
 - implicitly declared through assignment (give it a value and it exists!)
-

Javascript keywords

abstract boolean break byte case catch char class const continue debugger
default delete do double else enum export extends false final finally
float for function goto if implements import in instanceof int interface
long native new null package private protected public return short static
super switch synchronized this throw throws transient true try typeof var
void volatile while with

Operators

- + - * / % ++ -- = += -= *=
/= %= == != > < >= <= && || !
 - == just checks value ("5.0" == 5 is true)
 - === also checks type ("5" === 5 is false)
 - many operators auto-convert types: 5 < "7" is true
 - similar precedence hierarchy to Java
-

for loop

```
for (initialization; condition; update) {  
    statements;  
}  
  
for (var i = 0; i < 10; i++) {  
    document.write("<p>" + i + " squared = " +  
                 (i * i) + "</p>");  
}
```

Inserting Javascript in HTML

- Javascript code can be added to a web page in three ways:
 1. in the page's body (runs when page loads)
 2. in the page's head (runs when events occur)
 3. in a link to an external .js script file
-

Javascript in HTML body (example)

```
<body>
  ...
  <script type="text/javascript">
    Javascript code
  </script>
  ...
</body>
```

- always runs on page load
 - useful for generating dynamic text
-

Practice problem: Hello World!

1. Write a page that displays "Hello World!" using Javascript.
 2. Make "Hello World!" appear 1000 times.
 3. Make it so there's only one "Hello World!" per line.
-

Javascript in HTML head (example)

```
<head>
  ...
  <script type="text/javascript">
    Javascript code
  </script>
  ...
</head>
```

- does not run unless functions are explicitly called
 - useful for event-triggered actions
 - pop up an alert message when a user clicks a given element
 - display a greeting message on refresh
-

Linking to a Javascript file (example)

```
<script src="filename" type="text/javascript"></script>

<script src="example.js" type="text/javascript"></script>
```

- can be placed in page's head or body
 - script is stored in a .js file
 - the preferred way to write scripts for this course
-

String type

```
var clientName = "Connie Client";
```

- methods
 - charAt, indexOf, lastIndexOf, replace, split, substring, toLowerCase, toUpperCase
 - var fName = s.substring(0, s.indexOf(" "));
 - the charAt method returns a value of type String
(there is no char type in Javascript)
 - length property
 - clientName.length is 13
 - can be specified with " " or ' ' (this is useful later)
-

More about String

- escape sequences behave as in Java
 - \' \\" \& \n \t \\
- converting a number to a String
 - var s = String(myNum);
 - var s = count + " bananas, ah ah ah!"
 - many other operators such as < automatically convert

Number type

```
var enrollment = 99;
var median142Grade = 2.8;
```

- integers and real numbers are the same type
 - stored as 64-bit floating point
- converting a String into a Number
 - var integerValue = parseInt("String");
 - var floatValue = parseFloat("String");
 - parseInt("123hello") returns 123
 - parseInt("booyah") returns NaN (not a number)

if/else statement

```
if (condition) {
    statements;
```

```
} else if (condition) {  
    statements;  
} else {  
    statements;  
}
```

- identical structure to Java's `if/else` statement
- Javascript is more forgiving about what it allows as a condition
(see Boolean type on next slide)

Boolean type

```
var iLike190M = true;
```

- any value can be used as a Boolean
 - `if ("Marty is great") { // true, of course!`
 ...
}
 - 0, NaN, "", null, and undefined are all false
 - all else are true
- converting a value into a Boolean explicitly
 - `var boolValue = Boolean(otherValue);`

while loop

```
while (condition) {  
    statements;  
}  
  
do {  
    statements;  
} while (condition);
```

- break and continue keywords also behave as in Java

Math object

```
var rand1to10 = Math.floor(Math.random() * 10 + 1);  
var three = Math.floor(Math.PI);
```

- methods
 - abs, ceil, cos, floor, log, max, min, pow, random, round, sin, sqrt, tan
- properties
 - E, PI

Comments

```
// single-line comment
```

```
/*
multi-line comment
*/
```

- identical to Java's comment syntax

Practice problem: Random image

A "Person of the Day" page has been made for this class. Today's winner is Marty, but you have two favorite pictures of him!

Randomly choose between these two pictures on each page refresh.

Functions

```
function name(parameterName, ..., parameterName) {
    statements;
}

function quadratic(a, b, c) {
    return -b + Math.sqrt(b*b - 4*a*c) / (2*a);
}
```

- parameter types and return types are not written
 - var is *not* written on parameter declarations
 - functions with no return statement return an undefined value
- any variables declared in the function are local (only exist in that function)

Calling functions

```
name(parameterValue, ..., parameterValue);
```

```
var root = quadratic(1, -3, 2);
```

- if the wrong number of parameters are passed,
 - too many: extra ones are ignored
 - too few: remaining ones get an undefined value

Global and local variables

```
var count = 1;
```

```
function f1() {
    var x = 999;
    count *= 10;
}
```


```
function f2() { count++; }

f2();
f1();
```

- variable count above is global (can be seen by all functions)
- variable x above is global (can be seen by only f1)
- both f1 and f2 can use and modify count (what is its value?)

Popup boxes

```
alert("message");      // message
confirm("message");   // returns true or false
prompt("message");    // returns user input string
```



Date object

```
var today = new Date();           // today
var midterm = new Date(2007, 4, 4); // May 4, 2007
```

- methods
 - getDate, getDay, getMonth, getFullYear, getHours, getMinutes, getSeconds, getMilliseconds, getTime, getTimezoneOffset, parse, setDate, setMonth,

setFullYear, setHours, setMinutes, setSeconds, setMilliseconds, setTime,
toString

- quirks

- `getYear` returns a 2-digit year; use `getFullYear` instead
- `getDay` returns day of week from 0 (Sun) through 6 (Sat)
- `getDate` returns day of month from 1 to (# of days in month)
- Date stores month from 0-11 (not from 1-12)

Event handlers

```
<h2 onclick="myFunction() ; ">Click me!</h2>
```

Click me!

- HTML elements have special attributes called events
- Javascript functions can be set as event handlers
 - when you interact with the element, the function will execute
 - an example of event-driven programming
- onclick is just one of many event HTML attributes we'll see later (complete list)

Practice problem: Birthdays

1. Modify the "Person of the Day" page so that the number of days until Marty's birthday are displayed in an alert box when his picture is clicked.
2. When the previous people of the day's names are clicked the number of days until their birthday should be displayed.

Firefox Web Developer extension

Arrays

```
var stooges = new Array();
stooges[0] = "Larry";
stooges[1] = "Moe";
stooges[2] = "Curly";

var stooges = new Array("Larry", "Moe", "Curly");

var stooges = ["Larry", "Moe", "Curly"];
```

- three ways to initialize an array

Array methods

- methods:
 - concat, join, pop, push, reverse, shift, slice, sort, splice, toString, unshift
 - properties:
 - length

Arrays as lists

```
var a = new Array();
a.push("Morgan");           // Brian
a.push("Brian");            // Morgan,Brian
a.unshift("Kenneth");       // Kenneth,Morgan,Brian
a.push("Helene", "Jeff");   // Kenneth,Morgan,Brian,Helene,Jeff
a.shift();                  // Morgan,Brian,Helene,Jeff
a.pop();                    // Morgan,Brian,Helene
a.sort();                   // Brian,Helene,Morgan
```

- push and pop add and remove from end of array
 - unshift and shift add and remove from front of array
 - shift and pop return the element that is removed
-

Strings and arrays: split and join

```
var s = "the quick brown fox";
var a = s.split(" ");          // [the,quick,brown,fox]
a.reverse();                  // [fox,brown,quick,the]
s = a.join("!");             // "fox!brown!quick!the"
```

- split breaks apart a string into an array using a delimiter
 - join groups an array of strings into a single string, placing the delimiter between them
-

Special values: undefined and null

```
var ned;
var benson = 9;

// at this point in the code,
// ned is null
// benson is 9
// caroline is undefined
```

- undefined : has not been declared
 - null : has been declared but not assigned a value
-

The **typeof** function

```
typeof(value)
```

- given these declarations:
 - function foo() { alert("Hello"); }
 - var a = ["Huey", "Dewey", "Louie"];
- The following statements are true:
 - typeof(3.14) == "number"
 - typeof("hello") == "string"
 - typeof(true) == "boolean"

- `typeof(foo) == "function"`
 - `typeof(a) == "object"`
 - `typeof(null) == "object"`
 - `typeof(undefined) == "undefined"`
-

Timers: setTimeout, clearTimeout

```
function delayedMessage() {  
    var myTimer = setTimeout("alert('Booyah!');", 5000);  
}  
  
<h2 onclick="delayedMessage()">Click me now!</h2>
```

Click me now!

- `setTimeout` executes a piece of code once after a given number of milliseconds
- the function returns an object representing the timer
- to cancel the timer, call `clearTimeout` and pass the timer object
 - `clearTimeout(myTimer); // cancel self-destruct sequence!`

setInterval, clearInterval

```
function repeatedMessage() {  
    var myTimer = setInterval("alert('Rudy!');", 1000);  
}  
  
<h2 onclick="repeatedMessage()">Click me now!</h2>
```

Click me now!

- `setInterval` executes a piece of code *repeatedly*, every given number of milliseconds
- the function returns an object representing the timer
- to cancel the timer, call `clearInterval` and pass the timer object
 - `clearInterval(myTimer); // please make it stop!`

Practice problem: Stop the timer

- Modify the preceding example (HTML, JS) so that it has another heading that can be clicked to stop the annoying timer.