
CSE 331

Software Design & Implementation

Dan Grossman
Fall 2014

Lecture 2 – Reasoning About Code With Logic

CSE 331 Fall 2014

1

Reasoning about code

Determine what facts are true as a program executes

- Under what assumptions

Examples:

- If `x` starts positive, then `y` is 0 when the loop finishes
- Contents of the array `arr` refers to are sorted
- Except at one code point, `x + y == z`
- For all instances of `Node n`,
`n.next == null ∨ n.next.prev == n`
- ...

CSE 331 Fall 2014

2

Why do this?

- Essential complement to *testing*, which we will also study
 - Testing: Actual results for some actual inputs
 - Logical reasoning: Reason about whole classes of inputs/states at once (“If `x > 0`, ...”)
 - Prove a program correct (or find bugs trying)
 - Understand *why* code is correct
- Stating assumptions is the essence of specification
 - “Callers must not pass `null` as an argument”
 - “Callee will always return an unaliased object”
 - ...

CSE 331 Fall 2014

3

Our approach

- Hoare Logic: a 1970s approach to logical reasoning about code
 - For now, consider just variables, assignments, if-statements, while-loops
 - So no objects or methods
- This lecture: The idea, without loops, in 3 passes
 1. High-level intuition of forward and backward reasoning
 2. Precise definition of logical assertions, preconditions, etc.
 3. Definition of weaker/stronger and weakest-precondition
- Next lecture: Loops

CSE 331 Fall 2014

4

Why?

- Programmers rarely “use Hoare logic” like in this lecture
 - For simple snippets of code, it’s overkill
 - Gets very complicated with objects and aliasing
 - But is occasionally useful for loops with subtle *invariants*
 - Examples: Homework 0, Homework 2
- Also it’s an ideal setting for the right logical foundations
 - How can logic “talk about” program states?
 - How does code execution “change what is true”?
 - What do “weaker” and “stronger” mean?

This is all essential for *specifying library-interfaces*, which *does* happen All the Time in The Real World (coming lectures)

CSE 331 Fall 2014

5

Example

Forward reasoning:

- Suppose we initially know (or assume) `w > 0`

```
// w > 0
x = 17;
// w > 0 ∧ x == 17
y = 42;
// w > 0 ∧ x == 17 ∧ y == 42
z = w + x + y;
// w > 0 ∧ x == 17 ∧ y == 42 ∧ z > 59
...
```
- Then we know various things after, including `z > 59`

CSE 331 Fall 2014

6

Example

Backward reasoning:

- Suppose we want z to be negative at the end

```
// w + 17 + 42 < 0
x = 17;
// w + x + 42 < 0
y = 42;
// w + x + y < 0
z = w + x + y;
// z < 0
```

- Then we know initially we need to know/assume $w < -59$
 - Necessary and sufficient

CSE 331 Fall 2014

7

Forward vs. Backward, Part 1

- Forward reasoning:
 - Determine what follows from initial assumptions
 - Most useful for *maintaining an invariant*
- Backward reasoning
 - Determine sufficient conditions for a certain result
 - If result desired, the assumptions suffice for correctness
 - If result undesired, the assumptions suffice to trigger bug

CSE 331 Fall 2014

8

Forward vs. Backward, Part 2

- Forward reasoning:
 - Simulates the code (for many “inputs” “at once”)
 - Often more intuitive
 - But introduces [many] facts irrelevant to a goal
- Backward reasoning
 - Often more useful: Understand what each part of the code contributes toward the goal
 - “Thinking backwards” takes practice but gives you a powerful new way to reason about programs

CSE 331 Fall 2014

9

Conditionals

```
// initial assumptions
if(...) {
  ... // also know test evaluated to true
} else {
  ... // also know test evaluated to false
}
// either branch could have executed
```

Two key ideas:

1. The precondition for each branch includes information about the result of the test-expression
2. The overall postcondition is the disjunction (“or”) of the postcondition of the branches

CSE 331 Fall 2014

10

Example (Forward)

Assume initially $x \geq 0$

```
// x >= 0
z = 0;
// x >= 0 ∧ z == 0
if(x != 0) {
  // x >= 0 ∧ z == 0 ∧ x != 0 (so x > 0)
  z = x;
  // ... ∧ z > 0
} else {
  // x >= 0 ∧ z == 0 ∧ !(x!=0) (so x == 0)
  z = x + 1;
  // ... ∧ z == 1
}
// ( ... ∧ z > 0 ) ∨ ( ... ∧ z == 1 ) (so z > 0)
```

CSE 331 Fall 2014

11

Our approach

- Hoare Logic, a 1970s approach to logical reasoning about code
 - [Named after its inventor, Tony Hoare]
 - Considering just variables, assignments, if-statements, while-loops
 - So no objects or methods
- This lecture: The idea, without loops, in 3 passes
 1. High-level intuition of forward and backward reasoning
 2. [Precise definition of logical assertions, preconditions, etc.](#)
 3. Definition of weaker/stronger and weakest-precondition
- Next lecture: Loops

CSE 331 Fall 2014

12

Some notation and terminology

- The “assumption” before some code is the [precondition](#)
- The “what holds after (given assumption)” is the [postcondition](#)
- Instead of writing pre/postconditions after //, write them in {...}
 - This is not Java
 - How Hoare logic has been written “on paper” for 40ish years

```
{ w < -59 }
x = 17;
{ w + x < -42 }
```
 - In pre/postconditions, = is equality, not assignment
 - Math’s “=”, which for numbers is Java’s ==

```
{ w > 0  ∧  x = 17 }
y = 42;
{ w > 0  ∧  x = 17  ∧  y = 42 }
```

CSE 331 Fall 2014

13

What an assertion means

- An *assertion* (pre/postcondition) is a logical formula that can refer to program state (e.g., contents of variables)
- A *program state* is something that “given” a variable can “tell you” its contents
 - Or any expression that has no *side-effects*
- An assertion *holds* for a program state, if evaluating using the program state produces *true*
 - Evaluating a program variable produces its contents in the state
 - Can think of an assertion as representing the *set* of (exactly the) states for which it holds

CSE 331 Fall 2014

14

A Hoare Triple

- A [Hoare triple](#) is two assertions and one piece of code:

```
{P} S {Q}
```

 - *P* the precondition
 - *S* the code (statement)
 - *Q* the postcondition
- A Hoare triple $\{P\} S \{Q\}$ is (by definition) [valid](#) if:
 - For all states for which *P* holds, executing *S* always produces a state for which *Q* holds
 - Less formally: If *P* is true before *S*, then *Q* must be true after
 - Else the Hoare triple is [invalid](#)

CSE 331 Fall 2014

15

Examples

Valid or invalid?

– (Assume all variables are integers without overflow)

- $\{x \neq 0\} y = x*x; \{y > 0\}$
- $\{z \neq 1\} y = z*z; \{y \neq z\}$
- $\{x \geq 0\} y = 2*x; \{y > x\}$
- $\{\text{true}\} (\text{if}(x > 7) \{y=4;\} \text{else} \{y=3;\}) \{y < 5\}$
- $\{\text{true}\} (x = y; z = x;) \{y=z\}$
- $\{x=7 \wedge y=5\}$
 $(\text{tmp}=x; x=\text{tmp}; y=x;)$
 $\{y=7 \wedge x=5\}$

CSE 331 Fall 2014

16

Examples

Valid or invalid?

– (Assume all variables are integers without overflow)

- $\{x \neq 0\} y = x*x; \{y > 0\}$ [valid](#)
- $\{z \neq 1\} y = z*z; \{y \neq z\}$ [invalid](#)
- $\{x \geq 0\} y = 2*x; \{y > x\}$ [invalid](#)
- $\{\text{true}\} (\text{if}(x > 7) \{y=4;\} \text{else} \{y=3;\}) \{y < 5\}$ [valid](#)
- $\{\text{true}\} (x = y; z = x;) \{y=z\}$ [valid](#)
- $\{x=7 \wedge y=5\}$ [invalid](#)
 $(\text{tmp}=x; x=\text{tmp}; y=x;)$
 $\{y=7 \wedge x=5\}$

CSE 331 Fall 2014

17

Aside: assert in Java

- An assertion in Java is a statement with a Java expression, e.g.,

```
assert x > 0 && y < x;
```
- Similar to our assertions
 - Evaluate using a program state to get **true** or **false**
 - Uses Java syntax
- In Java, this is a [run-time thing](#): Run the code and raise an exception if assertion is violated
 - Unless assertion-checking is disabled
 - Later course topic
- This week: we are reasoning about the code, not running it on some input

CSE 331 Fall 2014

18

The general rules

- So far: Decided if a Hoare triple was valid by using our understanding of programming constructs
- Now: For each kind of construct there is a general rule
 - A rule for assignment statements
 - A rule for two statements in sequence
 - A rule for conditionals
 - [next lecture:] A rule for loops
 - ...

Assignment statements

$\{P\} x = e; \{Q\}$

- Let Q' be like Q except replace every x with e
- Triple is valid if:
For all program states, if P holds, then Q' holds
 - That is, P implies Q' , written $P \Rightarrow Q'$
- Example: $\{z > 34\} y=z+1; \{y > 1\}$
 - Q' is $\{z+1 > 1\}$

Sequences

$\{P\} S1;S2 \{Q\}$

- Triple is valid if and only if there is an assertion R such that
 - $\{P\}S1\{R\}$ is valid, and
 - $\{R\}S2\{Q\}$ is valid
- Example: $\{z \geq 1\} y=z+1; w=y*y; \{w > y\}$ (integers)
 - Let R be $\{y > 1\}$
 - Show $\{z \geq 1\} y=z+1; \{y > 1\}$
 - Use rule for assignments: $z \geq 1$ implies $z+1 > 1$
 - Show $\{y > 1\} w=y*y; \{w > y\}$
 - Use rule for assignments: $y > 1$ implies $y*y > y$

Conditionals

$\{P\} \text{if}(b) S1 \text{ else } S2 \{Q\}$

- Triple is valid if and only if there are assertions $Q1, Q2$ such that
 - $\{P \wedge b\}S1\{Q1\}$ is valid, and
 - $\{P \wedge !b\}S2\{Q2\}$ is valid, and
 - $Q1 \vee Q2$ implies Q
- Example: $\{\text{true}\} (\text{if}(x > 7) y=x; \text{else } y=20;) \{y > 5\}$
 - Let $Q1$ be $\{y > 7\}$ (other choices work too)
 - Let $Q2$ be $\{y = 20\}$ (other choices work too)
 - Use assignment rule to show $\{\text{true} \wedge x > 7\}y=x; \{y>7\}$
 - Use assignment rule to show $\{\text{true} \wedge x \leq 7\}y=20; \{y=20\}$
 - Indicate $y>7 \vee y=20$ implies $y>5$

Our approach

- Hoare Logic, a 1970s approach to logical reasoning about code
 - Considering just variables, assignments, if-statements, while-loops
 - So no objects or methods
- This lecture: The idea, without loops, in 3 passes
 1. High-level intuition of forward and backward reasoning
 2. Precise definition of logical assertions, preconditions, etc.
 3. Definition of weaker/stronger and weakest-precondition
- Next lecture: Loops

Weaker vs. Stronger

If $P1$ implies $P2$ (written $P1 \Rightarrow P2$), then:

- $P1$ is **stronger** than $P2$
- $P2$ is **weaker** than $P1$
- Whenever $P1$ holds, $P2$ also holds
- So it is more (or at least as) "difficult" to satisfy $P1$
 - The program states where $P1$ holds are a subset of the program states where $P2$ holds
- So $P1$ puts more constraints on program states
- So it's a stronger set of obligations/requirements

Examples

- $x = 17$ is stronger than $x > 0$
- x is prime is neither stronger nor weaker than x is odd
- x is prime and $x > 2$ is stronger than x is odd and $x > 2$
- ...

Why this matters to us

- Suppose:
 - $\{P\}S\{Q\}$, and
 - P is weaker than some $P1$, and
 - Q is stronger than some $Q1$
- Then: $\{P1\}S\{Q\}$ and $\{P\}S\{Q1\}$ and $\{P1\}S\{Q1\}$
- Example:
 - P is $x \geq 0$
 - $P1$ is $x > 0$
 - S is $y = x+1$
 - Q is $y > 0$
 - $Q1$ is $y \geq 0$

So...

- For backward reasoning, if we want $\{P\}S\{Q\}$, we could instead:
 - Show $\{P1\}S\{Q\}$, and
 - Show $P \Rightarrow P1$
- Better, we could just show $\{P2\}S\{Q\}$ where $P2$ is the **weakest precondition** of Q for S
 - Weakest means the most lenient assumptions such that Q will hold
 - Any precondition P such that $\{P\}S\{Q\}$ is valid will be stronger than $P2$, i.e., $P \Rightarrow P2$
- Amazing (?): Without loops/methods, for any S and Q , there exists a unique weakest precondition, written $wp(S,Q)$
 - Like our general rules with backward reasoning

Weakest preconditions

- $wp(x = e; Q)$ is Q with each x replaced by e
 - Example: $wp(x = y*y; x > 4) = y*y > 4$, i.e., $|y| > 2$
- $wp(S1; S2, Q)$ is $wp(S1, wp(S2, Q))$
 - I.e., let R be $wp(S2, Q)$ and overall wp is $wp(S1, R)$
 - Example: $wp((y=x+1; z=y+1); z > 2) = (x + 1) + 1 > 2$, i.e., $x > 0$
- $wp(\text{if } b \text{ } S1 \text{ else } S2, Q)$ is this logic formula:

$$(b \wedge wp(S1, Q)) \vee (!b \wedge wp(S2, Q))$$
 - (In any state, b will evaluate to either true or false...)
 - (You can sometimes then simplify the result)

Simple examples

- If S is $x = y*y$ and Q is $x > 4$, then $wp(S,Q)$ is $y*y > 4$, i.e., $|y| > 2$
- If S is $y = x + 1; z = y - 3$; and Q is $z = 10$, then $wp(S,Q)$...
 - = $wp(y = x + 1; z = y - 3; z = 10)$
 - = $wp(y = x + 1; wp(z = y - 3; z = 10))$
 - = $wp(y = x + 1; y - 3 = 10)$
 - = $wp(y = x + 1; y = 13)$
 - = $x + 1 = 13$
 - = $x = 12$

Bigger example

```

S is if (x < 5) {
    x = x*x;
} else {
    x = x+1;
}
Q is x >= 9

wp(S, x >= 9)
= (x < 5 ∧ wp(x = x*x; x >= 9))
  ∨ (x >= 5 ∧ wp(x = x+1; x >= 9))
= (x < 5 ∧ x*x >= 9)
  ∨ (x >= 5 ∧ x+1 >= 9)
= (x <= -3) ∨ (x >= 3 ∧ x < 5)
  ∨ (x >= 8)
    
```



If-statements review

Forward reasoning

```
{P}
if B
  {P ∧ B}
  S1
  {Q1}
else
  {P ∧ !B}
  S2
  {Q2}
{Q1 ∨ Q2}
```

Backward reasoning

```
{ (B ∧ wp(S1, Q))
  ∨ (!B ∧ wp(S2, Q)) }
if B
  {wp(S1, Q)}
  S1
  {Q}
else
  {wp(S2, Q)}
  S2
  {Q}
{Q}
```

CSE 331 Fall 2014

31

“Correct”

- If $wp(S, Q)$ is **true**, then executing S will always produce a state where Q holds
 - **true** holds for every program state

CSE 331 Fall 2014

32

One more issue

- With forward reasoning, there is a problem with assignment:
 - Changing a variable can affect other assumptions

- Example:

```
{true}
w=x+y;
{w = x + y;}
x=4;
{w = x + y ∧ x = 4}
y=3;
{w = x + y ∧ x = 4 ∧ y = 3}
```

But clearly we do not know $w=7!$

CSE 331 Fall 2014

33

The fix

- When you assign to a variable, you need to replace all other uses of the variable in the post-condition with a different variable
 - So you refer to the “old contents”

- Corrected example:

```
{true}
w=x+y;
{w = x + y;}
x=4;
{w = x1 + y ∧ x = 4}
y=3;
{w = x1 + y1 ∧ x = 4 ∧ y = 3}
```

CSE 331 Fall 2014

34

Useful example

- Swap contents
 - Give a name to initial contents so we can refer to them in the post-condition
 - Just in the formulas: these “names” are not in the program
 - Use these extra variables to avoid “forgetting” “connections”

```
{x = x_pre ∧ y = y_pre}
tmp = x;
{x = x_pre ∧ y = y_pre ∧ tmp=x}
x = y;
{x = y ∧ y = y_pre ∧ tmp=x_pre}
y = tmp;
{x = y_pre ∧ y = tmp ∧ tmp=x_pre}
```

CSE 331 Fall 2014

35