

CSE 332 Autumn 2023
Lecture 26: Topological Sort and
Minimum Spanning Trees

Nathan Brunelle

<http://www.cs.uw.edu/332>

Bank Account

```
Public static final Object BANK = new Object();
```

```
class BankAccount {
```

```
    ...
```

```
    synchronized void withdraw(int amt) {...}
```

```
    synchronized void deposit(int amt) {...}
```

```
    synchronized void transferTo(int amt, BankAccount a) {
```

```
        this.withdraw(amt);
```

```
        a.deposit(amt);
```

```
    }
```

```
}
```

The Deadlock

Expected Behavior:

Thread 2 items from a stack are popped in LIFO order

Thread 1:

```
x.transferTo(1,y);
```

Thread 2:

```
y.transferTo(1,x);
```

acquire lock for account x b/c transferTo is synchronized
acquire lock for account y b/c deposit is synchronized
release lock for account y after deposit
release lock for account x at end of transferTo

acquire lock for account y b/c transferTo is synchronized
acquire lock for account x b/c deposit is synchronized
release lock for account x after deposit
release lock for account y at end of transferTo

The Deadlock

Expected Behavior:

Thread 2 items from a stack are popped in LIFO order

Thread 1:

```
x.transferTo(1,y);
```

Thread 2:

```
y.transferTo(1,x);
```

acquire lock for account x b/c transferTo is synchronized

acquire lock for account y b/c deposit is synchronized

release lock for account y after depost

release lock for account x at end of transferTo

acquire lock for account y b/c transferTo is synchronized

acquire lock for account x b/c deposit is synchronized

release lock for account x after deposit

release lock for account y at end of transferTo


Resolving Deadlocks

- Deadlocks occur when there are multiple locks necessary to complete a task and different threads may obtain them in a different order
 - Option 1:
 - Have a coarser lock granularity
 - E.g. one lock for ALL bank accounts
 - Option 2:
 - Have a finer critical section so that only one lock is needed at a time
 - E.g. instead of a synchronized transferTo, have the withdraw and deposit steps locked separately
 - Option 3:
 - Force the threads to always acquire the locks in the same order
 - E.g. make transferTo acquire both locks before doing either the withdraw or deposit, make sure both threads agree on the order to acquire
-

Option 1: Coarser Locking

```
static final Object BANK = new Object();
```

```
class BankAccount {  
    ...  
    synchronized void withdraw(int amt) {...}  
    synchronized void deposit(int amt) {...}  
    void transferTo(int amt, BankAccount a) {  
        synchronized(BANK){  
            this.withdraw(amt);  
            a.deposit(amt);  
        }  
    }  
}
```




Option 2: Finer Critical Section

```
class BankAccount {  
    ...  
    synchronized void withdraw(int amt) {...}  
    synchronized void deposit(int amt) {...}  
    void transferTo(int amt, BankAccount a) {  
        synchronized(this){  
            this.withdraw(amt);  
        }  
        synchronized(a){  
            a.deposit(amt);  
        }  
    }  
}
```


Option 3: First Get All Locks In A Fixed Order

```
class BankAccount {  
    ...  
    synchronized void withdraw(int amt) {...}  
    synchronized void deposit(int amt) {...}  
    void transferTo(int amt, BankAccount a) {  
        if (this.acctNum < a.acctNum) {  
            synchronized(this) {  
                synchronized(a) {  
                    this.withdraw(amt);  
                    a.deposit(amt);  
                }  
            }  
        }  
        else {  
            synchronized(a) {  
                synchronized(this) {  
                    this.withdraw(amt);  
                    a.deposit(amt);  
                }  
            }  
        }  
    }  
}
```




Depth-First Search

- Input: a node s
- Behavior: Start with node s , visit one neighbor of s , then all nodes reachable from that neighbor of s , then another neighbor of s ,...
- Output:
 - Does the graph have a cycle?
 - A **topological sort** of the graph.



DFS (non-recursive)




Running time: $\Theta(|V| + |E|)$

```
void dfs(graph, s){
    found = new Stack();
    found.pop(s);
    mark s as "visited";
    While (!found.isEmpty()){
        current = found.pop();
        for (v : neighbors(current)){
            if (! v marked "visited"){
                mark v as "visited";
                found.push(v);
            }
        }
    }
}
```


DFS Recursively (more common)

```
void dfs(graph, curr){  
    mark curr as "visited";  
    for (v : neighbors(current)){  
        if (! v marked "visited"){  
            dfs(graph, v);  
        }  
    }  
    mark curr as "done";  
}
```



Cycle Detection



Idea: Look for a back edge!



```
boolean hasCycle(graph, curr){
  mark curr as "visited";
  cycleFound = false;
  for (v : neighbors(current)){
    if (v marked "visited" && ! v marked "done"){
      cycleFound=true;
    }
    if (! v marked "visited" && !cycleFound){
      cycleFound = hasCycle(graph, v);
    }
  }
  mark curr as "done";
  return cycleFound;
}
```


Topological Sort

- A Topological Sort of a **directed acyclic graph** $G = (V, E)$ is a permutation of V such that if $(u, v) \in E$ then u is before v in the permutation



DFS Recursively


```
void dfs(graph, curr){  
    mark curr as "visited";  
    for (v : neighbors(current)){  
        if (! v marked "visited"){  
            dfs(graph, v);  
        }  
    }  
    mark curr as "done";  
}
```



DFS Recursively

```
void dfs(graph, curr){  
    mark curr as "visited";  
    for (v : neighbors(current)){  
        if (! v marked "visited"){  
            dfs(graph, v);  
        }  
    }  
    mark curr as "done";  
}
```

Idea: List in reverse order by "done" time



DFS: Topological sort

```
List topSort(graph){  
  List<Nodes> done = new List<>();  
  for (Node v : graph.vertices){  
    if (!v.visited){  
      finishTime(graph, v, finished);  
    }  
  }  
  done.reverse();  
  return done;  
}
```


✓ + E

Idea: List in reverse order by "done" time




```
void finishTime(graph, curr, finished){  
  curr.visited = true;  
  for (Node v : curr.neighbors){  
    if (!v.visited){  
      finishTime(graph, v, finished);  
    }  
  }  
  done.add(curr)  
}
```

done



Definition: Tree

A connected graph with no cycles




Note: A tree does not need a root, but they often do!


Definition: Tree



A connected graph with no cycles




Pick some arbitrary root node and rearrange tree




Definition: Spanning Tree

A Tree $T = (V_T, E_T)$ which connects (“spans”) all the nodes in a graph $G = (V, E)$



How many edges does T have?
 $V - 1$

→ Pick some arbitrary root node and rearrange tree




Any set of $V-1$ edges in the graph that doesn't have any cycles is guaranteed to be a spanning tree!

Any set of $V-1$ edges that connects all the nodes in the graph is guaranteed to be a spanning tree!

Definition: Minimum Spanning Tree

A Tree $T = (V_T, E_T)$ which connects (“spans”) all the nodes in a graph $G = (V, E)$, that has minimal **cost**




$$Cost(T) = \sum_{e \in E_T} w(e)$$

Kruskal's Algorithm

V-1

Start with an empty tree A


Add to A the lowest-weight edge that does not create a cycle



Kruskal's Algorithm

Start with an empty tree A


Add to A the lowest-weight edge that does not create a cycle



Kruskal's Algorithm

Start with an empty tree A


Add to A the lowest-weight edge that does not create a cycle



Kruskal's Algorithm

Start with an empty tree A


Add to A the lowest-weight edge that does not create a cycle



Kruskal's Algorithm

Start with an empty tree A

Add to A the lowest-weight edge that does not create a cycle




Kruskal's Algorithm

✓ - 1


Start with an empty tree A

Add to A the **lowest-weight edge that does not create a cycle**



Definition: Cut

A Cut of graph $G = (V, E)$ is a partition of the nodes into two sets, S and $V - S$



Edge $(v_1, v_2) \in E$ crosses a cut if $v_1 \in S$ and $v_2 \in V - S$ (or opposite), e.g. (A, C)


A set of edges R Respects a cut if no edges cross the cut
e.g. $R = \{(A, B), (E, G), (F, G)\}$

Cut Theorem

If a set of edges A is a subset of a minimum spanning tree T , let $(S, V - S)$ be any cut which A respects. Let e be the least-weight edge which crosses $(S, V - S)$. $A \cup \{e\}$ is also a subset of a minimum spanning tree.


Cut Theorem

If a set of edges A is a subset of a minimum spanning tree T , let $(S, V - S)$ be any cut which A respects. Let e be the least-weight edge which crosses $(S, V - S)$. $A \cup \{e\}$ is also a subset of a minimum spanning tree.




Cut Theorem

If a set of edges A is a subset of a minimum spanning tree T , let $(S, V - S)$ be any cut which A respects. Let e be the least-weight edge which crosses $(S, V - S)$. $A \cup \{e\}$ is also a subset of a minimum spanning tree.




Cut Theorem

If a set of edges A is a subset of a minimum spanning tree T , let $(S, V - S)$ be any cut which A respects. Let e be the least-weight edge which crosses $(S, V - S)$. $A \cup \{e\}$ is also a subset of a minimum spanning tree.



Cut Theorem

If a set of edges A is a subset of a minimum spanning tree T , let $(S, V - S)$ be any cut which A respects. Let e be the least-weight edge which crosses $(S, V - S)$. $A \cup \{e\}$ is also a subset of a minimum spanning tree.




Proof of Kruskal's Algorithm

Start with an empty tree A

Repeat $V - 1$ times:

Add the min-weight edge that doesn't cause a cycle



Proof: Suppose we have some arbitrary set of edges A that Kruskal's has already selected to include in the MST. $e = (F, G)$ is the edge Kruskal's selects to add next

We know that there cannot exist a path from F to G using only edges in A because e does not cause a cycle

We can cut the graph therefore into 2 disjoint sets:

- nodes reachable from G using edges in A
- All other nodes


e is the minimum cost edge that crosses this cut, so by the Cut Theorem, Kruskal's is optimal!

Kruskal's Algorithm Runtime

Start with an empty tree A

Repeat $V - 1$ times:

Add the min-weight edge that doesn't cause a cycle



Keep edges in a Disjoint-set data structure (very fancy)
 $O(E \log V)$


General MST Algorithm

Start with an empty tree A

Repeat $V - 1$ times:

Pick a cut $(S, V - S)$ which A respects (typically implicitly)

Add the min-weight edge which crosses $(S, V - S)$



Prim's Algorithm

Start with an empty tree A


Repeat $V - 1$ times:

Pick a cut $(S, V - S)$ which A respects

Add the min-weight edge which crosses $(S, V - S)$

S is all endpoint of edges in A

e is the min-weight edge that grows the tree




Prim's Algorithm

Start with an empty tree A

Pick a **start node**

Repeat $V - 1$ times:

Add **the min-weight edge** which connects to node
in A with a node not in A




Prim's Algorithm

Start with an empty tree A

Pick a **start node**

Repeat $V - 1$ times:

Add **the min-weight edge** which connects to node
in A with a node not in A




Prim's Algorithm

Start with an empty tree A

Pick a **start node**

Repeat $V - 1$ times:

Add **the min-weight edge** which connects to node
in A with a node not in A




Prim's Algorithm

Start with an empty tree A

Pick a **start node**

Repeat $V - 1$ times:

Add **the min-weight edge** which connects to node
in A with a node not in A



Prim's Algorithm


Start with an empty tree A

Pick a **start node**

Repeat $V - 1$ times:


Add **the min-weight edge** which connects to node
in A with a node not in A

Keep edges in a Heap
 $O(E \log V)$




Dijkstra's Algorithm

```
int dijkstras(graph, start, end){
    PQ = new minheap();
    PQ.insert(0, start); // priority=0, value=start
    start.distance = 0;
    while (!PQ.isEmpty){
        current = PQ.extractmin();
        if (current.known){ continue;}
        current.known = true;
        for (neighbor : current.neighbors){
            if (!neighbor.known){
                new_dist = current.distance + weight(current,neighbor);
                if(neighbor.dist != ∞){ PQ.insert(new_dist, neighbor);}
                else if (new_dist < neighbor. distance){
                    neighbor. distance = new_dist;
                    PQ.decreaseKey(new_dist,neighbor); }
            }
        }
    }
    return end.distance;
}
```




Prim's Algorithm

```
int dijkstras(graph, start, end){
    PQ = new minheap();
    PQ.insert(0, start); // priority=0, value=start
    start.distance = 0;
    while (!PQ.isEmpty){
        current = PQ.extractmin();
        if (current.known){ continue;}
        current.known = true;
        for (neighbor : current.neighbors){
            if (!neighbor.known){
                new_dist = weight(current,neighbor);
                if(neighbor.dist != ∞){ PQ.insert(new_dist, neighbor);}
                else if (new_dist < neighbor.distance){
                    neighbor.distance = new_dist;
                    PQ.decreaseKey(new_dist,neighbor); }
            }
        }
    }
    return end.distance;
}
```



Dijkstra's Algorithm

```
int dijkstras(graph, start, end){
    PQ = new minheap();
    PQ.insert(0, start); // priority=0, value=start
    start.distance = 0;
    while (!PQ.isEmpty){
        current = PQ.extractmin();
        if (current.known){ continue;}
        current.known = true;
        for (neighbor : current.neighbors){
            if (!neighbor.known){
                new_dist = current.distance + weight(current,neighbor);
                if(neighbor.dist != ∞){ PQ.insert(new_dist, neighbor);}
                else if (new_dist < neighbor. distance){
                    neighbor. distance = new_dist;
                    PQ.decreaseKey(new_dist,neighbor); }
            }
        }
    }
    return end.distance;
}
```



Prim's Algorithm

```
int dijkstras(graph, start, end){
    PQ = new minheap();
    PQ.insert(0, start); // priority=0, value=start
    start.distance = 0;
    while (!PQ.isEmpty){
        current = PQ.extractmin();
        if (current.known){ continue;}
        current.known = true;
        for (neighbor : current.neighbors){
            if (!neighbor.known){
                new_dist = weight(current,neighbor);
                if(neighbor.dist != ∞){ PQ.insert(new_dist, neighbor);}
                else if (new_dist < neighbor. distance){
                    neighbor. distance = new_dist;
                    PQ.decreaseKey(new_dist,neighbor); }
            }
        }
    }
    return end.distance;
}
```

