

C++ Inheritance II, Casts

CSE 333 Spring 2023

Instructor: Chris Thachuk

Teaching Assistants:

Byron Jin

Deeksha Vatwani

Humza Lala

Noa Ferman

Seulchan (Paul) Han

Tim Mandzyuk

CJ Reith

Edward Zhang

Lahari Nidadavolu

Saket Gollapudi

Timmy Yang

Wui Wu

Relevant Course Information

- ❖ Exercise 9 is due next Wednesday (5/17)
- ❖ Homework 3 is due next Thursday (5/18)
 - Suggestion: write index files to `/tmp/`, which is a local scratch disk and is very fast, but please clean up when you're done
- ❖ Reminder about late days
 - We'll post an updated count of your remaining late days to canvas on Saturday
 - You can find the automatically calculated days used per homework written in a file in Gradescope
 - Can use up to 2 late days per homework (if you have sufficient late days remaining)

Lecture Outline

- ❖ **C++ Inheritance**
 - **Abstract Classes**
 - **Static Dispatch**
 - Constructors and Destructors
 - Assignment
- ❖ C++ Casting
- ❖ C++ Conversions

- ❖ Reference: *C++ Primer*, Chapter 15

Abstract Classes

- ❖ Sometimes we want to include a function in a class but *only* implement it in derived classes
 - In Java, we would use an abstract method
 - In C++, we use a “pure virtual” function
 - Example: `virtual string Noise() = 0;`
- ❖ A class containing *any* pure virtual methods is **abstract**
 - You can't create instances of an abstract class
 - Extend abstract classes and override methods to use them
- ❖ A class containing *only* pure virtual methods is the same as a Java interface
 - Pure type specification without implementations

Reminder: `virtual` is “sticky”

- ❖ If `X::F()` is declared `virtual`, then a vtable will be created for class `X` and for *all* of its subclasses
 - The vtables will include function pointers for (the correct) `F`
- ❖ `F()` will be called using dynamic dispatch even if overridden in a derived class without the `virtual` keyword
 - Good style to help the reader *and avoid bugs* by using `override`
 - Style guide controversy, if you use `override` should you use `virtual` in derived classes? Recent style guides say just use `override`, but you’ll sometimes see both, particularly in older code

What happens if we omit “virtual”?

- ❖ By default, without `virtual`, methods are dispatched *statically*
 - At compile time, the compiler writes in a `call` to the address of the class' method in the `.text` segment
 - Based on the compile-time visible type of the callee
 - This is *different* than Java

```
class Derived : public Base { ... };
```

```
int main(int argc, char** argv) {  
    Derived d;  
    Derived* dp = &d;  
    Base* bp = &d;  
    dp->Foo();  
    bp->Foo();  
    return EXIT_SUCCESS;  
}
```

Derived::Foo()
...

Base::Foo()
...

Static Dispatch Example

- ❖ Removed `virtual` on methods:

Stock.h

```
double Stock::GetMarketValue() const;  
double Stock::GetProfit() const;
```

```
DividendStock dividend();  
DividendStock* ds = &dividend;  
Stock* s = &dividend;  
  
// Invokes DividendStock::GetMarketValue()  
ds->GetMarketValue();  
  
// Invokes Stock::GetMarketValue()  
s->GetMarketValue();  
  
// invokes Stock::GetProfit().  
// Stock::GetProfit() invokes Stock::GetMarketValue().  
s->GetProfit();  
  
// invokes Stock::GetProfit(), since that method is inherited.  
// Stock::GetProfit() invokes Stock::GetMarketValue().  
ds->GetProfit();
```


Why Not Always Use `virtual`?

- ❖ Two (fairly uncommon) reasons:
 - Efficiency:
 - Non-virtual function calls are a tiny bit faster (no indirect lookup)
 - A class with no virtual functions has objects without a `vptr` field
 - Control:
 - If `F()` calls `G()` in class `X` and `G` is not virtual, we're guaranteed to call `X::G()` and not `G()` in some subclass
 - Particularly useful for framework design
- ❖ In Java, all methods are virtual, except `static` class methods, which aren't associated with objects
- ❖ In C++ and C#, you can pick what you want
 - Omitting `virtual` can cause obscure bugs
 - (Most of the time, you want member function to be `virtual`)

Mixed Dispatch

- ❖ Which function is called is a mix of both compile time and runtime decisions as well as *how* you call the function
 - If called on an object (e.g., `obj.Fcn()`), usually optimized into a hard-coded function call at compile time
 - If called via a pointer or reference:

```
PromisedT* ptr = new ActualT;  
ptr->Fcn(); // which version is called?
```



Mixed Dispatch Example

mixed.cc

```
class A {
public:
    // m1 will use static dispatch
    void M1() { cout << "a1, "; }
    // m2 will use dynamic dispatch
    virtual void M2() { cout << "a2"; }
};

class B : public A {
public:
    void M1() { cout << "b1, "; }
    // m2 is still virtual by default
    void M2() { cout << "b2"; }
};
```

```
void main(int argc,
           char** argv) {
    A a;
    B b;

    A* a_ptr_a = &a;
    A* a_ptr_b = &b;
    B* b_ptr_a = &a;
    B* b_ptr_b = &b;

    a_ptr_a->M1(); //
    a_ptr_a->M2(); //

    a_ptr_b->M1(); //
    a_ptr_b->M2(); //

    b_ptr_b->M1(); //
    b_ptr_b->M2(); //
}
```