



[pollev.com/cse333](https://pollev.com/cse333)

**About how long did Exercise 4 & 5 take you?**

- A. [0, 2) hours
- B. [2, 4) hours
- C. [4, 6) hours
- D. [6, 8) hours
- E. 8+ Hours
- F. I didn't submit / I prefer not to say

# C++ Constructor Insanity

## CSE 333 Winter 2023

**Instructor:** Justin Hsia

**Teaching Assistants:**

Adina Tung

Danny Agustinus

Edward Zhang

James Froelich

Lahari Nidadavolu

Mitchell Levy

Noa Ferman

Patrick Ho

Paul Han

Saket Gollapudi

Sara Deutscher

Tim Mandzyuk

Timmy Yang

Wei Wu

Yiqing Wang

Zhuochun Liu

# Relevant Course Information

- ❖ Exercise 6 released today, due Wednesday
  - Write a substantive class in C++ (uses a lot of what we will talk about in lecture today)
- ❖ Homework 2 due next Thursday (2/2)
  - File system crawler, indexer, and search engine
  - Note: `libhw1.a` (yours or ours) and the `.h` files from hw1 need to be in right directory (`~yourgit/hw1/`)
  - Note: use Ctrl-D to exit `searchshell`
  - Tip: test on directory of small self-made files



# struct vs. class

- ❖ In C, a `struct` can only contain data fields
  - No methods and all fields are always accessible
- ❖ In C++, `struct` and `class` are (nearly) the same!
  - Both can have methods and member visibility (public/private/protected)
  - Minor difference: members are default *public* in a `struct` and default *private* in a `class`
- ❖ Common style convention:
  - Use `struct` for simple bundles of data
  - Use `class` for abstractions with data + functions

# Memory Diagrams for Objects

- ❖ An **object** is an instance of a class that maintains its *state* independent from other objects
  - This state is the collection of its data members
  - Conceptually, an object acts like a collection of data fields (plus class metadata)
    - Layout is *not* specified or guaranteed, unlike structs in C
- ❖ Drawn out as variables within variables:

```
class Point {  
    ...  
  
    private:  
        int x_; // data member  
        int y_; // data member  
}; // class Point
```

# Lecture Outline

- ❖ **Constructors**
- ❖ Copy Constructors
- ❖ Assignment
- ❖ Destructors

# Constructors

- ❖ A **constructor (ctor)** initializes a newly-instantiated object
  - A class can have multiple constructors that differ in parameters
  - A constructor *must* be invoked when creating a new instance of an object – which one depends on *how* the object is instantiated

- ❖ Written with the class name as the method name:

```
Point(const int x, const int y);
```

- C++ will automatically create a **synthesized default constructor** if you have *no* user-defined constructors
  - Takes no arguments and calls the default ctor on all non-“plain old data” (non-POD) member variables
  - Synthesized default ctor will fail if you have non-initialized const or reference data members

# Synthesized Default Constructor Example

```
class SimplePoint {
public:
    // no constructors declared!
    int get_x() const { return x_; }      // inline member function
    int get_y() const { return y_; }      // inline member function
    double Distance(const SimplePoint& p) const;
    void SetLocation(int x, int y);

private:
    int x_; // data member
    int y_; // data member
}; // class SimplePoint
```

SimplePoint.h

```
#include "SimplePoint.h"

... // definitions for Distance() and SetLocation()

int main(int argc, char** argv) {
    SimplePoint x; // invokes synthesized default constructor
    return EXIT_SUCCESS;
}
```

SimplePoint.cc



# Synthesized Default Constructor

- ❖ If you define *any* constructors, C++ assumes you have defined all the ones you intend to be available and will *not* add any others

```
#include "SimplePoint.h"

// defining a constructor with two arguments
SimplePoint::SimplePoint(const int x, const int y) {
    x_ = x;
    y_ = y;
}

void foo() {
    SimplePoint x;           // compiler error: if you define any
                           // ctors, C++ will NOT synthesize a
                           // default constructor for you.

    SimplePoint y(1, 2);    // works: invokes the 2-int-arguments
                           // constructor
}
```

# Multiple Constructors (overloading)

```
#include "SimplePoint.h"

// default constructor
SimplePoint::SimplePoint() {
    x_ = 0;
    y_ = 0;
}

// constructor with two arguments
SimplePoint::SimplePoint(const int x, const int y) {
    x_ = x;
    y_ = y;
}

void foo() {
    SimplePoint x;           // invokes the default constructor
    SimplePoint y(1, 2);    // invokes the 2-int-arguments ctor
    SimplePoint a[3];       // invokes the default ctor 3 times
}
```

# Initialization Lists

- ❖ C++ lets you *optionally* declare an **initialization list** as part of a constructor definition
  - Initializes fields according to parameters in the list
  - The following two are (nearly) identical:

```
Point::Point(const int x, const int y) {  
    x_ = x;  
    y_ = y;  
    std::cout << "Point constructed: (" << x_ << ", ";  
    std::cout << y_ << ")" << std::endl;  
}
```

```
// constructor with an initialization list  
Point::Point(const int x, const int y) : x_(x), y_(y) {  
    std::cout << "Point constructed: (" << x_ << ", ";  
    std::cout << y_ << ")" << std::endl;  
}
```



# Initialization vs. Construction

```
class Point3D {
public:
    // constructor with 3 int arguments
    Point3D(const int x, const int y, const int z) : y_(y), x_(x) {
        z_ = z;
    }

private:
    int x_, y_, z_; // data members
}; // class Point3D
```

*First, initialization list is applied.*

*Next, constructor body is executed.*

- Data members in initializer list are initialized in the order they are defined in the class, not by the initialization list ordering (!)
  - Data members that don't appear in the initialization list are *default initialized/constructed* before body is executed
- Initialization preferred to assignment to avoid extra steps
  - Real code should never mix the two styles

# Lecture Outline

- ❖ Constructors
- ❖ **Copy Constructors**
- ❖ Assignment
- ❖ Destructors



# Copy Constructors

- ❖ C++ has the notion of a **copy constructor (cctor)**
  - Used to create a new object as a copy of an existing object

```
Point::Point(const int x, const int y) : x_(x), y_(y) { }

// copy constructor
Point::Point(const Point& copyme) {
    x_ = copyme.x_;
    y_ = copyme.y_;
}

void foo() {
    Point x(1, 2); // invokes the 2-int-arguments constructor

    Point y(x);   // invokes the copy constructor
                  // could also be written as "Point y = x;"
}
```

- Initializer lists can also be used in copy constructors (preferred)

# Synthesized Copy Constructor

- ❖ If you don't define your own copy constructor, C++ will synthesize one for you
  - It will do a *shallow* copy of all of the fields (*i.e.*, member variables) of your class
  - Sometimes the right thing; sometimes the wrong thing

```
#include "SimplePoint.h"

... // definitions for Distance() and SetLocation()

int main(int argc, char** argv) {
    SimplePoint x;
    SimplePoint y(x); // invokes synthesized copy constructor
    ...
    return EXIT_SUCCESS;
}
```

# When Do Copies Happen?

## ❖ The copy constructor is invoked if:

- You *initialize* an object from another object of the same type:

```
Point x;           // default ctor
Point y(x);       // copy ctor
Point z = y;      // copy ctor
```

- You pass a non-reference object as a value parameter to a function:

```
void foo(Point x) { ... }

Point y;           // default ctor
foo(y);           // copy ctor
```

- You return a non-reference object value from a function:

```
Point foo() {
    Point y;       // default ctor
    return y;     // copy ctor
}
```



# Compiler Optimization

- ❖ The compiler sometimes uses a “return by value optimization” or “move semantics” to eliminate unnecessary copies
  - Sometimes you might not see a constructor get invoked when you might expect it

```
Point foo() {  
    Point y;           // default ctor  
    return y;         // copy ctor? optimized?  
}  
  
int main(int argc, char** argv) {  
    Point x(1, 2);     // two-ints-argument ctor  
    Point y = x;       // copy ctor  
    Point z = foo();  // copy ctor? optimized?  
}
```

# Lecture Outline

- ❖ Constructors
- ❖ Copy Constructors
- ❖ **Assignment**
- ❖ Destructors

# Assignment != Construction

- ❖ “=” is the **assignment operator**
  - Assigns values to an *existing, already constructed* object

```
Point w;           // default ctor
Point x(1, 2);    // two-ints-argument ctor
Point y(x);       // copy ctor
Point z = w;      // copy ctor
y = x;           // assignment operator
```



# Overloading the “=” Operator

- ❖ You can choose to define the “=” operator
  - But there are some rules you should follow:

```
Point& Point::operator=(const Point& rhs) {  
    if (this != &rhs) { // (1) always check against this  
        x_ = rhs.x_  
        y_ = rhs.y_  
    }  
    return *this; // (2) always return *this from op=  
}  
  
Point a; // default constructor  
a = b = c; // works because = return *this  
a = (b = c); // equiv. to above (= is right-associative)  
(a = b) = c; // "works" because = returns a non-const
```

# Synthesized Assignment Operator

- ❖ If you don't define the assignment operator, C++ will synthesize one for you
  - It will do a *shallow* copy of all of the fields (*i.e.*, member variables) of your class
  - Sometimes the right thing; sometimes the wrong thing

```
#include "SimplePoint.h"

... // definitions for Distance() and SetLocation()

int main(int argc, char** argv) {
    SimplePoint x;
    SimplePoint y(x);
    y = x;           // invokes synthesized assignment operator
    return EXIT_SUCCESS;
}
```

# Lecture Outline

- ❖ Constructors
- ❖ Copy Constructors
- ❖ Assignment
- ❖ **Destructors**

# Destructors

- ❖ C++ has the notion of a **destructor** (dtor)
  - Invoked automatically when a class instance is deleted, goes out of scope, etc. (even via exceptions or other causes!)
  - Place to put your cleanup code – free any dynamic storage or other resources owned by the object
  - Standard C++ idiom for managing dynamic resources
    - Slogan: *“Resource Acquisition Is Initialization”* (RAII)

```
Point::~~Point() { // destructor
    // do any cleanup needed when a Point object goes away
    // (nothing to do here since we have no dynamic resources)
}
```

# Destructor Example

```
class FileDescriptor {
public:
    FileDescriptor(char* file) {           // Constructor
        fd_ = open(file, O_RDONLY);
        // Error checking omitted
    }
    ~FileDescriptor() { close(fd_); }     // Destructor
    int get_fd() const { return fd_; }   // inline member function
private:
    int fd_; // data member
}; // class FileDescriptor
```

FileDescriptor.h

```
#include "FileDescriptor.h"

int main(int argc, char** argv) {
    FileDescriptor fd("foo.txt");
    return EXIT_SUCCESS;
}
```





# Poll Everywhere

[pollev.com/cse333](http://pollev.com/cse333)

- ❖ How many times does the **destructor** get invoked?
  - Assume `Point` with everything defined (ctor, cctor, =, dtor)
  - Assume no compiler optimizations

test.cc

```
Point PrintRad(Point& pt) {
    Point origin(0, 0);
    double r = origin.Distance(pt);
    double theta = atan2(pt.get_y(), pt.get_x());
    cout << "r = " << r << endl;
    cout << "theta = " << theta << " rad" << endl;
    return pt;
}

int main(int argc, char** argv) {
    Point pt(3, 4);
    PrintRad(pt);
    return EXIT_SUCCESS;
}
```

- A. 1
- B. 2
- C. 3
- D. 4
- E. We're lost...

# Class Definition (from last lecture)

Point.h

```
#ifndef POINT_H_
#define POINT_H_

class Point {
public:
    Point(int x, int y);
    int get_x() const { return x_; }
    int get_y() const { return y_; }
    double Distance(const Point& p) const;
    void SetLocation(int x, int y);

private:
    int x_; // data member
    int y_; // data member
}; // class Point

#endif // POINT_H_
```

declarations

this const means that this function is not allowed to change the object on which it is called (the implicit "this" pointer)

function definitions

// constructor

// inline member function

// inline member function

// member function

// member function

compiler may choose to expand inline (like a macro) instead of an actual function call

naming convention for class data members (Google C++ style guide)



# Poll Everywhere

[pollev.com/cse333](https://pollev.com/cse333)

- ❖ How many times does the *destructor* get invoked?

ctor	cctor	op=	dtor

test.cc

```
Point PrintRad(Point& pt) {
    Point origin(0, 0);
    double r = origin.Distance(pt);
    double theta = atan2(pt.get_y(), pt.get_x());
    cout << "r = " << r << endl;
    cout << "theta = " << theta << " rad" << endl;
    return pt;
}

int main(int argc, char** argv) {
    Point pt(3, 4);
    PrintRad(pt);
    return EXIT_SUCCESS;
}
```

# Preview for Next Lecture

```
class FileDescriptor {
public:
    FileDescriptor(char* file) {           // Constructor
        fd_ = open(file, O_RDONLY);
        // Error checking omitted
    }
    ~FileDescriptor() { close(fd_); }     // Destructor
    int get_fd() const { return fd_; }   // inline member function
private:
    int fd_; // data member
}; // class FileDescriptor
```

FileDescriptor.h

```
#include "FileDescriptor.h"

int main(int argc, char** argv) {
    FileDescriptor fd1(foo.txt);
    FileDescriptor fd2(fd); // Invokes synthesized ctor
    return EXIT_SUCCESS; ← What happens when we return
                           and destruct our objects?
}
```

(This won't crash the program, but what if we were using heap allocation instead of file descriptors?)

# Extra Exercise #1

- ❖ Write a C++ program that:
  - Has a class representing a 3-dimensional point
  - Has the following methods:
    - Return the inner product of two 3D points
    - Return the distance between two 3D points
    - Accessors and mutators for the  $x$ ,  $y$ , and  $z$  coordinates

# Extra Exercise #2

- ❖ Write a C++ program that:
  - Has a class representing a 3-dimensional box
    - Use your Extra Exercise #1 class to store the coordinates of the vertices that define the box
    - Assume the box has right-angles only and its faces are parallel to the axes, so you only need 2 vertices to define it
  - Has the following methods:
    - Test if one box is inside another box
    - Return the volume of a box
    - Handles `<<`, `=`, and a copy constructor
    - Uses `const` in all the right places

# Extra Exercise #3

- ❖ Modify your Point3D class from Extra Exercise #1
  - Disable the copy constructor and assignment operator
  - Attempt to use copy & assignment in code and see what error the compiler generates
  - Write a `CopyFrom()` member function and try using it instead
    - (See details about `CopyFrom()` in next lecture)

# Extra Exercise #4

- ❖ Write a C++ class that:
  - Is given the name of a file as a constructor argument
  - Has a `GetNextWord()` method that returns the next whitespace- or newline-separated word from the file as a copy of a `string` object, or an empty string once you hit EOF
  - Has a destructor that cleans up anything that needs cleaning up