

CSE 341, Autumn 2012, Assignment 8

Ruby Project

Due: Friday Dec 7, 10:00pm

Minor correction on Dec 1 (consistently named the conversion method `asPolynomial`); noted that exponents can be assumed to be non-negative in the extra credit problem.

The purpose of this assignment is to give you additional experience programming in Ruby, including how to integrate new classes with existing system ones (particularly numeric ones).

30 points total; up to 10% extra for the extra credit question.

You can use at most 1 late days for this assignment. **Important: if you plan to use the late day, turn in a note in the dropbox for the assignment saying that you plan to use the late day.** That way the TAs can get started on grading the assignments that have been turned in on Friday, rather than not knowing whether an assignment will be replaced with a new one. (It's the end of the quarter and they need to finish up!)

Define a Ruby class `Polynomial` that represents symbolic polynomials in n variables. Your class should understand the messages `+`, `-`, `*`, `to_s`, and `initialize`, along with any helper methods you need. Any helper methods that aren't used outside the polynomial class should be either private or protected. The `+` method should return a new polynomial that is the sum of the receiver and the argument; and similarly for `-` and `*`. The `to_s` method must print out the polynomial in normalized form, as a sum of 1 or more terms. Each term should be a coefficient (which can default to 1) times zero or more variables. Any term with a zero coefficient should be dropped. There shouldn't be multiple terms with the same set of variables — these should be combined. The only other requirement is that the expression must be legal Ruby code, which would evaluate to the correct value if you were to give bindings for any variables — otherwise you can print out the polynomial in any convenient form.

Also define a `asPolynomial` method for `Numeric` that converts a number to a polynomial (with a single term with the numer as the coefficient and no variables); and a `asPolynomial` method for `String` that converts a string to a polynomial with one variable, whose name is the string.

Finally, polynomials should interoperate correctly with ordinary Ruby numbers: if `p` is a polynomial, `2*p`, `p*2`, `2+p`, `p+2`, `2-p`, and `p-2` should all work.

Here are some examples:

`3.asPolynomial` should return a new polynomial with a single term, consisting of a coefficient of 3 and no variables. In the sample solution it prints as `Polynomial(3)`.

`"x".asPolynomial` should return a new polynomial with a single term with a coefficient of 1 and a single variable `x`. In the sample solution it prints as `Polynomial(x)`.

Here is some sample output. We first declare a couple of variables `x` and `y` to hold polynomials, and then use them in expressions. Notice that terms with the same variables are combined (even for example if the terms are written as `2*x*y` and `y*3*x` — these both have the same variables, namely `x` and `y`). Also in the sample solution, minus isn't handled particularly elegantly for `to_s` — that's OK (the expression part just needs to be legal Ruby).

```
>> x = "x".asPolynomial
=> Polynomial(x)

>> y = "y".asPolynomial
=> Polynomial(y)
```

```

>> -10.asPolynomial
=> Polynomial(-10)

>> 2*x*y +3
=> Polynomial(2*x*y + 3)

>> (x+3)*y
=> Polynomial(x*y + 3*y)

>> x-8
=> Polynomial(x + -8)

>> 2*x*y*x*x +3
=> Polynomial(2*x*x*x*y + 3)

>> (x+1)*(x-1)
=> Polynomial(x*x + -1)

>> (3*x+5)*0
=> Polynomial(0)

>> 10*y+3*x
=> Polynomial(3*x + 10*y)

>> 2*x*y + x*3*y
=> Polynomial(5*x*y)

>> 10*x*y + 1 + y*3*x*2 + 10
=> Polynomial(16*x*y + 11)

```

Turnin: Turn in two .rb files: one the polynomial class definition, along with any additional methods for system classes; and another file with unit tests.

Hints: you should represent your polynomial in a normalized form, to make it easy to combine like terms and for printing.

If you've defined a `asPolynomial` method for `Numeric`, then it should be easy to make expressions like `x+2` work. But what about `2+x`? That ought to work as well, but here 2 is getting the message `+` with a `Polynomial` as an argument. To make this work, you'll need to define an appropriate `coerce` method for `Polynomial`. See the complex number example on the class web page, as well as the Ruby documentation. And also try `coerce` on integers and floats to explore coercion works in Ruby. The RomanNumeral example in the printed *Programming Ruby* book provides an additional example.

Extra Credit (max 10% extra):

Clean up printing to deal with minus in a cleaner way. (This is pretty easy.)

Add support for exponentiation by defining the `**` operator for polynomials. You can assume that the exponent will be a non-negative integer. In addition, clean up the way polynomials are printed (and represented internally) by using exponents rather than just repeating variables in terms. For example `x*10*x*x` should result in `Polynomial(10*x**3)`, and `(x+1)**3` should result in `Polynomial(x**3 + 3*x**2 + 3*x + 1)`.