

# CSE 401 – Compilers

---

LR Parsing  
Hal Perkins  
Winter 2010



# Agenda

---

- LR Parsing
- Table-driven Parsers
- Parser States
- Shift-Reduce and Reduce-Reduce conflicts



# LR(1) Parsing

---

- We'll look at LR(1) parsers
  - Left to right scan, Rightmost derivation, 1 symbol lookahead
  - Almost all practical programming languages have an LR(1) grammar
  - LALR(1), SLR(1), etc. – subsets of LR(1)
    - LALR(1) can parse most real languages, tables are more compact, and is used by YACC/Bison/CUP/etc.



# Bottom-Up Parsing

---

- Idea: Read the input left to right
- Whenever we've matched the right hand side of a production, reduce it to the appropriate non-terminal and add that non-terminal to the parse tree
- The upper edge of this partial parse tree is known as the *frontier*



# Example

---

- Grammar

$S ::= aAB e$

$A ::= A b c \mid b$

$B ::= d$

- Bottom-up Parse

a b b c d e



# Details

---

- The bottom-up parser reconstructs a reverse rightmost derivation
- Given the rightmost derivation
$$S \Rightarrow \beta_1 \Rightarrow \beta_2 \Rightarrow \dots \Rightarrow \beta_{n-2} \Rightarrow \beta_{n-1} \Rightarrow \beta_n = w$$
the parser will first discover  $\beta_{n-1} \Rightarrow \beta_n$ , then  $\beta_{n-2} \Rightarrow \beta_{n-1}$ , etc.
- Parsing terminates when
  - $\beta_1$  reduced to  $S$  (start symbol, success), or
  - No match can be found (syntax error)



# How Do We Parse with This?

---

- Key: given what we've already seen and the next input symbol, decide what to do.
- Choices:
  - Perform a reduction
  - Look ahead further
- Can reduce  $A \Rightarrow \beta$  if both of these hold:
  - $A \Rightarrow \beta$  is a valid production
  - $A \Rightarrow \beta$  is a step in *this* rightmost derivation
- This is known as a *shift-reduce* parser



# Sentential Forms

---

- If  $S \Rightarrow^* \alpha$ , the string  $\alpha$  is called a *sentential form* of the grammar
- In the derivation  
$$S \Rightarrow \beta_1 \Rightarrow \beta_2 \Rightarrow \dots \Rightarrow \beta_{n-2} \Rightarrow \beta_{n-1} \Rightarrow \beta_n = w$$
each of the  $\beta_i$  are sentential forms
- A sentential form in a rightmost derivation is called a right-sentential form (similarly for leftmost and left-sentential)





# Handles

---

- Informally, a substring of the tree frontier that matches the right side of a production
  - Even if  $A ::= \beta$  is a production,  $\beta$  is a handle only if it matches the frontier at a point where  $A ::= \beta$  was used in that derivation
  - $\beta$  may appear in many other places in the frontier without being a handle for that particular production



## Handles (cont.)

---

- Formally, a *handle* of a right-sentential form  $\gamma$  is a production  $A ::= \beta$  and a position in  $\gamma$  where  $\beta$  may be replaced by  $A$  to produce the previous right-sentential form in the rightmost derivation of  $\gamma$



# Handle Examples

---

- In the derivation

$S \Rightarrow aABe \Rightarrow aAde \Rightarrow aAbcde \Rightarrow abbcde$

- $abbcde$  is a right sentential form whose handle is  $A ::= b$  at position 2
- $aAbcde$  is a right sentential form whose handle is  $A ::= Abc$  at position 4
  - Note: some books take the left of the match as the position



# Implementing Shift-Reduce Parsers

---

- Key Data structures
  - A stack holding the frontier of the tree
  - A string with the remaining input

# Shift-Reduce Parser Operations



- *Reduce* – if the top of the stack is the right side of a handle  $A ::= \beta$ , pop the right side  $\beta$  and push the left side  $A$ .
- *Shift* push the next input symbol onto the stack
- *Accept* – announce success
- *Error* – syntax error discovered



# Shift-Reduce Example

---

$S ::= aABe$   
 $A ::= Abc \mid b$   
 $B ::= d$

<u>Stack</u>	<u>Input</u>	<u>Action</u>
\$	abbcde\$	<i>shift</i>



# How Do We Automate This?

---


- Def. *Viable prefix* – a prefix of a right-sentential form that can appear on the stack of the shift-reduce parser
  - Equivalent: a prefix of a right-sentential form that does not continue past the rightmost handle of that sentential form
- Idea: Construct a DFA to recognize viable prefixes given the stack and remaining input
  - Perform reductions when we recognize them

# DFA for prefixes of

$S ::= aABe$

$A ::= Abc \mid b$

$B ::= d$






# Trace

$S ::= aABe$   
 $A ::= Abc \mid b$   
 $B ::= d$

Stack  
\$

Input  
abcde\$





# Observations

---

- Way too much backtracking
  - We want the parser to run in time proportional to the length of the input
- Where the heck did this DFA come from anyway?
  - From the underlying grammar
  - We'll defer construction details for now



# Avoiding DFA Rescanning

---

- Observation: after a reduction, the contents of the stack are the same as before except for the new non-terminal on top
  - $\therefore$  Scanning the stack will take us through the same transitions as before until the last one
  - $\therefore$  If we record state numbers on the stack, we can go directly to the appropriate state when we pop the right hand side of a production from the stack



# Stack

---

- Change the stack to contain pairs of states and symbols from the grammar
$$\$s_0 X_1 s_1 X_2 s_2 \dots X_n s_n$$
  - State  $s_0$  represents the accept state
    - (Not always added – depends on particular presentation)
- Observation: in an actual parser, only the state numbers need to be pushed, since they implicitly contain the symbol information, but for explanations it's clearer to use both.



# Encoding the DFA in a Table

---

- A shift-reduce parser's DFA can be encoded in two tables
  - One row for each state
  - *action* table encodes what to do given the current state and the next input symbol
  - *goto* table encodes the transitions to take after a reduction



# Actions (1)

---

- Given the current state and input symbol, the main possible actions are
  - $s/i$  – shift the input symbol and state  $i$  onto the stack (i.e., shift and move to state  $i$ )
  - $r/j$  – reduce using grammar production  $j$ 
    - The production number tells us how many  $\langle \text{symbol}, \text{state} \rangle$  pairs to pop off the stack



## Actions (2)

---

- Other possible *action* table entries
  - *accept*
  - blank – no transition – syntax error
    - A LR parser will detect an error as soon as possible on a left-to-right scan
    - A real compiler needs to produce an error message, recover, and continue parsing when this happens



# Goto

---

- When a reduction is performed,  $\langle \text{symbol}, \text{state} \rangle$  pairs are popped from the stack revealing a state  $uncovered\_s$  on the top of the stack
- $\text{goto}[uncovered\_s, A]$  is the new state to push on the stack when reducing production  $A ::= \beta$  (after popping  $\beta$  and revealing state  $uncovered\_s$  on top)




# Reminder: DFA for

$S ::= aABe$

$A ::= Abc \mid b$

$B ::= d$



# LR Parse Table for

1.  $S ::= aABe$
2.  $A ::= Abc$
3.  $A ::= b$
4.  $B ::= d$

State	<i>action</i>						<i>goto</i>		
	a	b	c	d	e	\$	A	B	S
1	s2					acc			g1
2		s4					g3		
3		s6		s5				g8	
4	r3	r3	r3	r3	r3	r3			
5	r4	r4	r4	r4	r4	r4			
6			s7						
7	r2	r2	r2	r2	r2	r2			
8					s9				
9	r1	r1	r1	r1	r1	r1			



# LR Parsing Algorithm (1)

```
word = scanner.getToken();
while (true) {
    s = top of stack;
    if (action[s, word] =  $si$ ) {
        push word; push  $i$  (state);
        word = scanner.getToken();
    } else if (action[s, word] =  $rj$ ) {
        pop  $2 * \text{length of right side of}$ 
           production  $j$  ( $2 * |\beta|$ );
        uncovered_s = top of stack;
        push left side  $A$  of production  $j$ ;
        push state goto[uncovered_s,  $A$ ];
    }
    } else if (action[s, word] = accept ) {
        return;
    } else {
        // no entry in action table
        report syntax error;
        halt or attempt recovery;
    }
}
```

# Example

1.  $S ::= aABe$
2.  $A ::= Abc$
3.  $A ::= b$
4.  $B ::= d$

Stack  
\$

Input  
abbcde\$

S	action						goto		
	a	b	c	d	e	\$	A	B	S
1	s2					ac			g1
2		s4					g3		
3		s6		s5				g8	
4	r3	r3	r3	r3	r3	r3			
5	r4	r4	r4	r4	r4	r4			
6			s7						
7	r2	r2	r2	r2	r2	r2			
8					s9				
9	r1	r1	r1	r1	r1	r1			



# LR States

---

- Idea is that each state encodes
  - The set of all possible productions that we could be looking at, given the current state of the parse, and
  - *Where* we are in the right hand side of each of those productions



# Items

---


- An *item* is a production with a dot in the right hand side
- Example: Items for production  $A ::= XY$ 
  - $A ::= .XY$
  - $A ::= X.Y$
  - $A ::= XY.$
- Idea: The dot represents a position in the production

# DFA for

$S ::= aABe$

$A ::= Abc \mid b$

$B ::= d$





# Problems with Grammars

---

- Grammars can cause problems when constructing a LR parser
  - Shift-reduce conflicts
  - Reduce-reduce conflicts






# Shift-Reduce Conflicts

---

- Situation: both a shift and a reduce are possible at a given point in the parse (equivalently: in a particular state of the DFA)
- Classic example: if-else statement  
$$S ::= \text{ifthen } S \mid \text{ifthen } S \text{ else } S$$

# Parser States for

1.  $S ::= \text{ifthen } S$
2.  $S ::= \text{ifthen } S \text{ else } S$



- State 3 has a shift-reduce conflict

- Can shift past else into state 4 (s4)
- Can reduce (r1)  
 $S ::= \text{ifthen } S$

(Note: other  $S ::= \text{.ifthen}$  items not included in states 2-4 to save space)



# Solving Shift-Reduce Conflicts

---

- Fix the grammar
  - Done in Java reference grammar, others
- Use a parse tool with a “longest match” rule – i.e., if there is a conflict, choose to shift instead of reduce
  - Does exactly what we want for if-else case
  - Guideline: a few shift-reduce conflicts are fine, but be sure they do what you want



# Reduce-Reduce Conflicts


---

- Situation: two different reductions are possible in a given state
- Contrived example

$$S ::= A$$
$$S ::= B$$
$$A ::= x$$
$$B ::= x$$

# Parser States for

1.  $S ::= A$
2.  $S ::= B$
3.  $A ::= x$
4.  $B ::= x$



- State 2 has a reduce-reduce conflict (r3, r4)



# Handling Reduce-Reduce Conflicts

---

- These normally indicate a serious problem with the grammar.
- Fixes
  - Use a different kind of parser generator that takes lookahead information into account when constructing the states
    - Most practical tools use this information
  - Fix the grammar

# Another Reduce-Reduce Conflict

- Suppose the grammar separates arithmetic and boolean expressions

$$\text{expr} ::= \text{aexp} \mid \text{bexp}$$
$$\text{aexp} ::= \text{aexp} * \text{aident} \mid \text{aident}$$
$$\text{bexp} ::= \text{bexp} \&\& \text{bident} \mid \text{bident}$$
$$\text{aident} ::= \text{id}$$
$$\text{bident} ::= \text{id}$$

- This will create a reduce-reduce conflict



# Covering Grammars

---

- A solution is to merge *aident* and *bident* into a single non-terminal (or use *id* in place of *aident* and *bident* everywhere they appear)
- This is a *covering grammar*
  - Includes some programs that are not generated by the original grammar
  - Use the type checker or other static semantic analysis to weed out illegal programs later





# Coming Attractions

---

- Constructing LR tables
  - We'll present a simple version (SLR(0)) in lecture, then talk about extending it to LR(1)
- LL parsers and recursive descent
- Continue reading ch. 3