


# CSE 401 – Compilers

---

LL and Recursive-Descent Parsing

Hal Perkins

Winter 2010




# Agenda

---

- Top-Down Parsing
- Predictive Parsers
- LL(k) Grammars
- Recursive Descent
- Grammar Hacking
  - Left recursion removal
  - Factoring


# Basic Parsing Strategies (1)

- Bottom-up
  - Build up tree from leaves
    - Shift next input or reduce a handle
    - Accept when all input read and reduced to start symbol of the grammar
  - LR(k) and subsets (SLR(k), LALR(k), ...)



# Basic Parsing Strategies (2)

- Top-Down
  - Begin at root with start symbol of grammar
  - Repeatedly pick a non-terminal and expand
  - Success when expanded tree matches input
  - LL(k)



# Top-Down Parsing

- Situation: have completed part of a derivation


$$S \Rightarrow^* wA\alpha \Rightarrow^* wxy$$


- Basic Step: Pick some production

$$A ::= \beta_1 \beta_2 \dots \beta_n$$

that will properly expand  $A$   
to match the input

- Want this to be  
deterministic





# Predictive Parsing

---


- If we are located at some non-terminal  $A$ , and there are two or more possible productions

$$A ::= \alpha$$

$$A ::= \beta$$

we want to make the correct choice by looking at just the next input symbol

- If we can do this, we can build a *predictive parser* that can perform a top-down parse without backtracking



# Example

---


- Programming language grammars are often suitable for predictive parsing
- Typical example

$$\begin{aligned} stmt ::= & id = exp ; \mid \text{return } exp ; \\ & \mid \text{if } ( exp ) stmt \mid \text{while } ( exp ) stmt \end{aligned}$$

If the next part of the input begins with the tokens

IF LPAREN ID(x) ...


we should expand *stmt* to an if-statement



# LL(k) Property

---


- A grammar has the LL(1) property if, for all non-terminals  $A$ , if productions  $A ::= \alpha$  and  $A ::= \beta$  both appear in the grammar, then it is the case that
$$\text{FIRST}(\alpha) \cap \text{FIRST}(\beta) = \emptyset$$
- If a grammar has the LL(1) property, we can build a predictive parser for it that uses 1-symbol lookahead



# LL(k) Parsers

---

- An LL(k) parser
  - Scans the input **L**eft to right
  - Constructs a **L**eftmost derivation
  - Looking ahead at most **k** symbols
- 1-symbol lookahead is enough for many practical programming language grammars
  - LL(k) for  $k > 1$  is very rare in practice



# Table-Driven LL(k) Parsers

---

- As with LR(k), a table-driven parser can be constructed from the grammar

- Example


1.  $S ::= ( S ) S$

2.  $S ::= [ S ] S$

3.  $S ::= \epsilon$

- Table


|     | ( | ) | [ | ] | \$ |
|-----|---|---|---|---|----|
| $S$ | 1 | 3 | 2 | 3 | 3  |



## LL vs LR (1)

---


- Table-driven parsers for both LL and LR can be automatically generated by tools
- LL(1) has to make a decision based on a single non-terminal and the next input symbol
- LR(1) can base the decision on the entire left context (i.e., contents of the stack) as well as the next input symbol



## LL vs LR (2)

---


- $\therefore$  LR(1) is more powerful than LL(1)
  - Includes a larger set of grammars
- $\therefore$  (editorial opinion) If you're going to use a tool-generated parser, might as well use LR
  - But there are some very good LL parser tools out there (ANTLR, JavaCC, ...) that might win for other reasons



# Recursive-Descent Parsers

---

- An advantage of top-down parsing is that it is easy to implement by hand
- Key idea: write a function (procedure, method) corresponding to each non-terminal in the grammar
  - Each of these functions is responsible for matching its non-terminal with the next part of the input



# Example: Statements


---

- Grammar

```
stmt ::= id = exp ;  
      | return exp ;  
      | if ( exp ) stmt  
      | while ( exp ) stmt
```

- Method for this grammar rule

```
// parse stmt ::= id=exp; | ...  
void stmt( ) {  
    switch(nextToken) {  
        RETURN: returnStmt(); break;  
        IF: ifStmt(); break;  
        WHILE: whileStmt(); break;  
        ID: assignStmt(); break;  
    }  
}
```



# Example (cont)

---

```
// parse while (exp) stmt
void whileStmt() {
    // skip "while ("
    getNextToken();
    getNextToken();

    // parse condition
    exp();


    // skip ")"
    getNextToken();

    // parse stmt
    stmt();
}
```

```
// parse return exp ;
void returnStmt() {
    // skip "return"
    getNextToken();

    // parse expression
    exp();


    // skip ";"
    getNextToken();
}
```



# Invariant for Parser Functions

---


- The parser functions need to agree on where they are in the input
- Useful invariant: When a parser function is called, the current token (next unprocessed piece of the input) is the token that begins the expanded non-terminal being parsed
  - Corollary: when a parser function is done, it must have completely consumed input correspond to that non-terminal



# Possible Problems

---

- Two common problems for recursive-descent (and LL(1)) parsers
  - Left recursion (e.g.,  $E ::= E + T \mid \dots$ )
  - Common prefixes on the right side of productions



# Left Recursion Problem

---


- Grammar rule

$expr ::= expr + term$   
 $\quad \quad \quad | term$

- And the bug is????

- Code

```
// parse expr ::= ...  
void expr() {  
    expr();  
    if (current token is  
                                     PLUS) {  
        getNextToken();  
        term();  
    }  
}
```




# Left Recursion Problem

---

- If we code up a left-recursive rule as-is, we get an infinite recursion
- Non-solution: replace with a right-recursive rule

*expr ::= term + expr | term*


- Why isn't this the right thing to do?



# One Left Recursion Solution

---

- Rewrite using right recursion and a new non-terminal
- Original:  $expr ::= expr + term \mid term$
- New
  - $expr ::= term exprtail$
  - $exprtail ::= + term exprtail \mid \varepsilon$
- Properties
  - No infinite recursion if coded up directly
  - Maintains left associativity (required)



# Another Way to Look at This

---

- Observe that

$expr ::= expr + term \mid term$


generates the sequence

$(\dots((term + term) + term) + \dots) + term$

- We can sugar the original rule to reflect this

$expr ::= term \{ + term \}^*$

- This leads directly to parser code




# Code for Expressions (1)

---

```
// parse
//  expr ::= term { + term }*
void expr() {
    term();
    while (next symbol is PLUS) {
        getNextToken();
        term()
    }
}
```

```
// parse
//  term ::= factor { * factor }*
void term() {
    factor();
    while (next symbol is TIMES) {
        getNextToken();
        factor()
    }
}
```



# Code for Expressions (2)

---

```
// parse
// factor ::= int | id | ( expr )
void factor() {

    switch(nextToken) {

        case INT:
            process int constant;
            getNextToken();
            break;
        ...
    }


    case ID:
        process identifier;
        getNextToken();
        break;
    case LPAREN:
        getNextToken();
        expr();
        getNextToken();
    }
}
```

# What About Indirect Left Recursion?

- A grammar might have a derivation that leads to a left recursion

$$A \Rightarrow \beta_1 \Rightarrow^* \beta_n \Rightarrow A \gamma$$


- There are systematic ways to factor such grammars
  - See any good compiler book



# Left Factoring

---

- If two rules for a non-terminal have right hand sides that begin with the same symbol, we can't predict which one to use
- Solution: Factor the common prefix into a separate production



# Left Factoring Example


---

- Original grammar

$$\begin{aligned} \textit{ifStmt} ::= & \textit{if} ( \textit{expr} ) \textit{stmt} \\ & | \textit{if} ( \textit{expr} ) \textit{stmt} \textit{else} \textit{stmt} \end{aligned}$$

- Factored grammar

$$\begin{aligned} \textit{ifStmt} ::= & \textit{if} ( \textit{expr} ) \textit{stmt} \textit{ifTail} \\ \textit{ifTail} ::= & \textit{else} \textit{stmt} | \varepsilon \end{aligned}$$




# Parsing if Statements

---

- But it's easiest to just code up the "else matches closest if" rule directly


```
// parse
//   if (expr) stmt [ else stmt ]
void ifStmt() {
    getNextToken();
    getNextToken();
    expr();
    getNextToken();
    stmt();
    if (next symbol is ELSE) {
        getNextToken();
        stmt();
    }
}
```



# Another Lookahead Problem

---

- In languages like FORTRAN, parentheses are used for array subscripts
- A FORTRAN grammar includes something like
$$factor ::= id( subscripts ) \mid id( arguments ) \mid \dots$$
- When the parser sees “*id* (”, how can it decide whether this begins an array element reference or a function call?



## Two Ways to Handle *id* ( ? )


---

- Use the type of *id* to decide
  - Requires declare-before-use restriction if we want to parse in 1 pass

- Use a covering grammar

*factor ::= id ( commaSeparatedList ) | ...*


and fix/check later when more information is available (e.g., types)



# Top-Down Parsing Concluded

---

- Works with a smaller set of grammars than bottom-up, but can be done for most sensible programming language constructs
- If you need to write a quick-n-dirty parser, recursive descent is often the method of choice



# Parsing Concluded

---

- That's it!
- On to the rest of the compiler
- Coming attractions
  - Intermediate representations (ASTs etc.)
  - Semantic analysis (including type checking)
  - Symbol tables
  - & more...