



CSE 412 - Intro to Data Visualization


Evaluation




Jane Hoffswell University of Washington

How do we determine if a
visualization is *effective*?

Example: Tree Browsers



VS.



Evaluation Methods

Inspection or Principled Rationale

Apply design heuristics, perceptual principles

Informal User Study

Have people use visualization, observe results

Controlled Experiment

Choose appropriate tasks / users to compare

Choose metrics (time, error, **what else?**)

Evaluation Methods

Field Deployment or Case Studies

Observation and Interview

Document effects on work practices

Theoretical Analysis

Algorithm time and space complexity

Benchmarks

Performance (e.g., interactive frame rates)

Scalability to larger data sets

Topics


Focus+Context (Trees, Spatial Navigation)

Perceptual Organization of Graphs

Data Density of Time Series


Trees

The Great Browse-Off! [CHI 97]



Microsoft File Explorer

VS.



Xerox PARC Hyperbolic Tree

Which visualization is better?

Which visualization is better?

Xerox PARC researchers ran eye-tracking studies to investigate... [Pirolli et al 00]

Which visualization is better?

Xerox PARC researchers ran eye-tracking studies to investigate... [Pirolli et al 00]

Subjects performed both retrieval and comparison tasks of varying complexity.

Which visualization is better?

Xerox PARC researchers ran eye-tracking studies to investigate... [Pirolli et al 00]


Subjects performed both retrieval and comparison tasks of varying complexity.

No significant performance differences were found across task conditions.

How do users navigate the tree?


How do users navigate the tree?

They read the labels!



Microsoft File Explorer

VS.



Xerox PARC Hyperbolic Tree


How do users navigate the tree?


Information Scent: A user's (imperfect) perception of the value, cost, or access path of information sources obtained from proximal cues. [Pirolli & Card 99]

How do users navigate the tree?


Information Scent: A user's (imperfect) perception of the value, cost, or access path of information sources obtained from proximal cues. [Pirolli & Card 99]

Operationalize as: the proportion of participants who correctly identified the location of the task answer from looking at upper branches in the tree.








Length of Eye Movements




An Adaptive Field of View?



More Evaluations



vs.



Evaluation of DOI Trees

DOITree vs. Windows Explorer [Budiu, AVI 06]

Nodes visited (avg)	DOI:83	Exp:53	$p < .005$
Revisitation (avg)	DOI:6.6	Exp:8.2	$p < .005$
Divergence (avg)	DOI:4.6	Exp:3.9	$p < .001$

DOITree more forgiving to navigation errors

BUT no significant difference in task time

DOITree vs. Google Directory [Pirolli, CHI 06]


DOITree has superior task knowledge transfer

Design Guidelines

Design Guidelines

Support rapid visual scanning

Most people don't read in circles!



Design Guidelines

People don't read in circles!

Showing more is not always better

Distractors can decrease task performance

Interaction with quality of **information scent**

Design Guidelines

People don't read in circles!

Showing more is not always better

Navigation cues critical to search

Informative labels or landmarks needed

Poor **information scent** undermines search

Lessons Learned

Both **task** and **data properties** (here, *information scent*) may interact with the visualization type in unexpected ways.


Equal **performance** in terms of accuracy or response time is **not the whole picture**.
We often require more detailed study!

Spatial Navigation


An Evaluation of Pan & Zoom and Rubber Sheet Navigation with and without an Overview

Dmitry Nekrasovski, Adam Bodnar, Joanna McGrenere,
François Guimbretière, Tamara Munzner

Pan & Zoom vs. Rubber Sheet




(i) PZN



(ii) RSN

Experimental Task

Compare topological distance between nodes in a dendrogram.



Experiment

Compare performance in 4 conditions:

1. Pan & Zoom (no overview)
2. Pan & Zoom (with overview)
3. Rubber Sheet (no overview)
4. Rubber Sheet (with overview)

40 subjects (24F/16M), between 18-39 years old.

Right-handed, normal vision.

Between-subjects design.


1. Rubber Sheet / No Overview

EvaluationT3.g6, C1, level = 8
File Edit Tools Help

Which node is the purple node closer to in terms of topological distance?

Blue Green

Drag with LEFT mouse button to ZOOM IN
Drag with RIGHT mouse button to PAN
Press R to RESET the visualization
Press ESCAPE to CLEAR the current mouse drag



The image shows a complex network graph visualization. The graph consists of numerous nodes and edges, forming a dense, interconnected structure. A purple node is located at the bottom left, and a green node is located at the bottom right. A red rectangular box highlights a large portion of the graph, including the purple node and a significant amount of the surrounding network structure. The graph is displayed within a window titled 'EvaluationT3.g6, C1, level = 8' with a menu bar containing 'File', 'Edit', 'Tools', and 'Help'. Below the graph, there are instructions for interacting with the visualization: 'Drag with LEFT mouse button to ZOOM IN', 'Drag with RIGHT mouse button to PAN', 'Press R to RESET the visualization', and 'Press ESCAPE to CLEAR the current mouse drag'. Above the graph, there is a question: 'Which node is the purple node closer to in terms of topological distance?' with two radio buttons labeled 'Blue' and 'Green', and a 'Submit' button.

2. Pan & Zoom / No Overview


Evolution 1.3.0, C2, level = 8

File Edit View Help

Which node is the purple node closer to in terms of topological distance?

Blue Green


Drag with LEFT mouse button to ZOOM IN
Drag with MIDDLE mouse button to ZOOM OUT
Drag with RIGHT mouse button to PAN
Press R to RESET the visualization
Press ESCAPE to CLEAR the current mouse drag



3. Rubber Sheet / Overview


Evolution 1.00, C3, level = 0

File Edit View Help



Which mode is the purple mode closer to in terms of topology of distance?

Blue Green



Drag with LEFT mouse button to ZOOM IN
Drag with RIGHT mouse button to PAN
Press R to RESET the visualization
Press ESCAPE to CLEAR the current mouse drag

4. Pan & Zoom / Overview

4. Evaluation 13 pt, CA, level = 9
File Edit View Help

Which node is the purple node closer to in terms of topology or distance?

Blue Green

Drag with LEFT mouse button to ZOOM IN
Drag with MIDDLE mouse button to ZOOM OUT
Drag with RIGHT mouse button to PAN
Press R to RESET the visualization
Press ESCAPE to CLEAR the current mouse drag

Hypotheses

1. RSN interfaces perform better than PZN interfaces independently of the presence or absence of an overview.
2. For RSN, the presence of an overview does not result in better performance.
3. For PZN, the presence of an overview results in better performance.

Results: H1 False




Figure 7: Mean completion times per trial for each interface by block in seconds (N=40).

Results: H2 True, H3 False




Figure 9: Block 7 mean per-trial completion times in seconds by navigation technique with and without an overview.


Results

R1. Pan & Zoom had lower completion times, navigation actions, resets, and reported mental demand.


R2. Overview has no significant impact on rubber sheet navigation, though it was reported to reduce physical demand.

R3. Overview has no significant impact on pan & zoom navigation, though it was reported to reduce physical demand.

Thoughts?




Does this generalize
for overview displays?




Perceptual Organization of Node-Link Diagrams

Perceptual Organization of Graphs



Circular



Force-Directed

Experiment Design

Factors

Circular or Force-Directed Seed Layout

of Between-Cluster Edges ("masking")

All graphs had two primary clusters

Measures

of Edge Crossings

Average Edge Length

Average Node Distance

within or between clusters




Figure 4. Edge Crossings. Human observers produced graph layouts with fewer edge crossings than the force-directed graph algorithm.




Figure 5. Edge Length Distribution. Human observers did not focus on maintaining equal edge length as much as the force directed algorithm.




Figure 7. Cluster Extraction. For all levels of masking, the distance between nodes within a cluster is significantly smaller than the overall inter-node distance, demonstrating perceptual grouping. Error bars show 95% confidence intervals





Figure 9. Cluster Hulls. Two examples of user-generated layouts where cluster edges formed a hull enclosing the cluster, organizing it into a single perceptual group.

Administrivia

Final Project Deliverables

Demonstration Video (≤ 3.5 min)

Due on YouTube & Canvas by midnight Tue 6/1.

Be sure to submit the video on time!

Final Project Showcase

We will show demo videos in class, Wed & Fri.

Interactive Web Page & GitHub Repo

All materials online by midnight Mon 6/7.

[Read assignment description for more!](#)

Final Project Prototype Feedback

Prototype feedback released this afternoon


Project goal is an article for communication, but many narratives sound more like an EDA notebook

Think about the size and legibility of the visuals

Tableau has a lot of latency for interactive designs, so Vega-Lite or D3 might be better options

Use annotations and highlighting to emphasize the messages and insights from your narrative


Data Density




$$\text{Data Density} = \frac{(\# \text{ entries in data})}{(\text{area of graphic})}$$


“Graphical excellence... gives to the viewer the greatest number of ideas in the shortest time with the least ink in the smallest space”

[Tufte 83]







Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present



Relative Technology Stock Performance: Jan 2008 - Present



Horizon Graphs



Segment Peaks




Layer Segments




Mirror Negative Values


Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present



Relative Technology Stock Performance: Jan 2008 - Present




10/03/2005



Experiment: Chart Type & Size


Q1: How do mirroring and layering affect estimation time and accuracy compared to line charts?

Q2: How does chart size affect estimation time and accuracy?




Estimate the difference between T and B (0-200) to within 5 values.

Experiment Design



- 3 (chart type) x 4 (size) within-subjects design
- N = 30 (17 male, 13 female), undergrads
 - 14.1 inch LCD display, 1024 x 768 resolution
 - At scale = 1, chart is 13.9 x 1.35 cm (48 px)

Experiment Design




3 (type) x 4 (size) within-subjects design

N = 30 (17 male, 13 female), undergrads


2 (type) x 3 (size: 1/8, 1/12, 1/24) follow-up


N = 8 (6 male, 2 female), engineering grads





Virtual Resolution (VR)

The un-mirrored, un-layered height of a chart









Experiment Results


Q1: 2-band horizon graph (but not mirrored graph) has higher baseline estimation time and error.

Q2: Estimation error increases as the *virtual resolution* decreases.

Estimation time decreases as the *physical height* decreases.

Design Guidelines

Mirroring does not hamper perception




Design Guidelines

Mirroring does not hamper perception

Layered bands beneficial for smaller charts

2-band mirror charts more accurate for heights under 6.8mm (24 pixels @ 1024x768)

Predict benefits for 3 bands under 1.7mm (6 px)



Design Guidelines

Mirroring does not hamper perception

Layered bands beneficial for smaller charts

Optimal chart sizing

Sweet spots in time/error curves

6.8mm (24 px) for line chart & mirrored chart

3.4mm (12 px) for 2-band horizon graph

FOLLOW-UP QUESTION:


What other **tasks** and
performance measures
should one test?

Summary

Design and analyze visualization techniques in context of real-world use.

Time/error analyses can be insightful, but they don't provide a complete picture.

Performance measures may be more suited to serious analysis than casual use?



Users & Domain

Quiz Section: Statistics

Tomorrow, Thursday May 27th

Statistical Visualization Tutorial

Introduction to more specific statistical visualizations
Examples from seaborn and plotly

Up Next: Jane's Office Hour (link on Canvas)