

Le Learning

Machine Learning: Neural Networks

CSE 415: Introduction to Artificial Intelligence
University of Washington
Spring, 2017

© S. Tanimoto and University of Washington, 2017

Le Learning


Outline

- History of neural networks research
- The Perceptron
- Examples
- Training algorithm
- Fundamental training theorem
- Two-level perceptrons
- 2-Level feedforward neural nets with sigmoid activation functions
- Backpropagation and the Delta rule.

Univ. of Wash. Learning: Neural Nets 2

Le Learning

The Biological Neuron



The human brain contains approximately 10^{11} neurons.

Activation process:
Inputs are transmitted electrochemically across the input synapses
Input potentials are summed.
If the sum reaches a threshold, a pulse moves down the axon. (The neuron has "fired".)
The pulse is distributed at the axonal arborization to the input synapses of other neurons.
After firing, there is a refractory period of inactivity.

Univ. of Wash. Learning: Neural Nets 3

Le Learning

History of Neural Networks Research

1943 McCulloch & Pitts model of neuron.

$$n_i(t+1) = \Theta(\sum_j w_{ij} n_j(t) - \mu_i), \quad \Theta(x) = \begin{cases} 1 & \text{if } x \geq 0; \\ 0, & \text{otherwise.} \end{cases}$$

1962 Frank Rosenblatt's book gives a training algorithm for finding the weights w_{ij} from examples.
Principles of neurodynamics: Perceptrons and the theory of brain mechanisms

1969 Marvin Minsky and Seymour Papert publish *Perceptrons*, and prove that 1-layer perceptrons are incapable of computing image connectedness.


1974-89, 1982: Associated content-addressable memory.

Backpropagation: Werbos 1974, Parker 1985, Rumelhart, Hinton, & Williams 1986.

Univ. of Wash. Learning: Neural Nets 4

Le Learning

The Perceptron




$$y = \begin{cases} 1 & \text{if } \sum w_i x_i \geq \theta; \\ 0, & \text{otherwise.} \end{cases}$$

Univ. of Wash. Learning: Neural Nets 5

Le Learning

Perceptron Examples: Boolean AND and OR.



$$y = x_1 \wedge x_2 \wedge \dots \wedge x_k$$

 $\theta = k - 1/2$

$$y = x_1 \vee x_2 \vee \dots \vee x_k$$

 $\theta = 1/2$

$x_i \in \{0, 1\}$

Univ. of Wash. Learning: Neural Nets 6

Perceptron Examples: Boolean NOT

$x_i \in \{0, 1\}$

$\theta = -1/2$

$y = -x$

Univ. of Wash. Learning: Neural Nets 7

Perceptron Example: Template Matching

-1	-1	1	-1	-1
-1	1	-1	1	-1
1	1	1	1	1
1	-1	-1	-1	1
1	-1	-1	-1	1

$x_i \in \{-1, 1\}$

$\theta = 25 - \epsilon$

Recognizes the letter A provided the exact pattern is present.

weights w_1 through w_{25}

Univ. of Wash. Learning: Neural Nets 8

Perceptron Training Sets

Let $X = X^+ \cup X^-$ be the set of training examples.

$S_X = \langle X_1, X_2, \dots, X_k, \dots \rangle$ is a *training sequence* on X , provided:

- (1) Each X_k is a member of X , and
- (2) Each element of X occurs infinitely often in S_X .

An element e occurs *infinitely often* in a sequence $z = \langle z_1, z_2, \dots \rangle$ provided that for any nonzero integer i , there exists a nonnegative integer j such that there is an occurrence of e in z_j, z_{j+1}, \dots, z_j .

Univ. of Wash. Learning: Neural Nets 9

Perceptron Training Algorithm

Let $X = X^+ \cup X^-$ be the set of training examples, and let $S_X = \langle X_1, X_2, \dots, X_k, \dots \rangle$ be a training sequence on X .

Let w_k be the weight vector at step k .

Choose w_0 arbitrarily. For example, $w_0 = (0, 0, \dots, 0)$.

Each step $k, k = 0, 1, 2, \dots$

Classify X_k using w_k .

If X_k is correctly classified, take $w_{k+1} = w_k$.

If X_k is in X^- but misclassified, take $w_{k+1} = w_k - c_k X_k$.

If X_k is in X^+ but misclassified, take $w_{k+1} = w_k + c_k X_k$.

The sequence c_k should be chosen according to the data. Overly large constant values can lead to oscillation during training. Values that are too small will increase training time. However, $c_k = c_0/k$ will work for any positive c_0 .

Univ. of Wash. Learning: Neural Nets 10

Perceptron Limitations

Perceptron training always converges if the training data X^+ and X^- are linearly separable sets.

The boolean function XOR (exclusive or) is not linearly separable. (Its positive and negative instances cannot be separated by a line or hyperplane.) It cannot be computed by a single-layer perceptron.

$X^+ = \{(0, 1), (1, 0)\}$

$X^- = \{(0, 0), (1, 1)\}$

$X = X^+ \cup X^-$

Univ. of Wash. Learning: Neural Nets 11

Two-Layer Perceptrons

$y = \text{XOR}(x_1, x_2)$

Univ. of Wash. Learning: Neural Nets 12

Le
Learning

Two-Layer Perceptrons (cont.)

Two-Layer perceptrons are computationally powerful.

However: they are not trainable with a method such as the perceptron training algorithm, because the threshold units in the middle level “block” updating information; there is no way to know what the correct updates to first-level weights should be.

Univ. of Wash.

Learning: Neural Nets

13

Le
Learning

Two-Layer Feedforward Networks with Sigmoid Activation Functions

We get: the power of 2-level perceptrons,

plus

the trainability of 1-level perceptrons (well, sort of).

These are sometimes called (a) “backpropagation networks,” (because the training method is called backpropagation) and (b) “two-layer feedforward neural networks.”


Univ. of Wash.

Learning: Neural Nets

14

Le
Learning

Structure of a Backprop. Network



Univ. of Wash.

Learning: Neural Nets

15

Le
Learning

Hidden Node Input Activation

As with perceptrons, a weighted sum is computed of values from the previous level:

$$h_j = \sum_i w_{ij} x_i$$

However the hidden node does not apply a threshold, but a sigmoid function ...

Univ. of Wash.

Learning: Neural Nets


16

Le
Learning

Sigmoid Activation Functions

Instead of using threshold functions, which are neither continuous nor differentiable, we use a *sigmoid* function, which is a sort of smoothed threshold function.

$$g_1(h) = 1/(1 + e^{-h})$$



Univ. of Wash.


Learning: Neural Nets

17

Le
Learning

An Alternative Sigmoid Func.

$$g_2(h) = \tanh(h) = (e^h - e^{-h})/(e^h + e^{-h})$$



Univ. of Wash.

Learning: Neural Nets

18



Sigmoid Function Properties

Both g_1 and g_2 are continuous and differentiable.

$$g_1(h) = 1/(1 + e^{-h})$$

$$g_1'(h) = g_1(h) (1 - g_1(h))$$

$$g_2(h) = \tanh(h) = (e^h - e^{-h})/(e^h + e^{-h})$$

$$g_2'(h) = 1 - g_2(h)^2$$

Univ. of Wash.

Learning: Neural Nets

19



Training Algorithm

Each *training example* has the form $\langle X_i, T_i \rangle$, where X_i is the vector of inputs, and T_i is the desired corresponding output vector.

An *epoch* is one pass through the training set, with an adjustment to the networks weights for each training example. (Use the “delta rule” for each example.)

Perform as many epochs of training as needed to reduce the classification error to the required level.

If there are not enough hidden nodes, then training might not converge.

Univ. of Wash.

Learning: Neural Nets

20



Delta Rule

For each training example $\langle X_i, T_i \rangle$, Compute $F(X_i)$, the outputs based on the current weights.

To update a weight w_{ij} , add ∇w_{ij} to it, where

$$\nabla w_{ij} = \eta \delta_j F_j \quad (\eta \text{ is the training rate.})$$

If w_{ij} leads to an output node, then use

$$\delta_j = (t_j - F_j) g'_j(h_j)$$

If w_{ij} leads to a hidden node, then use “backpropagation”:

$$\delta_j = g'_j(h_j) \sum_k \delta_k w_{kj}$$

The δ_k in this last formula comes from the output level, as computed above.

Univ. of Wash.

Learning: Neural Nets

21



Performance of Backpropagation

Backpropagation is slow compared with 1-layer perceptron training.

The training rate η can be set large near the beginning and made smaller in later epochs.

In principle, backpropagation can be applied to networks with more than one layer of hidden nodes, but this slows the algorithm much more.

Univ. of Wash.

Learning: Neural Nets

22



Setting the Number of Hidden Nodes

The number of nodes in the hidden layer affects generality and convergence.

If too few hidden nodes: convergence may fail.

Few but not too few nodes: possibly slow convergence but good generalization

Too many hidden nodes: Rapid convergence, but “overfitting” happens.

Overfitting: the learned network handles the training set, but fails to generalize effectively to similar examples not in the training set.

Univ. of Wash.

Learning: Neural Nets

23



Applications of 2-Layer Feedforward Neural Networks

These networks are very popular as trainable classifiers for a wide variety of pattern data.

Examples:

- Speech recognition and synthesis
- Visual texture classification
- Optical character recognition
- Control systems for robot actuators

Univ. of Wash.

Learning: Neural Nets

24