

CSE 421 Algorithms

Graphs
Winter 2020
Lecture 6


Announcements

- Reading
 - Chapter 3
 - Start on Chapter 4
- No class on Monday.
- Richard Anderson will hold extra office hours today
 - Friday, Jan 17, 2:00 – 3:00, CSE2 344

Graph Theory


- $G = (V, E)$
 - V: vertices, $|V| = n$
 - E: edges, $|E| = m$
- Undirected graphs
 - Edges sets of two vertices $\{u, v\}$
- Directed graphs
 - Edges ordered pairs (u, v)
- Many other flavors
 - Edge / vertices weights
 - Parallel edges
 - Self loops
- Path: v_1, v_2, \dots, v_k , with $(v_i, v_{i+1}) \in E$
 - Simple Path
 - Cycle
 - Simple Cycle
- Neighborhood
 - $N(v)$
- Distance
 - Undirected
 - Directed (strong connectivity)
- Connectivity
 - Undirected
 - Directed (strong connectivity)
- Trees
 - Rooted
 - Unrooted

Graph Representation



$V = \{a, b, c, d\}$
 $E = \{(a, b), \{a, c\}, \{a, d\}, \{b, d\}\}$

	1	1	1
1		0	1
1	0		0
1	1	0	



Adjacency List
 $O(n + m)$ space

Incidence Matrix
 $O(n^2)$ space


Graph search

- Find a path from s to t

```


S = {s}
while S is not empty
    u = Select(S)
    visit u
    foreach v in N(u)
        if v is unvisited
            Add(S, v)
            Pred[v] = u
        if (v = t) then path found
    
```

Graph Search



Breadth first search

- Explore vertices in layers
 - s in layer 1
 - Neighbors of s in layer 2
 - Neighbors of layer 2 in layer 3 . . .



Breadth First Search


- Build a BFS tree from s

```

Q = {s}
Level[s] = 1;
while Q is not empty
  u = Q.Dequeue()
  visit u
  foreach v in N(u)
    if v is unvisited
      Q.Enqueue(v)
      Pred[v] = u
      Level[v] = Level[u] + 1
  
```


Key observation

- All edges go between vertices on the same layer or adjacent layers




Bipartite Graphs

- A graph V is bipartite if V can be partitioned into V_1, V_2 such that all edges go between V_1 and V_2
- A graph is bipartite if it can be two colored



Can this graph be two colored?




Algorithm

- Run BFS
- Color odd layers red, even layers blue
- If no edges between the same layer, the graph is bipartite
- If edge between two vertices of the same layer, then there is an odd cycle, and the graph is not bipartite

Theorem: A graph is bipartite if and only if it has no odd cycles

Lemma 1

- If a graph contains an odd cycle, it is not bipartite



Lemma 2

- If a BFS tree has an *intra-level edge*, then the graph has an odd length cycle


Intra-level edge: both end points are in the same level

Lemma 3

- If a graph has no odd length cycles, then it is bipartite

Graph Search

- Data structure for next vertex to visit determines search order



Graph search

Breadth First Search


```
S = {s}
while S is not empty
  u = Dequeue(S)
  if u is unvisited
    visit u
    foreach v in N(u)
      Enqueue(S, v)
```

Depth First Search

```
S = {s}
while S is not empty
  u = Pop(S)
  if u is unvisited
    visit u
    foreach v in N(u)
      Push(S, v)
```


Breadth First Search

- All edges go between vertices on the same layer or adjacent layers




Depth First Search

- Each edge goes between vertices on the same branch
- No cross edges



Connected Components

- Undirected Graphs




Computing Connected Components in $O(n+m)$ time


- A search algorithm from a vertex v can find all vertices in v 's component
- While there is an unvisited vertex v , search from v to find a new component

Directed Graphs

- A Strongly Connected Component is a subset of the vertices with paths between every pair of vertices.



Identify the Strongly Connected Components




Strongly connected components can be found in $O(n+m)$ time


- But it's tricky!
- Simpler problem: given a vertex v , compute the vertices in v 's scc in $O(n+m)$ time

Topological Sort

- Given a set of tasks with precedence constraints, find a linear order of the tasks




Find a topological order for the following graph



If a graph has a cycle, there is no topological sort

- Consider the first vertex on the cycle in the topological sort
- It must have an incoming edge



Definition: A graph is Acyclic if it has no cycles

Lemma: If a (**finite**) graph is acyclic, it has a vertex with in-degree 0


- Proof:
 - Pick a vertex v_1 , if it has in-degree 0 then done
 - If not, let (v_2, v_1) be an edge, if v_2 has in-degree 0 then done
 - If not, let (v_3, v_2) be an edge . . .
 - If this process continues for more than n steps, we have a repeated vertex, so we have a cycle

Topological Sort Algorithm

While there exists a vertex v with in-degree 0

Output vertex v

Delete the vertex v and all out going edges



Details for $O(n+m)$ implementation

- Maintain a list of vertices of in-degree 0
- Each vertex keeps track of its in-degree
- Update in-degrees and list when edges are removed
- m edge removals at $O(1)$ cost each