

Homework 6, Due Friday, February 17, 2023, 11:59 PM

Turn in instructions: Electronics submission on GradeScope. Submit as a PDF, with each problem on a separate page.

In the following problems on, you can ignore rounding issues (just round down to the nearest integer). A big-Oh answer is sufficient. You should solve these problems by unrolling the recurrence. Do not rely on the *master theorem*.

Problem 1 (10 points):

Solve the following recurrences:

- a) $T(n) = 3T(n/2) + n$ for $n \geq 2$; $T(1) = 1$;
- b) $T(n) = 16T(n/4) + n^2$ for $n \geq 2$; $T(1) = 1$;
- c) $T(n) = 4T(n/3) + n^{3/2}$ for $n \geq 2$; $T(1) = 1$;

Problem 2 (10 points):

Solve the following recurrences.

- a) $T(n) = T(n - 1) + n$ for $n \geq 2$; $T(1) = 1$;
- b) $T(n) = T(n/2) + 1$ for $n \geq 2$; $T(1) = 1$;
- c) $T(n) = T(\sqrt{n}) + 1$ for $n > 2$; $T(2) = 1$; (You may also consider this recurrence to be $T(n) = T(\lfloor \sqrt{n} \rfloor) + 1$ to only have integer values.)

Problem 3 (10 points):

Let A and B be two sorted arrays of integers, each of length n . Show how you can find the median of the combined set of elements in $O(\log n)$ comparisons. (As in the Median algorithm discussed in lecture, you will need to solve the Select the k -th largest problem.) Justify your algorithm is correct.

Programming Problem 4 (10 points):

Implement the randomized selection algorithm discussed in class. (The algorithm is also discussed in the text, starting at page 727.) The algorithm is given an array of n integers, and an integer k and returns the k -th largest element of the array. For this problem, submit your code.

Programming Problem 5 (10 points):

It can be shown that the expected number of comparisons to find the median on n integers using the randomized algorithm is cn . Experimentally determine the value of c . You will want run the program for a range of values of n , and for each value of n you should run a number of times to get an average. Submit a plot of your results and your estimate for the value of c .

You will need to instrument your code to count the number of comparisons. By a comparison, we refer to comparisons between elements in the array, which happens when the problem is being split into subproblems. Do not count the comparisons that are used to test when you are finished with a for loop.

Problem 6 (0 points) A cute problem, just for fun. Not graded:

Suppose you are working in the quality control of a factory that produces quarters for the US government and your job is to make sure that all quarters have exactly the same weight. You are given 2^k quarters for $k \geq 2$ and you know that at most one of them can be defective. A defective quarter will weigh higher or lower than normal. You are given a scale with two trays: Each time you can put a set S of quarters in the left and a set T in the right (for disjoint sets S, T). The scale will show if S is heavier than T , or T is heavier than S , or they have exactly the same weight. Design an algorithm to find the defective quarter (if it exists) by using the scale only $k + 1$ times. (Note that your algorithm will run by a human not a computer.) Justify your algorithm is correct.