

## Hierarchical Modeling

CSE 457  
Winter 2014

1

## Reading

Required:

- Angel, sections 8.1 – 8.6, 8.8

Optional:

- *OpenGL Programming Guide*, chapter 3

2

## Symbols and instances

Most graphics APIs support a few geometric primitives:

- spheres
- cubes
- cylinders

These symbols are **instanced** using an **instance transformation**.




**Q:** What is the matrix for the instance transformation above?

3

## 3D Example: A robot arm

Consider this robot arm with 3 degrees of freedom:

- Base rotates about its vertical axis by  $\theta$
- Upper arm rotates in its  $xy$ -plane by  $\phi$
- Lower arm rotates in its  $xy$ -plane by  $\psi$



(Note that the angles are set to zero in the figure; i.e., the parts are shown in their "default" positions.)

**Q:** What matrix do we use to transform the base?


**Q:** What matrix for the upper arm?

**Q:** What matrix for the lower arm?


4

### 3D Example: A robot arm

An alternative interpretation is that we are taking the original coordinate frames...




...and translating and rotating them into place:



5

### From parts to model to viewer



6

### Robot arm implementation

The robot arm can be displayed by keeping a global matrix and computing it at each step:

```
Matrix M_model;
Matrix M_view;

main()
{
    . . .
    M_model = compute_view_transform();
    robot_arm();
    . . .
}

robot_arm()
{
    M_model = M_view * R_y(theta);
    base();
    M_model = M_model * T(0, h1, 0) * R_z(phi);
    upper_arm();
    M_model = M_model * T(0, h1, 0)
        * R_z(phi) * T(0, h2, 0) * R_z(psi);
    lower_arm();
}

```

Do the matrix computations seem wasteful?

7

### Robot arm implementation, better

Instead of recalculating the global matrix each time, we can just update it *in place* by concatenating matrices on the right:

```
Matrix M_modelview;

main()
{
    . . .
    M_modelview = compute_view_transform();
    robot_arm();
    . . .
}

robot_arm()
{
    M_modelview *= R_y(theta);
    base();
    M_modelview *= T(0, h1, 0) * R_z(phi);
    upper_arm();
    M_modelview *= T(0, h2, 0) * R_z(psi);
    lower_arm();
}

```

8

## Robot arm implementation, OpenGL

OpenGL maintains a global state matrix called the **model-view matrix**, which is updated by concatenating matrices on the *right*.


```
main()
{
    . . .
    glMatrixMode( GL_MODELVIEW );
    Matrix M = compute_view_xform();
    glLoadMatrixf( M );
    robot_arm();
    . . .
}

robot_arm()
{
    glRotatef( theta, 0.0, 1.0, 0.0 );
    base();
    glTranslatef( 0.0, h1, 0.0 );
    glRotatef( phi, 0.0, 0.0, 1.0 );
    lower_arm();
    glTranslatef( 0.0, h2, 0.0 );
    glRotatef( psi, 0.0, 0.0, 1.0 );
    upper_arm();
}
```

9

## Hierarchical modeling

Hierarchical models can be composed of instances using trees or DAGs:




- edges contain geometric transformations
- nodes contain geometry (and possibly drawing attributes)

How might we draw the tree for the robot arm?

10

## A complex example: human figure



Q: What's the most sensible way to traverse this tree?

11

## Human figure implementation, OpenGL

```
figure()
{
    torso();
    glPushMatrix();
    glTranslate( ... );
    glRotate( ... );
    head();
    glPopMatrix();
    glPushMatrix();
    glTranslate( ... );
    glRotate( ... );
    left_upper_arm();
    glPushMatrix();
    glTranslate( ... );
    glRotate( ... );
    left_lower_arm();
    glPopMatrix();
    glPopMatrix();
    . . .
}
```

12

## Animation

The above examples are called **articulated models**:

- rigid parts
- connected by joints

They can be animated by specifying the joint angles (or other display parameters) as functions of time.

13


## Key-frame animation

The most common method for character animation in production is **key-frame animation**.

- Each joint specified at various **key frames** (not necessarily the same as other joints)
- System does interpolation or **in-betweening**

Doing this well requires:

- A way of smoothly interpolating key frames: **splines**
- A good interactive system
- A lot of skill on the part of the animator




14

## Scene graphs

The idea of hierarchical modeling can be extended to an entire scene, encompassing:

- many different objects
- lights
- camera position

This is called a **scene tree** or **scene graph**.



15

## Summary

Here's what you should take home from this lecture:

- All the **boldfaced terms**.
- How primitives can be instanced and composed to create hierarchical models using geometric transforms.
- How the notion of a model tree or DAG can be extended to entire scenes.
- How OpenGL transformations can be used in hierarchical modeling.
- How keyframe animation works.

16

