


CSE 512 - Data Visualization

Evaluation



Jeffrey Heer University of Washington


How do we determine if a
visualization is *effective*?

```
graph TD; Categories[Categories] --- Events[Events]; Categories --- Knowledge[Knowledge]; Categories --- People[People]; Categories --- Places[Places]; Categories --- Qualities[Qualities]; Categories --- Things[Things]; Things --- Artificial[Artificial]; Things --- Natural[Natural]; Artificial --- Intangible[Intangible]; Artificial --- Tangible[Tangible];
```

Categories

- Events
- Knowledge
- People
- Places
- Qualities
- Things**
 - Artificial**
 - Intangible
 - Tangible
 - Natural

VS.



Evaluation Methods

Inspection or Principled Rationale

Apply design heuristics, perceptual principles

Informal User Study

Have people use visualization, observe results

Controlled Experiment

Choose appropriate tasks / users to compare

Choose metrics (time, error, **what else?**)

Evaluation Methods

Field Deployment or Case Studies

Observation and Interview

Document effects on work practices

Theoretical Analysis

Algorithm time and space complexity

Benchmarks

Performance (e.g., interactive frame rates)

Scalability to larger data sets

Topics

Focus+Context (Trees, Spatial Navigation)


Data Density of Time Series

Perceptual Organization of Graphs

Discussion and Course Evaluation


Trees

The Great Browse-Off! [CHI 97]



Microsoft File Explorer

VS.



Xerox PARC Hyperbolic Tree

Which visualization is better?

Which visualization is better?

Xerox PARC researchers ran eye-tracking studies to investigate... [Pirolli et al 00]

Which visualization is better?

Xerox PARC researchers ran eye-tracking studies to investigate... [Pirolli et al 00]

Subjects performed both retrieval and comparison tasks of varying complexity.

Which visualization is better?


Xerox PARC researchers ran eye-tracking studies to investigate... [Pirolli et al 00]

Subjects performed both retrieval and comparison tasks of varying complexity.

No significant performance differences were found across task conditions.


How do users navigate the tree?

They read the labels!



Microsoft File Explorer

VS.



Xerox PARC Hyperbolic Tree


How do users navigate the tree?


Information Scent: A user's (imperfect) perception of the value, cost, or access path of information sources obtained from proximal cues. [Pirolli & Card 99]

How do users navigate the tree?


Information Scent: A user's (imperfect) perception of the value, cost, or access path of information sources obtained from proximal cues. [Pirolli & Card 99]

Operationalize as: the proportion of participants who correctly identified the location of the task answer from looking at upper branches in the tree.








Length of Eye Movements




An Adaptive Field of View?



More Evaluations



vs.



Evaluation of DOI Trees

DOI Tree vs. Windows Explorer [Budiu, AVI 06]

Nodes visited (avg)	DOI:83	Exp:53	$p < .005$
Revisitation (avg)	DOI:6.6	Exp:8.2	$p < .005$
Divergence (avg)	DOI:4.6	Exp:3.9	$p < .001$

DOI Tree more forgiving to navigation errors

BUT no significant difference in task time

DOI Tree vs. Google Directory [Pirolli, CHI 06]

DOI Tree has superior task knowledge transfer

Design Guidelines

Most people **don't** read in circles!



Design Guidelines

People don't read in circles!

Showing more is not always better

Distractors can decrease task performance

Interaction with quality of **information scent**

Design Guidelines

People don't read in circles!

Showing more is not always better

Navigation cues critical to search

Informative labels or landmarks needed

Poor **information scent** undermines search

Lessons Learned

Both **task** and **data properties** (here, *information scent*) may interact with the visualization type in unexpected ways.


Equal **performance** in terms of accuracy or response time is **not the whole picture**.
We often require more detailed study!

Spatial Navigation


An Evaluation of Pan & Zoom and Rubber Sheet Navigation with and without an Overview

Dmitry Nekrasovski, Adam Bodnar, Joanna McGrenere,
François Guimbretière, Tamara Munzner

Pan & Zoom vs. Rubber Sheet




(i) PZN



(ii) RSN

Experimental Task

Compare topological distance between nodes in a dendrogram.



Experiment

Compare performance in 4 conditions:


1. Pan & Zoom (no overview)
2. Pan & Zoom (with overview)
3. Rubber Sheet (no overview)
4. Rubber Sheet (with overview)

40 subjects (24F/16M), between 18-39 years old.

Right-handed, normal vision.

Between-subjects design.

1. Rubber Sheet / No Overview



2. Pan & Zoom / No Overview


EvolutionT3.pl, C2, level = 8

File Edit View Help


Which node is the purple node closer to in terms of topological distance?

☐ Blue ☐ Green

Drag with LEFT mouse button to ZOOM IN
Drag with MIDDLE mouse button to ZOOM OUT
Drag with RIGHT mouse button to PAN
Press R to RESET the visualization
Press ESCAPE to CLEAR the current mouse drag



3. Rubber Sheet / Overview



4. Pan & Zoom / Overview

4. Evaluation 13 pt, CA, level = 0

File Edit View Help

Which node is the purple node closer to in terms of topology or distance?

☐ Blue ☐ Green

Drag with LEFT mouse button to ZOOM IN
Drag with MIDDLE mouse button to ZOOM OUT
Drag with RIGHT mouse button to PAN
Press R to RESET the visualization
Press ESCAPE to CLEAR the current mouse drag

Hypotheses

1. RSN interfaces perform better than PZN interfaces independently of the presence or absence of an overview.
2. For RSN, the presence of an overview does not result in better performance.
3. For PZN, the presence of an overview results in better performance.

Results: H1 False




Figure 7: Mean completion times per trial for each interface by block in seconds (N=40).

Results: H2 True, H3 False




Figure 9: Block 7 mean per-trial completion times in seconds by navigation technique with and without an overview.


Results

R1. Pan & Zoom had lower completion times, navigation actions, resets, and reported mental demand.


R2. Overview has no significant impact on rubber sheet navigation, though it was reported to reduce physical demand.

R3. Overview has no significant impact on pan & zoom navigation, though it was reported to reduce physical demand.


Thoughts?



Does this generalize
for overview displays?




Data Density




$$\text{Data Density} = \frac{(\# \text{ entries in data})}{(\text{area of graphic})}$$


"Graphical excellence... gives to the viewer the greatest number of ideas in the shortest time with the least ink in the smallest space"

[Tufte 83]







Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present



Relative Technology Stock Performance: Jan 2008 - Present



Horizon Graphs



Segment Peaks




Layer Segments




Mirror Negative Values


Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present






Experiment: Chart Type & Size

- Q1:** How do mirroring and layering affect estimation time and accuracy compared to line charts?
- Q2:** How does chart size affect estimation time and accuracy?




Estimate the difference between T and B (0-200) to within 5 values.

Experiment Design



- 3 (chart type) x 4 (size) within-subjects design
- N = 30 (17 male, 13 female), undergrads
 - 14.1 inch LCD display, 1024 x 768 resolution
 - At scale = 1, chart is 13.9 x 1.35 cm (48 px)

Experiment Design




3 (type) x 4 (size) within-subjects design

N = 30 (17 male, 13 female), undergrads


2 (type) x 3 (size: 1/8, 1/12, 1/24) follow-up


N = 8 (6 male, 2 female), engineering grads





Virtual Resolution (VR)

The un-mirrored, un-layered height of a chart









Experiment Results


Q1: 2-band horizon graph (but not mirrored graph) has higher baseline estimation time and error.

Q2: Estimation error increases as the *virtual resolution* decreases.

Estimation time decreases as the *physical height* decreases.

Design Guidelines

Mirroring does not hamper perception




Design Guidelines

Mirroring does not hamper perception

Layered bands beneficial for smaller charts

2-band mirror charts more accurate for heights under 6.8mm (24 pixels @ 1024x768)

Predict benefits for 3 bands under 1.7mm (6 px)



Design Guidelines

Mirroring does not hamper perception

Layered bands beneficial for smaller charts

Optimal chart sizing

Sweet spots in time/error curves

6.8mm (24 px) for line chart & mirrored chart


3.4mm (12 px) for 2-band horizon graph

FOLLOW-UP QUESTION:


What other **tasks** and
performance measures
should one test?

Perceptual Organization of Node-Link Diagrams

Perceptual Organization of Graphs



Circular



Force-Directed

Experiment Design

Factors

Circular or Force-Directed Seed Layout

of Between-Cluster Edges ("masking")

All graphs had two primary clusters






Measures

of Edge Crossings







Average Edge Length

Average Node Distance

within or between clusters



Circular



Force-Directed




Figure 4. Edge Crossings. Human observers produced graph layouts with fewer edge crossings than the force-directed graph algorithm.




Figure 5. Edge Length Distribution. Human observers did not focus on maintaining equal edge length as much as the force directed algorithm.




Figure 7. Cluster Extraction. For all levels of masking, the distance between nodes within a cluster is significantly smaller than the overall inter-node distance, demonstrating perceptual grouping. Error bars show 95% confidence intervals






Figure 9. Cluster Hulls. Two examples of user-generated layouts where cluster edges formed a hull enclosing the cluster, organizing it into a single perceptual group.

Summary

Design and analyze visualization techniques in context of real-world use.

Time/error analyses can be insightful, but they don't provide a complete picture.

Performance measures may be more suited to serious analysis than casual use?



Users & Domain

Administrivia

Final Project Deliverables

Demonstration Video (≤ 2 min)

Due on YouTube & Canvas by EOD Wed 5/31.

Final Project Showcase

We will show demo videos in class, Thu 6/1.

Interactive Web Page & GitHub Repo

All materials online by EOD Tue 6/6.

[Read assignment description for more!](#)

Course Evaluation

Official course evaluation, due by 6/4

Your opinion is valued!

<https://uw.iasystem.org/survey/274634>

Course Summary


Data and Image Models

LES VARIABLES DE L'IMAGE									
POINTS			LIGNES			ZONES		12	14
XY 2 DIMENSIONS DU PLAN									
Z TAILLE									
VALEUR									
LES VARIABLES DE SÉPARATION DES IMAGES									
GRAIN									
COULEUR									
ORIENTATION									

Deception & Ethics

Gun deaths in Florida

Number of murders committed using firearms




Source: Florida Department of Law Enforcement

C. Chan 16/02/2014

REUTERS


Top 5 Counties with the Greatest Number of Confirmed COVID-19 Cases

The chart below represents the most impacted counties over the past 15 days. The chart represents the number of deaths and hospitalizations in each of those impacted counties.




Visualization Design

SlicerDicers' Sales Compared to Other Products




Problematic design

Sales of SlicersDicers Compared to Sales of Other Products
July - December, 2011





Redesign


Exploratory Data Analysis



Interaction



Maps




Dymaxion Maps [Fuller 46]


Narrative

Recent elections have placed a heavy emphasis on “swing states” — Ohio, Florida and the other competitive states. Yet in the past, many more states shifted between the Democratic and Republican parties. A look at how the states stuck or shifted between elections and how they have shifted over past elections.

- Each box represents a state sized by number of electoral votes.
- Each curve shows how much it shifted left or right between elections




Visualization Software




D3: Data-Driven Documents

Animation




Animated transitions in statistical data graphics [Heer & Robertson 07]


Color



Color Brewer







Graphical Perception




The psychophysics of sensory function [Stevens 61]

Uncertainty




Scalability



1.7 B stars. 1.2 TB of data.
Visualizations running in-browser.

Hierarchies



Degree-Of-Interest Trees [Heer & Card 04]

Networks



community >>

Enable

search >>

Zephoria

User ID 21721

Friends 266

Age ??

Gender Female

Status Single

Location San Francisco, CA

Hometown Lancaster, PA

Occupation researcher: social networks, identity, context

Interests apophenia, observing people, culture, questioning power, reading, buddhism, ipseity, computer-mediated communication, social networks, technology, anthropology, stomping

Music psytrance/goa/trance [Infected Mushroom, Son Kite... Iboga/Digital Structures], Ani Difranco, downtempo, Thievery Corporation, Beth Orton, Morcheeba, Ween, White Stripes

Books Authors: Erving Goffman, Stanley Milgram, Jeanette Winterson, Eric Schlosser, Leslie Feinberg, Dorothy Allison, Italo Calvino, Hermann Hesse

TV Shows ??

Movies Koyaanisqatsi, Amelie, Waking Life, Tank Girl, The Matrix, Clockwork Orange, American Beauty, Fight Club, Boys Don't Cry

Member Since ??

Last Login 2003-10-21

Last Updated 2003-10-21

About [Some know me as danah...]

I'm a geek, an activist and an academic, fascinated by people and society. I see life as a very large playground and enjoy exploring its intricacies. I revel in life's chaos, while simultaneously providing my own insane element.

My musings:
<http://www.zephoria.org/thoughts/>

Want to Meet Someone who makes life's complexities seem simply elegant.

The Future of Visualization

Where is more work required?

What emerging technologies and societal trends will impact visualization design?

What did you find most difficult in creating visualizations and designing techniques?

Thank You!