
cse 512 - Data Visualization Graphical Perception



Jeffrey Heer University of Washington

Design Principles [Mackinlay 86]

Expressiveness

A set of facts is *expressible* in a visual language if the sentences (i.e. the visualizations) in the language express all the facts in the set of data, and only the facts in the data.

Effectiveness

A visualization is more *effective* than another visualization if the information conveyed by one visualization is more readily perceived than the information in the other visualization.

Design Principles Translated

Tell the truth and nothing but the truth (don't lie, and don't lie by omission)

Use encodings that people decode better (where better = faster and/or more accurate)

Effectiveness Rankings [Mackinlay 86]

QUANTITATIVE

Position Length Angle Slope Area (Size) Volume Density (Value) Color Sat Color Hue Texture Connection Containment Shape

ORDINAL

Position Density (Value) Color Sat Color Hue Texture Connection Containment Length Angle Slope Area (Size) Volume Shape

NOMINAL Position Color Hue Texture Connection Containment Density (Value) Color Sat Shape Length Angle Slope Area Volume

Graphical Perception

The ability of viewers to interpret visual (graphical) encodings of information and thereby decode information in graphs.

Topics

Signal Detection Magnitude Estimation Using Multiple Visual Encodings Pre-Attentive Processing Gestalt Grouping Change Blindness

Signal Detection



(128, 128, 128)

(144, 144, 144)






(134, 134, 134)

(128, 128, 128)



Just Noticeable Difference (JND)





Encoding Data with Color

Value is perceived as ordered

 \therefore Encode ordinal variables (O)



 \therefore Encode continuous variables (Q) [not as well]

Hue is normally perceived as unordered ... Encode nominal variables (N) using color



Steps in Font Size


Sizes standardized in 16th century




Magnitude Estimation

A Quick Experiment...


Compare area of circles





Compare length of bars

Compare area of circles




Compare length of bars

Steven's Power Law

Exponent (Empirically Determined) $\int \\ S = I^p$ \uparrow

Predicts bias, not necessarily accuracy!




[Graph from Wilkinson '99, based on Stevens '61]

Exponents of Power Law


| Sensation | Exponent |
|---------------|-------------------------------|
| Loudness | 0.6 |
| Brightness | 0.33 |
| Smell | 0.55 (Coffee) - 0.6 (Heptane) |
| Taste | 0.6 (Saccharine) -1.3 (Salt) |
| Temperature | 1.0 (Cold) – 1.6 (Warm) |
| Vibration | 0.6 (250 Hz) – 0.95 (60 Hz) |
| Duration | 1.1 |
| Pressure | 1.1 |
| Heaviness | 1.45 |
| Electic Shock | 3.5 |

[Psychophysics of Sensory Function, Stevens '61]

Apparent Magnitude Scaling



[Cartography: Thematic Map Design, Figure 8.6, p. 170, Dent, '96] **S = 0.98A^{0.87}** [from Flannery '71]



Graphical Perception [Cleveland & McGill 84]




Figure 3. Graphs from position-angle experiment.





Figure 16. Log absolute error means and 95% confidence intervals for judgment types in position—length experiment (top) and position—angle experiment (bottom).



Graphical Perception Experiments

Empirical estimates of encoding effectiveness

Relative Magnitude Comparison

Length

Most accurate





Least accurate

Color hue-saturation-density

Position (common) scale

Position (non-aligned) scale

Effectiveness Rankings [Mackinlay 86]

QUANTITATIVE

Position Length Angle Slope Area (Size) Volume Density (Value) Color Sat Color Hue Texture Connection Containment Shape


ORDINAL


Position Density (Value) Color Sat Color Hue Texture Connection Containment Length Angle Slope Area (Size) Volume Shape

NOMINAL Position Color Hue Texture Connection Containment Density (Value) Color Sat Shape Length Angle Slope Area Volume


Multiple Attributes

One-Dimensional: Lightness White White White Black Black Black White White Black White





Orthogonal: Shape & Lightness



Speeded Classification


Redundancy Gain

Facilitation in reading one dimension when the other provides redundant information

Filtering Interference

Difficulty in ignoring one dimension while attending to the other

Speeded Classification




Types of Perceptual Dimensions

Integral Filtering interference and redundancy gain

Separable No interference or gain

Asymmetric One dim separable from other, not vice versa

Size and Brightness



W. S. Dobson, Visual information processing and cartographic communication: The role of redundant stimulus dimensions, 1983 (reprinted in MacEachren, 1995)

Orientation & Size




FIGURE 3.36. A map of temperature and precipitation using symbol size and orientation to represent data values on the two variables.

How well can you see temperature or precipitation? Is there a correlation between the two?

[MacEachren 95]

Length & Length




FIGURE 3.38. An example of the use of an ellipse as a map symbol in which the horizontal and vertical axes represent different (but presumably related) variables.

[MacEachren 95]

Angle & Angle




FIGURE 3.39. Bivariate map of NO₃ and SO₄ trends. The original Carr et al. version of this map used a wheel with eight spokes, rather than a simple dot, as the center of each glyph. When large enough, this added feature facilitates judgment of specific values. After Carr et al. (1992, Fig. 7a, p. 234). Adapted by permission of the American Congress on Surveying and Mapping.

[MacEachren 95]

Summary of Integral & Separable


[Figure 5.25, Color Plate 10, Ware 2000]



Set

Each card has **4 features**: Color Symbol Number Shading/<u>Texture</u>

A set consists of 3 cards in which each feature is the SAME or DIFFERENT on each card.



Pre-Attentive Processing

How Many 3's?


$\begin{array}{l} 1281768756138976546984506985604982826762\\ 9809858458224509856458945098450980943585\\ 9091030209905959595772564675050678904567\\ 8845789809821677654876364908560912949686\end{array}$

[based on a slide from J. Stasko]

How Many 3's?


[based on a slide from J. Stasko]

Visual Pop-Out: Color




http://www.csc.ncsu.edu/faculty/healey/PP/index.html

Visual Pop-Out: Shape




http://www.csc.ncsu.edu/faculty/healey/PP/index.html

Feature Conjunctions



http://www.csc.ncsu.edu/faculty/healey/PP/index.html

Pre-Attentive Features



[Information Visualization. Figure 5. 5 Ware 04]

More Pre-Attentive Features

Line (blob) orientation Length Width Size Curvature Number Terminators Intersection Closure Colour (hue)

Intensity

Flicker Direction of motion

Binocular lustre Stereoscopic depth 3-D depth cues Lighting direction


Julesz & Bergen [1983]; Wolfe et al. [1992] Treisman & Gormican [1988] Julesz [1985] Treisman & Gelade [1980] Treisman & Gormican [1988] Julesz [1985]; Trick & Pylyshyn [1994] Julesz & Bergen [1983] Julesz & Bergen [1983] Enns [1986]; Treisman & Souther [1985] Nagy & Sanchez [1990, 1992]; D'Zmura [1991]; Kawai et al. [1995]; Bauer et al. [1996] Beck et al. [1983]; Treisman & Gormican [1988] Julesz [1971] Nakayama & Silverman [1986]; Driver & McLeod [1992] Wolfe & Franzel [1988] Nakayama & Silverman [1986] Enns [1990] Enns [1990]


Pre-Attentive Conjunctions

Spatial conjunctions are often pre-attentive
Motion and 3D disparity
Motion and color
Motion and shape
3D disparity and color
3D disparity and shape

But most conjunctions are NOT pre-attentive

Feature Integration Theory





Feature maps for orientation & color [Green]

Treisman's feature integration model [Healey 04]


Gestalt Grouping

Gestalt Principles


Figure/Ground Proximity Similarity Symmetry Connectedness Continuity Closure **Common Fate** Transparency

Figure/Ground





Principle of surroundedness




Principle of relative size

Ambiguous

http://www.aber.ac.uk/media/Modules/MC10220/visper07.html

Figure/Ground





Ambiguous

Unambiguous (?)

http://www.aber.ac.uk/media/Modules/MC10220/visper07.html


Proximity






[Ware '00]

Similarity




Rows dominate due to similarity [from Ware '04]

Symmetry




Bilateral symmetry gives strong sense of figure [from Ware '04]

Connectedness




Connectedness overrules proximity, size, color shape [from Ware '04]

Continuity



We prefer smooth not abrupt changes [from Ware '04]



Connections are clearer with smooth contours [from Ware '04]


Continuity: Vector Fields

Continuity: Vector Fields


a. b.

Prefer field that shows smooth continuous contours [from Ware '04]

Closure



We see a circle behind a rectangle, not a broken circle [from Ware '04]



Illusory contours [from Durand '02]

Common Fate

$\bullet \bullet \bullet \bullet \bullet \bullet$


Dots moving together are grouped

Transparency




Requires continuity and proper color correspondence [from Ware '04]











[Example from Palmer 99, originally due to Rock]

Demonstrations

http://www.psych.ubc.ca/~rensink/flicker/download/

http://www.youtube.com/watch?v=Ahg6qcgoay4

Summary

Choosing effective visual encodings requires knowledge of visual perception.

Visual features/attributes Individual attributes often pre-attentive Multiple attributes may be separable or integral

Gestalt principles provide high-level guidelines

We don't always see everything that is there!