



16. Subdivision surfaces

Reading

Recommended:

- ♦ Stollnitz, DeRose, and Salesin. *Wavelets for Computer Graphics: Theory and Applications*, 1996, section 10.2.

Building complex models




Subdivision surfaces

Chaikin's use of subdivision for curves inspired similar techniques for subdivision.

Iteratively refine a **control polyhedron** (or **control mesh**) to produce the limit surface

$$\sigma = \lim_{j \rightarrow \infty} M^j$$

using splitting and averaging steps.




There are two types of splitting steps:


- ♦ **vertex schemes**
- ♦ **face schemes**

Vertex schemes

A vertex surrounded by n faces is split into n subvertices, one for each face:




Original




After splitting

Doo-Sabin subdivision:




Face schemes

Each quadrilateral face is split into four subfaces:




Original




After splitting

Catmull-Clark subdivision:




Face schemes, cont.

Each triangular face is split into four subfaces:




Original




After splitting

Loop subdivision:




Averaging step

Once again we can use **masks** for the averaging step:



Vertex labelling



Averaging mask

$$Q \leftarrow \frac{\alpha(n) + Q_1 + \dots + Q_n}{\alpha(n) + n}$$


where

$$\alpha(n) = \frac{n(1 - \beta(n))}{\beta(n)} \quad \beta(n) = \frac{5}{4} - \frac{(3 + 2\cos(2\pi/n))^2}{32}$$

(carefully chosen to ensure smoothness.)

Loop evaluation and tangent masks

As with subdivision curves, we can split and average a number of times and then push the points to their limit positions.



$$Q^\infty = \frac{\epsilon(n) + Q_1 + \dots + Q_n}{\epsilon(n) + n}$$

where

$$\epsilon(n) = \frac{3n}{\beta(n)} \quad \tau_i(n) = \cos(2\pi i/n)$$

How do we compute the normal?

Recipe for subdivision surfaces


As with subdivision curves, we can now describe a recipe for creating and rendering subdivision surfaces:

- ◆ Subdivide (split+average) the control polyhedron a few times. Use the averaging mask.
- ◆ Push the resulting points to the limit positions. Use the evaluation mask.
- ◆ Compute the tangents using the tangent masks.
- ◆ Compute the normal from the tangent vectors.
- ◆ Render!


Adding creases without trim curves

In some cases, we want a particular feature such as a crease to be preserved. With NURBS surfaces, this required the use of trim curves.

For subdivision surfaces, we can just modify the subdivision mask:




This gives rise to G^0 continuous surfaces.



Creases without trim curves, cont.

Here's an example using Catmull-Clark surfaces of the kind found in Geri's Game:



Interpolating subdivision surfaces

Interpolating schemes are defined by

- ♦ splitting
- ♦ averaging only new vertices

Summary

What to take home:

- ♦ The various kinds of splitting steps, especially Loop
- ♦ How to construct subdivision surfaces from their averaging masks, evaluation masks, and tangent masks