

Grace Hopper Week ~ Dec. 6 – 12

Whereas Grace Murray Hopper, one of the first females in the field of computer science, engineered new programming languages (COBOL) and pioneered standards for computer systems which laid the foundation for many advancements in computer science; and Whereas the week of December 7, in honor of Grace Hopper's birthday, is designated as ³National Computer Science Education Week

It¹s followed by some appropriate 'be it resolved' points about encouraging education and opportunities for females and underrepresented minorities in the field.



ORear Admiral Grace Hopper

Computing pioneer (1906-1992)
Invented the compiler and COBOL





This week

- Lab 11 and Project 3A due Wednesday at 10pm
- Best GoPosters survey due Friday at 10pm

Finals week

 Lab 12 and Project 3B due Wednesday, Dec. 16 at 10pm







- Read ch 17 for today
- Read the second half of ch 13 for Lab 12



Quiz this week in lab

- Wednesday and Thursday
- Topics
 - Spreadsheets
 - XML
 - Privacy
 - Cookies
 - Identity Theft



• This week's GoPost discussion is posted



 Dijkstra: Whether a computer can think is about as interesting as whether a submarine can swim.



Part A

- Build database tables
 - Brief sample data
- Answer queries
 - Get information out of the database



Part B

- Imagine a year has gone by....
 - The database has grown
 - Download the much-larger database
- Boat Club members had some accidents







Project 3B

- You're called in to extend the database to make sure sailors are qualified to run the boats they rent
- Build the queries
- Answer the questions
 - Save database and queries, and upload to Collect It
 - Submit WebQ





querySailorAge

current age: DateDiff("yyyy",[tableSailors]![birthdate],Now())

FIT 100–Fluency with Information Technology



Primary keys, normalization, and SQL

D.A. Clements

D.A. Clements, UW Information School



Relational databases and tables



• Primary Keys (5 min.)

Orimary/Foreign Key



- Controlled redundancy:
 - Stores relationship between tables
 - Database tables share common attributes only to enable the tables to be linked
 - True redundancy exists only when there is unnecessary duplication of attribute values

Problem Fields (Don'ts)

		Calculated Field	Multipart Field	Calculated Field Multivalue Field		
		¥	¥	<u> </u>		¥
Last Name	First Name	Full Name	City State Zip	Hourly	Weekly	Invoices
Sullivan	Frank	Frank Sullivan	Kent, WA 98032	20.07	802.85	123
Silby	Judy	Judy Silby	Yakima, WA 98902	16.73	669.04	127, 217, 319
Harding	Joel	Joel Harding	Auburn, WA 98001	13.38	535.23	124, 297
Rathke	Nicole	Nicole Rathke	Renton, WA 98055	9.37	374.66	176
Lee	Allen	Allen Lee	Kent, WA 98032	16.73	669.04	151, 165
Allert	Maria	Maria Allert	Yakima, WA 98902	8.03	321.14	143
Young	Jim	Jim Young	Selah, WA 98942	18.06	722.57	161, 181

Calculated field – can be computed by mathematical calculation or text concatenation

- Waste of storage space (redundant), •
- No assurance the calculated value is updated when the user changes the input field(s)

Multipart field – contains that should be two or more fields

Extra work when you want to analyze your data •

Multivalue field – multiple correct entries for the field

Create a separate subset table with each value in its own record.

Derived field – contents of one or more fields absolutely predicts the

- contents of another
 - Should be dropped from the table • D.A. Clements, UW Information School



<u>Redundancy and Normalization</u> (5 min.)



• Entity

- Anything that can be identified by a fixed number of its characteristics (*attributes*)
- Attributes have
 - Names—field name, attribute, or column name
 - Values—the data stored in the table



• An entity defines a table

- Name of the entity is the name of the table
- Each attribute of that entity
 - The column heading is the attribute name



Island						
Name	Area	Elevation				
Isabela	4588	1707				
Fernandina	642	1494				
Tower	14	76				
Santa Cruz	986	846				

Figure 16.4 A table instance for the island entity.

Oroperties of Entities

- A relational database table can be empty
- Instances Are Unordered
 - Order of the rows and columns does not matter in databases
 - Freedom to move the data is limited to exchanging entire rows or exchanging entire columns

Oroperties of Entities (cont'd)

Uniqueness

- No two rows can be the same
- Two rows can have the same value for some attributes, just not all attributes

Oroperties Of Entities (cont'd)

Atomic Data

- Not decomposable into any smaller parts
 - Separate fields for street, city, state, postal code
- "Only atomic data" rule relaxed for certain types of data
 - Dates, times, currency



• Database schema – way to define a table

• Collection of table definitions that gives the name of the table, lists the attributes and their data types, and identifies the primary key

Island

iName area elevation Text Number Number

Primary Key: iName

Island Name Area in square kilometers Highest point on the island

Figure 16.5 Database table definition for an Island table.

Oliver Carables Summary

- Tables in databases have a structure that is specified by metadata
- The structure is separate from its content
- A table structures a set of entities
 - Things that we can tell apart by their attributes
- The entities of the table are represented as rows
 - Rows and columns are unordered
- Tables and fields should have names that describe their contents
 - Fields must be atomic (indivisible)
 - One of more attributes define the primary key



TABLE OPERATIONS

Operations on Tables

- A database is a collection of tables
- Main use of database is to look up information
 - Users specify what they want to know and the database software finds it
- We can perform operations on tables to produce new tables
- The questions we ask of a database are answered with a whole new table, or view



N

Ia	ations		
	Name	text	Common rather than official name
	Domain	text	Internet top-level domain name
	Capital	text	Nation's capital
	Latitude	number	Approx. latitude of capital
	N_S	Boolean	Latitude is N(orth) or S(outh)
	Longitude	number	Approx. longitude of capital
	E_W	Boolean	Longitude is E(ast) or W(est)
	Interest	text	A short description of the country

Primary Key: Name

Name	Dom	Capital	Lat	NS	Lon	EW	Interest
Ireland	IE	Dublin	52	N	7	W	History
Israel	IR	Jerusalem	32	N	35	Е	History
Italy	IT	Rome	42	N	12	Е	Art
Jamaica	JM	Kingston	18	N	77	W	Beach
Japan	JP	Tokyo	35	N	143	Е	Kabuki

Figure 16.6 The Nations table definition and sample entries.



- Takes rows from one table to create a new table
 - Specify the table from which rows are to be taken, and the *test* for selection

Syntax: **SELECT** Test **FROM** Table

- Test is applied to each rows of the table to determine if it should be included in result table
- Test uses attribute names, constants, and relational operators
- If the test is true for a given row, the row is included in the result table; otherwise it is ignored

```
SELECT Interest='Beach' FROM Nations
```



Name	Dom	Capital	Lat	NS	Lon	EW	Interest
Australia	AU	Canberra	37	S	148	Е	Beach
Bahamas	BS	Nassau	25	N	78	W	Beach
Barbados	BB	Bridgetown	13	N	59	W	Beach
Belize	BZ	Belmopan	17	N	89	W	Beach
Bermuda	BM	Hamilton	32	Ν	64	W	Beach

Figure 16.7 Part of the table created by selecting countries with a Test for Interest equal to Beach.



• <u>A natural join</u>



Physical and Logical Database

TABLES AND VIEWS



- Physical database and logical database
 - Physical database is the files, records in any order, no logical organization other than tables
 - Logical database is a view of database that shows only the rows and fields needed by the users
 - Solves Information Overload:
 - Users see only what they need
 - Users see only what they have permission to see



Figure 16.15 Structure of a database system. The physical database is the permanent repository of the data; the logical database, or view of the database, is the form of the database the users see. The transformation is implemented by the query processor, and is based on queries that define the logical database tables from the physical database tables.



Designed by database administrators Fast to access

- No redundancy/duplicating information
 - Multiple data can lead to inconsistent data
- Backup copies in case of accidental data deletion or disk crash



- Creating specialized views of the data for different users' needs
 - Creating a new "result set" from the current data each time
 - Fresh
 - Accurate

Opening Physical Tables

- Database schemes (schema)
 - Metadata specification that describes the database design





(a)

Figure 16.16 Table declarations from Microsoft Access 2007: (a) Home_Base table declaration shown in the design view; and (b) students table declaration. Notice that the key is specified by the tiny key next to Student_ID in the first column.

C The Idea of Relationship

- A relationship is a correspondence between rows of one table and the rows of another table
 - Because the key Student_ID is used in each table, can not only find the address for each student (*Lives_At*), but can also find the student for each address (*Home_Of*)
- Relationship examples

ORelationships in Practice



Figure 16.17 The *Relationships* window from the Microsoft Access database system; the 1-to-1 *Lives_At* and *Home_Of* relationships are shown between Home_Base and Students.

Openational Contraction Contractico Contractico Contractico Contractico Contractico Contra

Constructing a View Using Join
 Match on the common field of Student_ID
 Master_List = Student JOIN Home_Base
 On Student.Student_ID = Home_Base.Student_ID

Student_ID
'irst_Name
Middle_Name
last_Name
Birthdate
Dn_Probation
Street_Address
City
State
Country
Postal_Code

Figure 16.18 Attributes of the Master_List table. Being created from Student

D. And Home, Base allows Master List to inherit its data types and key (Student ID) from the component tables.