

LEC 04

# ArrayList

# ArrayList

BEFORE WE START

*Talk to your neighbors:  
Coffee or tea? Or something else?*

Music: [122 24sp Lecture Tunes](#) 

Instructor Miya Natsuhara and Kasey Champion

TAs	Ayush	Kyle	Colin	Chaafen
	Poojitha	Jacob	Ronald	Smriti
	Chloe	Atharva	Saivi	Ambika
	Ailsa	Rucha	Shivani	Elizabeth
	Jasmine	Megana	Kavya	Aishah
	Lucas	Eesha	Steven	Minh
	Logan	Zane	Ken	Katharine

Questions during Class?

Raise hand or send here

sli.do #cse122



# Lecture Outline

- **Announcements** ◀
- ArrayList Recap
- ArrayList Examples

# Announcements

- Programming Assignment 0 due Thursday, April 11<sup>th</sup> at 11:59 PM
- Plan to release C0 grades and feedback tomorrow!
  - General grading turnaround is ~1 week
  - Resubmission Cycle 0 will also be released tomorrow
    - Due Tues April 16
    - Eligible assignment(s): C0
- Quiz 0 is next Tuesday!
  - Check the Ed post for instructions and logistics
  - The TAs wrote you a practice quiz! You can find it on Ed 😊

# Lecture Outline


- Announcements
- **ArrayList Recap** ◀
- ArrayList Examples

# ArrayList

ArrayLists are very similar to arrays

- Can hold multiple pieces of data (elements)
- Zero-based indexing
- Elements must all have the same type
  - ArrayLists can only hold Objects, so might need to use “wrapper” types: Integer, Double, Boolean, Character, etc.

**But** ArrayLists have dynamic length (so they can resize!)



# ArrayList Methods

Method	Description
<code>add(type element)</code>	Adds <i>element</i> to the <i>end</i> of the ArrayList
<code>add(int index, type element)</code>	Adds <i>element</i> to the specified <i>index</i> in the ArrayList
<code>size()</code>	Returns the number of elements in the ArrayList
<code>contains(type element)</code>	Returns true if <i>element</i> is contained in the ArrayList, false otherwise
<code>get(int index)</code>	Returns the element at <i>index</i> in the ArrayList
<code>remove(int index)</code>	Removes the element at <i>index</i> from the ArrayList and returns the removed element.
<code>indexOf(type element)</code>	Returns the index of <i>element</i> in the ArrayList; returns -1 if the <i>element</i> doesn't exist in the ArrayList
<code>set(int index, type element)</code>	Sets the element at <i>index</i> to the given <i>element</i> and returns the old value

# ArrayList Methods

- Whenever referring to “the ArrayList”, we are referring to the ArrayList we’re calling the method *on*!


```
List<String> list = new ArrayList<String>();  
list.add("hello");  
list.add(0, "world");  
list.indexOf("world"); // what is the output?
```

```
String[] list = new String[2];  
list[0] = "hello";  
list[0] = "world";  
list[1] = "hello";  
//... indexOf?
```

# Lecture Outline

- Announcements
- ArrayList Recap
- **ArrayList Examples** 





# Practice : Think




sli.do

#cse122

## In-Class Activities

- **Goal:** Get you actively participating in your learning
- Typical Activity
  - Question is posed
  - **Think** (1 min): Think about the question on your own
  - **Pair** (2 min): Talk with your neighbor to discuss question
    - If you arrive at different conclusions, discuss your logic and figure out why you differ!
    - If you arrived at the same conclusion, discuss why the other answers might be wrong!
  - **Share** (1 min): We discuss the conclusions as a class
- During each of the **Think** and **Pair** stages, you will respond to the question via a sli.do poll
  - Not worth any points, just here to help you learn!



# Practice : Think

[sli.do](https://sli.do)

#cse122

## What is the best “plain English” description of this method?

```
public static void method(ArrayList<Double> list) {  
    for (int i = 0; i < list.size(); i++) {  
        System.out.println(" " + i + ") " + list.get(i));  
    }  
}
```

- A) Prints stuff
- B) Prints out the list from front to back, with elements numbered 0, 1, 2, ...
- C) Prints out the list from front to back
- D) Prints out the list from back to front
- E) Prints out the elements of the list using a for loop that starts at 0 and runs until one less than the size of the list and at each point prints out the element at that index.



# Practice : Pair



sli.do #cse122

## What is the best “plain English” description of this method?

```
public static void method(ArrayList<Double> list) {  
    for (int i = 0; i < list.size(); i++) {  
        System.out.println(" " + i + ") " + list.get(i));  
    }  
}
```

*“Plain English” descriptions are what we are generally looking for in your method comments!*

- A) Prints stuff
- B) Prints out the list from front to back, with elements numbered 0, 1, 2, ...
- C) Prints out the list from front to back
- D) Prints out the list from back to front
- E) Prints out the elements of the list using a for loop that starts at 0 and runs until one less than the size of the list and at each point prints out the element at that index.

# loadFromFile


Write a method called `loadFromFile` that accepts a `Scanner` as a parameter and returns a new `ArrayList` of `Strings` where each element of the `ArrayList` is a line from the `Scanner`, matching the order of the `Scanner`'s contents.


e.g., the first line in the `Scanner` is stored at index 0, the next line is stored at index 1, etc.

# moveRight

Write a method called `moveRight` that accepts an `ArrayList` of integers `list` and an `int n` and moves the element at index `n` one space to the right in `list`.

For example, if `list` contains `[8, 4, 13, -7]` and our method is called with `moveRight(list, 2)`, after the method call `list` would contain `[8, 4, -7, 13]`.





# Practice : Think



sli.do

#cse122

**What ArrayList methods (and in what order) could we use to implement the `moveRight` method?**

- A) `list.remove(n);`  
`list.add(n);`
- B) `int element = list.remove(n);`  
`list.add(n, element);`
- C) `list.add(n);`  
`list.remove(n-1);`
- D) `int element = list.remove(n);`  
`list.add(n+1, element);`



# Practice : Pair



sli.do #cse122


## What ArrayList methods (and in what order) could we use to implement the `moveRight` method?

- A) `list.remove(n);`  
`list.add(n);`
- B) `int element = list.remove(n);`  
`list.add(n, element);`
- C) `list.add(n);`  
`list.remove(n-1);`
- D) `int element = list.remove(n);`  
`list.add(n+1, element);`

# moveRight

Write a method called `moveRight` that accepts an `ArrayList` of integers `list` and an `int n` and moves the element at index `n` one space to the right in `list`.

For example, if `list` contains `[8, 4, 13, -7]` and our method is called with `moveRight(list, 2)`, after the method call `list` would contain `[8, 4, -7, 13]`.





# Edge Cases! (And Testing)

When writing a method, especially one that takes input of some kind (e.g., parameters, user input, a Scanner with input) it's good to think carefully about what assumptions you can make (or cannot make) about this input.

**Edge case**: A scenario that is uncommon but possible, especially at the “edge” of a parameter's valid range.

- ? What happens if the user passes a negative number to `moveDown`?
- ? What happens if the user passes a number larger than the length of the list to `moveDown`?


More [testing tips](#) on the course website's Resources page!

# compareToList

Write a method called `compareToList` that accepts two `ArrayLists` of integers `list1` and `list2` as parameters and compares the elements of the two lists, printing out the locations of common elements in each of the `ArrayLists`.

For example, if `list1` contained `[5, 6, 7, 8]` and `list2` contained `[7, 5, 9, 0, 2]`, a call to `compareToList(list1, list2)` would produce output such as:

- 5 (list1 at 0, list2 at 1)
- 7 (list1 at 2, list2 at 0)



# Practice : Think

[sli.do](https://sli.do)

#cse122

## Spend 1 min on your own thinking about how you would implement this method! (focus on *pseudocode*)

Write a method called `compareToList` that accepts two `ArrayLists` of integers `list1` and `list2` as parameters and compares the elements of the two lists, printing out the locations of common elements in each of the `ArrayLists`.

For example, if `list1` contained `[5, 6, 7, 8]` and `list2` contained `[7, 5, 9, 0, 2]`, a call to `compareToList(list1, list2)` would produce output such as:

- 5 (`list1` at 0, `list2` at 1)
- 7 (`list1` at 2, `list2` at 0)



# Practice : Pair



sli.do #cse122

## Spend 2 min discussing about how you would implement this method with a neighbor! (focus on *pseudocode*)

Write a method called `compareToList` that accepts two `ArrayLists` of integers `list1` and `list2` as parameters and compares the elements of the two lists, printing out the locations of common elements in each of the `ArrayLists`.

For example, if `list1` contained `[5, 6, 7, 8]` and `list2` contained `[7, 5, 9, 0, 2]`, a call to `compareToList(list1, list2)` would produce output such as:

- 5 (`list1` at 0, `list2` at 1)
- 7 (`list1` at 2, `list2` at 0)

# ArrayList Methods

Method	Description
<code>add(type element)</code>	Adds <i>element</i> to the <i>end</i> of the ArrayList
<code>add(int index, type element)</code>	Adds <i>element</i> to the specified <i>index</i> in the ArrayList
<code>size()</code>	Returns the number of elements in the ArrayList
<code>contains(type element)</code>	Returns true if <i>element</i> is contained in the ArrayList, false otherwise
<code>get(int index)</code>	Returns the element at <i>index</i> in the ArrayList
<code>remove(int index)</code>	Removes the element at <i>index</i> from the ArrayList and returns the removed element.
<code>indexOf(type element)</code>	Returns the index of <i>element</i> in the ArrayList; returns -1 if the <i>element</i> doesn't exist in the ArrayList
<code>set(int index, type element)</code>	Sets the element at <i>index</i> to the given <i>element</i> and returns the old value

# topN

Write a method called `topN` that accepts an `ArrayList` of characters `list` and an `int n` and returns a new `ArrayList` of characters that contains the first `n` elements of `list`.

For example, if `list` contained  
`['m', 'a', 't', 'i', 'l', 'd', 'a']`,  
a call to `topN(list, 4)` would return an `ArrayList`  
containing `['m', 'a', 't', 'i']`