

# CSE 142

## Declarations and Scope

4/30/2003

(c) 2001-3, University of Washington

J-1

## Outline for Today

- Goal: present more precisely several things we've dealt with informally up to now
  - Only essential topics for CSE142; won't cover all the technical details
- Scope defined
- Scope for instance variables and methods
  - Public and private
  - Using local methods
  - Accessing instance variables in other objects
  - "this"
- Scope for method parameters and local variables

4/30/2003

(c) 2001-3, University of Washington

J-2

## Declarations

- Everything in a Java program is referenced using an identifier (name)
- New names must be declared
  - Class declarations
  - Method definitions and instance variable declarations in a class
  - Parameter and local variable definitions in methods

4/30/2003

(c) 2001-3, University of Washington

J-3

## Scope

- The scope of an identifier is the region of the program where that identifier's declaration is in effect
- Answers the question: *where it is legal to use this identifier?*
- Scope limits the range of a declaration
  - Allows sensible reuse of names (identifiers) in different parts of the code

4/30/2003

(c) 2001-3, University of Washington

J-4

## Qualified and Unqualified Names

- If you're at home and mention "Bob", it usually means your Uncle Bob who lives in Aberdeen.
- When you're at quiz section and someone says "Bob", they probably are referring to a certain classmate in your section
- If you need to be precise, you can specify "Uncle Bob" or "the Bob in my quiz section"
- "Bob" by itself is an *unqualified* name. Its precise meaning depends on context (where it is used)
- "Uncle Bob" is a *qualified* name. Its precise meaning is much less dependent on context

4/30/2003

(c) 2001-3, University of Washington

J-5

## Qualified and Unqualified Names In Programs

```
num = myFarm.countSheep()
```

This statement contains three identifiers

The Java compiler has to determine exactly what these identifiers refer to.

"num" is unqualified

"countSheep" is qualified by "myFarm"

"myFarm" is unqualified

4/30/2003

(c) 2001-3, University of Washington

J-6

## Three Big Principles

1. **Scope is determined at compile-time**  
Not at run-time  
We say it is "static" rather than "dynamic"
2. **A name must be declared before it can be used**  
"Declaration before use" rule  
The rule is bent in a few notable cases
3. **Curly braces { } limit scope**  
For unqualified names, at least  
A few, but important, exceptions

4/30/2003

(c) 2001-3, University of Washington

J-7

## Summary of Java Scope Rules

- The scope of **classes**: other classes in the program
- The scope of **methods and instance variables**: the class containing the declaration and, possibly, other classes
- The scope of **parameters and local variables**: part or all of the body of the method containing the declaration
  - Minor exception for *for*-loop control variables
- We will look at some of this in a bit more detail now
- The full scope rules for Java are complex and are discussed in increasing detail in 142 and 143.

4/30/2003

(c) 2001-3, University of Washington

J-8

## Methods and Instance Variables

- Declared inside a class
- Scope depends on whether declared **public** or **private**
  - Always accessible inside the class
  - Accessible to clients outside the class if qualified and if declared public
  - Not accessible to clients if declared private
- Inside the class, local methods and instance variables can be referenced by their simple (unqualified) names
- Always use public or private in CSE142
  - There are rules about what happens if you leave these off; we'll simplify our life by not dealing with them

4/30/2003

(c) 2001-3, University of Washington

J-9

## Example – Tile Class

```
public class Tile {
    private int size; // tile size

    /** add picture of this tile... */
    public void addTo(...) {
        ...
        display(...);
    }

    // draw a tile at the right place
    private void display(..., Shape s, ...) {
        s.moveBy(...size...);
        ...
    }
}
```

- Identifiers `Tile` and `addTo` are visible inside and outside class `Tile`
- Identifiers `size` and `display` are only visible inside the class

4/30/2003

(c) 2001-3, University of Washington

J-10

## Parameter Scope

- The scope of a parameter declaration is the body of the method or constructor containing the parameter declaration

```
/** deposit amount in this BankAccount */
public void deposit(double amount) {
    ...
}

/** Construct new BankAccount with given name and account number */
public BankAccount(int accountNumber, String accountName) {
    ...
}
```

- When the method is called, each parameter is initialized by assigning it the corresponding argument value in the method call
- ```
BankAccount savings = new BankAccount(12, "D. Warbucks");
savings.deposit(42.17);
```

4/30/2003

(c) 2001-3, University of Washington

J-11

## Nested Scopes

- The scope of a parameter declaration is “smaller” than the scope of instance variables and methods belonging to the class
  - Could call this “nested” scope
- If a name is referenced in a method, to find the actual thing it refers to
  - First check the method scope
  - Then, if you don't find it, look at the surrounding class (object) scope
  - If still not found, it is not declared – compiler will complain

4/30/2003

(c) 2001-3, University of Washington

J-12

## Nested Scopes Diagrammed

- **Example**

```
BankAccount savings = new BankAccount(567, "Rainy Day");
savings.deposit(100.00);
```

4/30/2003

(c) 2001-3, University of Washington

J-13

## Nested Scope Pitfall

- **Some (buggy) code**

```
public class BankAccount {
    private String name;        // name on the account
    /** set the account name */
    public void setName(String name) {
        name = name;
    }
}
```

- **What happens if we execute**

```
BankAccount credit = new BankAccount(567, "Funny Money");
credit.setName("plastic");
```

4/30/2003

(c) 2001-3, University of Washington

J-14

## Draw the Diagram

4/30/2003

(c) 2001-3, University of Washington

J-15

## Local Variables

- **Local variables can be declared inside a method**

- Provides scratch space for temporary values
- Scope extends to the right brace "}" matching the nearest preceding left brace "{"

This can hide a instance variable, parameter, or local variable declared in a surrounding scope – generally bad style; don't do it

- **Variable no longer exists after leaving the scope**  
(in particular, parameters and local variables no longer exists after method execution ends)

4/30/2003

(c) 2001-3, University of Washington

J-16

## Example

```
/** return the weekly pay of this Employee */
public double getWeeklyPay() {
    double basePay;
    double overTimePay;
    if (hours <= 40) {
        basePay = hours * rate;           // hours, rate are instance variables
        overTimePay = 0.0;
    } else {
        basePay = 40 * rate;
        overTimePay = 1.5 * (hours-40) * rate;
    }
    return basePay + overTimePay;
}
```

4/30/2003

(c) 2001-3, University of Washington

J-17

## Trace

```
Employee intern = new Employee(...);
System.out.println(intern.getWeeklyPay());
```

4/30/2003

(c) 2001-3, University of Washington

J-18

## Variable Declaration with Initialization

- A variable declaration can also specify an initial value

```
/** Return the area of the circle with given diameter */
public double area(double diameter) {
    double radius = diameter / 2.0;
    return 3.14 * radius * radius;
}
```

- Common for temporary quantities used inside a method
  - Can make code easier to read if you name intermediate results by declaring and initializing appropriate local variables
- Not common for instance variables
  - Better style is to put all initializations inside the constructor(s)

4/30/2003

(c) 2001-3, University of Washington

J-19

## Scopes and Initialization

- What happens here?

```
/** return the weekly pay of this Employee */
public double getWeeklyPay() {
    if (hours <= 40) {
        double basePay = hours * rate;
        double overTimePay = 0.0;
    } else {
        double basePay = 40 * rate;
        double overTimePay = 1.5 * (hours-40) * rate;
    }
    return basePay + overTimePay;
}
```

- (Hint: what is the scope of a local variable declaration?)

4/30/2003

(c) 2001-3, University of Washington

J-20

### Scopes and Multiple Objects

- Each object defines a separate scope for its instance variables and methods
- A method or instance variable in another object can be accessed (if it is public or in the same class) by writing  
*objectName . methodName ( ... );*
  - or  
*objectName . variableName*
- When a method executes, its local scope is surrounded by the scope of the corresponding object

4/30/2003

(c) 2001-3, University of Washington

J-21

### Example: BankAccount Transfer

```
class BankAccount {  
    ...  
    /** Transfer given amount from otherAccount */  
    public void transferFrom(BankAccount otherAccount, double amount) {  
        boolean success = otherAccount.withdraw(amount);  
        if (success) {  
            balance = balance + amount;  
        }  
    }  
}
```

4/30/2003

(c) 2001-3, University of Washington

J-22

### Execution Example

```
BankAccount yours = new BankAccount(567, "Moneybags");  
yours.deposit(5000.00);  
BankAccount mine = new BankAccount(1234, "Me");  
mine.transferFrom(yours, 2000.00);
```

4/30/2003

(c) 2001-3, University of Washington

J-23

### Another Implementation of Transfer

```
class BankAccount {  
    ...  
    /** Transfer given amount from otherAccount */  
    public void transferFrom(BankAccount otherAccount, double amount) {  
        if (otherAccount.balance >= amount) {  
            otherAccount.balance = otherAccount.balance - amount;  
            balance = balance + amount;  
        }  
    }  
}
```

- Discuss: Is this better or worse than using `otherAccount.withdraw(...)`? Why or why not?

4/30/2003

(c) 2001-3, University of Washington

J-24

### Method and Instance Variable Names, Revisited

- When we write something like

```
name = otherAccount.name;
```

- or

```
otherAccount.balance = balance;
```

the occurrence of “name” or “balance” refers to fields in the current object scope where the method is executing

- But technically, every method or instance variable has a full name which is always *objectName* . *fieldName*.
- When we use a simple name like balance by itself, we really mean

“the current object” . balance

4/30/2003

(c) 2001-3, University of Washington

J-25

### “The Current Object” – this

- Java has a reserved keyword, *this*, that can be used to explicitly refer to “the current object”

- If we use a field name by itself

```
balance = 42.17;
```

it is equivalent to writing

```
this.balance = 42.17;
```

- You can write this explicitly if you want. If you don’t, Java understands that that is what you mean
- *this* is like a pronoun such as “I” or “me”. Who the pronoun refers to depends on who is speaking.

4/30/2003

(c) 2001-3, University of Washington

J-26

### A Common Use for this

- Normally instance variables and local variables or parameters should not have the same name  
(Style/readability issue)
- But in constructors, it’s often more readable if parameter names are the same as the fields they initialize
- Use “this” to access an instance variable whose scope is masked by a local parameter declaration

```
/** construct a new BankAccount with the given name and number */  
public BankAccount(int number, String name) {  
    this.number = number;  
    this.name = name;  
}
```

4/30/2003

(c) 2001-3, University of Washington

J-27

### Scope Rules and This

- Trace execution of

```
BankAccount test = new BankAccount(654, "scope demo");
```

4/30/2003

(c) 2001-3, University of Washington

J-28

## Summary

---

- **Scope – the region of code in which a declaration has an effect**
  - **Class scope – instance variable, methods**
    - Can be public (accessible outside the class) or private (only accessible inside)
    - Can be masked by method parameters or local variables with the same name
    - "this" –refers to the current object; use to access names with class scope
  - **Local scope – method parameters and local variables**
    - Scope is all or part of the method containing the declaration
    - Can mask declarations in surrounding scopes (generally bad style, except in specific cases)