

CSE 142

Objects, Values and Types

1/7/2003

(c) 2001-3, University of Washington

C-1

Outline for Today

- Role-Playing Demonstration
- Discussion of Demonstration
- Major concepts
 - More about objects (properties and responsibilities)
 - Types
 - Values
 - State
 - Queries and commands (messages)

1/7/2003

(c) 2001-3, University of Washington

C-2

Acrobat Role-Playing

- We have Acrobat objects that are responsible for knowing how to:
 - Clap
 - Twirl
 - Count
- We have different types of Acrobat objects:
 - Acrobat
 - Choreographer
 - AcrobatWithBuddy
 - Actor
 - Curmudgeon

1/7/2003

(c) 2001-3, University of Washington

C-3

What did we see? (1)

- Acrobats as objects
 - What are their properties?
 - What are their responsibilities?
- Values: pieces of information manipulated by a program
 - Examples: numbers, characters, point on a plane
 - What values did we see?
- State
 - The collection of property values in an object is called its state
 - Values (state) of objects can change over time
 - How did values change?

1/7/2003

(c) 2001-3, University of Washington

C-4

What did we see? (2)

- Commands and Queries
 - Examples from demonstration?
 - Commands can change the state of an object
 - Queries determine values associated with an object
- Commands and queries are messages
 - May include Parameters to pass information
 - May include Return values
 - Queries always return a value
 - Chained messages
- Errors
 - Did we see any errors?

1/7/2003

(c) 2001-3, University of Washington

C-5

Values

- Information manipulated by a program
 - Examples: numbers, characters, point on a plane
- Simple Vs. Composite
 - Simple values cannot be broken down
 - Composite values composed of simple values
 - Are the following values atomic or composite?
 - 3
 - "welcome"
 - The point (3,5) on the Cartesian plane
 - M
 - 2.9783

1/7/2003

(c) 2001-3, University of Washington

C-6

Types

- **Type:** Set of values and associated operations
 - Example: integers with +, -, /, *
- **In Java**
 - **Primitive types** sample values operations
 - int
 - double
 - char
 - boolean
 - etc.
 - **Object types (composites)**
 - 2D Points
 - Strings
 - Acrobats
 - etc.

1/7/2003

(c) 2001-3, University of Washington

C-7

Objects and Design

- **When designing a system**
 - **Determine objects (properties and responsibilities)**
 - **Responsibilities can be “knowing” or “doing”**
 - **Knowing**
 - Properties of object
 - About other objects in system
 - **Doing**
 - Computing
 - Actions to modify state
 - Creating other objects
 - Coordinating activities
 - **Give examples of knowing and doing responsibilities in the role-playing**

1/7/2003

(c) 2001-3, University of Washington

C-8

Online Retail Store (1)

- Suppose we want to model an online retail store that sells shirts and pants
 - What objects would you use?

1/7/2003

(c) 2001-3, University of Washington

C-9

Online Retail Store (2)

- Let's model a shirt:
 - Property Type Value

1/7/2003

(c) 2001-3, University of Washington

C-10

Online Retail Store (3)

- **Shirt**
 - Responsibility Command or Query Changes state?

1/7/2003

(c) 2001-3, University of Washington

C-11

Online Retail Store (4)

- Let's model an online shopping cart
 - Property Type Value

1/7/2003

(c) 2001-3, University of Washington

C-12

Online Retail Store (5)

- Online shopping cart

- Responsibility Command or Query Changes state?

1/7/2003

(c) 2001-3, University of Washington

C-13

Summary

- Values are pieces of information manipulated by a program
- A type consists of a set of values and operations on those values
- Objects have properties with associated values
- The set of property values is the state of the object
- Objects have responsibilities that consist of queries and commands (messages that are passed to the object)

1/7/2003

(c) 2001-3, University of Washington

C-14