

# Building Java Programs

Chapter 9  
Lecture 9-1: Inheritance


**reading: 9.1 - 9.2**

# The software crisis

- **software engineering:** The practice of developing, designing, documenting, testing large computer programs.
- Large-scale projects face many issues:
  - getting many programmers to work together
  - getting code finished on time
  - avoiding redundant code
  - finding and fixing bugs
  - maintaining, improving, and reusing existing code
- **code reuse:** The practice of writing program code once and using it in many contexts.

# Law firm employee analogy

- common rules: hours, vacation, benefits, regulations ...
  - all employees attend a common orientation to learn general company rules
  - each employee receives a 20-page manual of common rules
- each subdivision also has specific rules:
  - employee receives a smaller (1-3 page) manual of these rules
  - smaller manual adds some new rules and also changes some rules from the large manual




# Separating behavior

- Why not just have a 22 page Lawyer manual, a 21-page Secretary manual, a 23-page Marketer manual, etc.?
- Some advantages of the separate manuals:
  - maintenance: Only one update if a common rule changes.
  - locality: Quick discovery of all rules specific to lawyers.
- Some key ideas from this example:
  - General rules are useful (the 20-page manual).
  - Specific rules that may override general ones are also useful.

# Is-a relationships, hierarchies

- **is-a relationship:** A hierarchical connection where one category can be treated as a specialized version of another.
  - every marketer *is an* employee
  - every legal secretary *is a* secretary
- **inheritance hierarchy:** A set of classes connected by is-a relationships that can share common code.



# Employee regulations

- Consider the following employee regulations:
  - Employees work 40 hours / week.
  - Employees make \$40,000 per year, except legal secretaries who make \$5,000 extra per year (\$45,000 total), and marketers who make \$10,000 extra per year (\$50,000 total).
  - Employees have 2 weeks of paid vacation leave per year, except lawyers who get an extra week (a total of 3).
  - Employees should use a yellow form to apply for leave, except for lawyers who use a pink form.
- Each type of employee has some unique behavior:
  - Lawyers know how to sue.
  - Marketers know how to advertise.
  - Secretaries know how to take dictation.
  - Legal secretaries know how to prepare legal documents.

# An Employee class

**// A class to represent employees in general (20-page manual).**

```
public class Employee {
    public int getHours() {
        return 40;           // works 40 hours / week
    }

    public double getSalary() {
        return 40000.0;     // $40,000.00 / year
    }

    public int getVacationDays() {
        return 10;         // 2 weeks' paid vacation
    }

    public String getVacationForm() {
        return "yellow";   // use the yellow form
    }
}
```

- **Exercise:** Implement class `Secretary`, based on the previous employee regulations. (Secretaries can take dictation.)

# Redundant Secretary class

**// A redundant class to represent secretaries.**

```
public class Secretary {
    public int getHours() {
        return 40;           // works 40 hours / week
    }

    public double getSalary() {
        return 40000.0;      // $40,000.00 / year
    }

    public int getVacationDays() {
        return 10;          // 2 weeks' paid vacation
    }

    public String getVacationForm() {
        return "yellow";    // use the yellow form
    }

    public void takeDictation(String text) {
        System.out.println("Taking dictation of text: " + text);
    }
}
```



# Desire for code-sharing

- `takeDictation` is the only unique behavior in `Secretary`.
- We'd like to be able to say:

```
// A class to represent secretaries.
```

```
public class Secretary {
```

```
    copy all the contents from the Employee class;
```

```
    public void takeDictation(String text) {
```

```
        System.out.println("Taking dictation of text: " + text);
```

```
    }
```

```
}
```

# Inheritance

- **inheritance:** A way to form new classes based on existing classes, taking on their attributes/behavior.
  - a way to group related classes
  - a way to share code between two or more classes
  
- One class can *extend* another, absorbing its data/behavior.
  - **superclass:** The parent class that is being extended.
  - **subclass:** The child class that extends the superclass and inherits its behavior.
    - Subclass gets a copy of every field and method from superclass

# Inheritance syntax

```
public class name extends superclass {
```

- Example:

```
public class Secretary extends Employee {  
    ...  
}
```

- By extending `Employee`, each `Secretary` object now:
  - receives a `getHours`, `getSalary`, `getVacationDays`, and `getVacationForm` method automatically
  - can be treated as an `Employee` by client code (seen later)

# Improved Secretary code

```
// A class to represent secretaries.  
public class Secretary extends Employee {  
    public void takeDictation(String text) {  
        System.out.println("Taking dictation of text: " + text);  
    }  
}
```

- Now we only write the parts unique to each type.
  - Secretary **inherits** `getHours`, `getSalary`, `getVacationDays`, and `getVacationForm` **methods** from `Employee`.
  - Secretary **adds** the `takeDictation` **method**.

# Implementing Lawyer

- Consider the following lawyer regulations:
  - Lawyers who get an extra week of paid vacation (a total of 3).
  - Lawyers use a pink form when applying for vacation leave.
  - Lawyers have some unique behavior: they know how to sue.
- Problem: We want lawyers to inherit *most* behavior from employee, but we want to replace parts with new behavior.

# Overriding methods

- **override:** To write a new version of a method in a subclass that replaces the superclass's version.
  - No special syntax required to override a superclass method. Just write a new version of it in the subclass.

```
public class Lawyer extends Employee {  
    // overrides getVacationForm method in Employee class  
    public String getVacationForm() {  
        return "pink";  
    }  
    ...  
}
```

- Exercise: Complete the `Lawyer` class.
  - (3 weeks vacation, pink vacation form, can sue)

# Lawyer class

```
// A class to represent lawyers.
public class Lawyer extends Employee {
    // overrides getVacationForm from Employee class
    public String getVacationForm() {
        return "pink";
    }

    // overrides getVacationDays from Employee class
    public int getVacationDays() {
        return 15;           // 3 weeks vacation
    }

    public void sue() {
        System.out.println("I'll see you in court!");
    }
}
```

- Exercise: Complete the `Marketer` class. Marketers make \$10,000 extra (\$50,000 total) and know how to advertise.

# Marketer class

**// A class to represent marketers.**

```
public class Marketer extends Employee {
    public void advertise() {
        System.out.println("Act now while supplies last!");
    }

    public double getSalary() {
        return 50000.0;        // $50,000.00 / year
    }
}
```



# Levels of inheritance

- Multiple levels of inheritance in a hierarchy are allowed.
  - Example: A legal secretary is the same as a regular secretary but makes more money (\$45,000) and can file legal briefs.

```
public class LegalSecretary extends Secretary {  
    ...  
}
```

- Exercise: Complete the `LegalSecretary` class.

# LegalSecretary class

```
// A class to represent legal secretaries.  
public class LegalSecretary extends Secretary {  
    public void fileLegalBriefs() {  
        System.out.println("I could file all day!");  
    }  
  
    public double getSalary() {  
        return 45000.0;        // $45,000.00 / year  
    }  
}
```

# Building Java Programs

Chapter 9

Lecture 9-3: Polymorphism

**reading: 9.2**

self-check: #5-9

# Polymorphism

- **polymorphism:** Ability for the same code to be used with different types of objects and behave differently with each.
  - `System.out.println` can print any type of object.
    - Each one displays in its own way on the console.
  - `CritterMain` can interact with any type of critter.
    - Each one moves, etc. in its own way.

# Coding with polymorphism

- A variable of type  $T$  can hold an object of any subclass of  $T$ .

```
Employee ed = new Lawyer();
```

- You can call any methods from `Employee` on `ed`.
  - You can *not* call any methods specific to `Lawyer` (e.g. `sue`).
- When a method is called on `ed`, it behaves as a `Lawyer`.


```
System.out.println(ed.getSalary());           // 50000.0  
System.out.println(ed.getVacationForm());    // pink
```

# Polymorphism and parameters

- You can pass any subtype of a parameter's type.

```
public class EmployeeMain {
    public static void main(String[] args) {
        Lawyer lisa = new Lawyer();
        Secretary steve = new Secretary();
        printInfo(lisa);
        printInfo(steve);
    }
}

public static void printInfo(Employee empl) {
    System.out.println("salary = " + empl.getSalary());
    System.out.println("days = " + empl.getVacationDays());
    System.out.println("form = " + empl.getVacationForm());
    System.out.println();
}
}
```



## OUTPUT:

```
salary = 50000.0
vacation days = 21
vacation form = pink
```

```
salary = 50000.0
vacation days = 10
vacation form = yellow
```

# Polymorphism and arrays

- Arrays of superclass types can store any subtype as elements.

```
public class EmployeeMain2 {
    public static void main(String[] args) {
        Employee[] e = { new Lawyer(),    new Secretary(),
                       new Marketer(),  new LegalSecretary() };

        for (int i = 0; i < e.length; i++) {
            System.out.println("salary: " + e[i].getSalary());
            System.out.println("v.days: " + e[i].getVacationDays());
            System.out.println();
        }
    }
}
```

## Output:

```
salary: 50000.0
v.days: 15

salary: 50000.0
v.days: 10

salary: 60000.0
v.days: 10

salary: 55000.0
v.days: 10
```

# Polymorphism problems

- 4-5 classes with inheritance relationships are shown.
- A client program calls methods on objects of each class.
- You must read the code and determine the client's output.
- We always place such a question on our final exams!



# A polymorphism problem

- Assume that the following four classes have been declared:

```
public class Foo {
    public void method1() {
        System.out.println("foo 1");
    }

    public void method2() {
        System.out.println("foo 2");
    }

    public String toString() {
        return "foo";
    }
}

public class Bar extends Foo {
    public void method2() {
        System.out.println("bar 2");
    }
}
```

# A polymorphism problem


```
public class Baz extends Foo {
    public void method1() {
        System.out.println("baz 1");
    }
    public String toString() {
        return "baz";
    }
}
public class Mumble extends Baz {
    public void method2() {
        System.out.println("mumble 2");
    }
}
```

- What would be the output of the following client code?

```
Foo[] elements = {new Foo(), new Bar(), new Baz(), new Mumble()};
for (int i = 0; i < elements.length; i++) {
    System.out.println(elements[i]);
    elements[i].method1();
    elements[i].method2();
    System.out.println();
}
```

# Diagramming the classes

- Add classes from top (superclass) to bottom (subclass).
- Include all inherited methods.



# Finding output with tables

<b>method</b>	<b>Foo</b>	<b>Bar</b>	<b>Baz</b>	<b>Mumble</b>
method1	foo 1	<i>foo 1</i>	baz 1	<i>baz 1</i>
method2	foo 2	bar 2	<i>foo 2</i>	mumble 2
toString	foo	<i>foo</i>	baz	<i>baz</i>

# Polymorphism answer

```
Foo[] elements={new Foo(), new Bar(), new Baz(), new Mumble()};  
for (int i = 0; i < elements.length; i++) {  
    System.out.println(elements[i]);  
    elements[i].method1();  
    elements[i].method2();  
    System.out.println();  
}
```

- **Output:**

```
foo  
foo 1  
foo 2  
  
foo  
foo 1  
bar 2  
  
baz  
baz 1  
foo 2  
  
baz  
baz 1  
mumble 2
```