

CSE142 Sample Midterm Key
Summer 2018

1.	Expression	Value
	5 * 6 - (4 + 3) * 2 - 2 * 3	10
	208 / 20 / 4 + 12 / 10.0 + 0.4 * 2	4.0
	8 - 2 + "8 - 2" + 8 * 2 + 8	"68 - 2168"
	4 * 5 % 6 + 297 % 10 + 4 % 8	13
	13 / 2 * 3.0 + 5.0 * 3 / 2	25.5

2. The program produces the following output:

```

godel wrote grace with turing
borg wrote borg with boole
alan wrote hopper with lovelace
boole wrote boole with hopper

```

3.	Method Call	Output Produced
	ifElseMystery(1, 8);	3 8
	ifElseMystery(3, 5);	5 0
	ifElseMystery(4, 5);	5 6
	ifElseMystery(8, 6);	8 2
	ifElseMystery(7, 7);	7 8
	ifElseMystery(5, 7);	7 2

4.	Method Call	Output Produced
	mystery(4);	2 2
	mystery(5);	1 5
	mystery(24);	4 3
	mystery(28);	3 7

5.	x > 2	x < n	n % x == 0
Point A	Never	Sometimes	Sometimes
Point B	Sometimes	Always	Sometimes
Point C	Never	Sometimes	Sometimes
Point D	Always	Sometimes	Sometimes
Point E	Sometimes	Never	Sometimes

6. Two possible solutions appear below:

7. One possible solution appears below:

```
public static int noBigger(int max) {  
    System.out.println("Picking numbers from 1 - " + max);  
    Random r = new Random();  
  
    int roll = r.nextInt(max) + 1;  
    int limit = max;  
    int count = 0;  
    while (roll <= limit) {  
        count++;  
        System.out.println("Number: " + roll);  
  
        limit = roll;  
        double chance = 1.0 * limit / max;  
        System.out.println("Probability to continue: " + chance);  
        roll = r.nextInt(max) + 1;  
    }  
    System.out.println("Number: " + roll + ", streak ends");  
    return count;  
}
```

8. One possible solution appears below:

```
public static int filter(int num, int d) {  
    int result = 0;  
    int multiplier = 1;  
    while (num > 0) {  
        int dig = num % 10;  
        if (dig != d) {  
            result += multiplier * dig;  
            multiplier *= 10;  
        }  
        num /= 10;  
    }  
    return result;  
}
```