

CSE142 Sample Midterm Key
Summer 2019

1.	Expression	Value
	$1 * 2 * 3 + (4 - 5)$	5
	$28 \% 4 + 18 \% 5 \% 5 + 9$	12
	$1000 * 2 + 18 / 2 / 2 * 2$	2008
	$1 / 10.0 + "1" + 17 * 2$	"0.1134"
	$0.25 * 2 - 0.5 + 1 / 2$	0.0

2. The program produces the following output:

```
I do not like green ham and eggs
I do not like am sam and i
I do not like sam i and am
I do not like green eggs and ham
```

3.	Method Call	Output Produced
	<code>ifElseMystery(12, 45);</code>	12 44
	<code>ifElseMystery(15, 5);</code>	3 4
	<code>ifElseMystery(64, 8);</code>	13 8
	<code>ifElseMystery(12, 12);</code>	1 11
	<code>ifElseMystery(20, 7);</code>	20 7
	<code>ifElseMystery(100, 5);</code>	20 5

4.	Method Call	Output Produced
	<code>mystery(5);</code>	1 2 3 5
	<code>mystery(3);</code>	1 2
	<code>mystery(7);</code>	1 2 3 5 8 13
	<code>mystery(0);</code>	1

5.	$x > y$	$z > 0$	$y \% 2 == 0$
Point A	sometimes	never	never
Point B	always	sometimes	sometimes
Point C	sometimes	always	sometimes
Point D	sometimes	always	always
Point E	never	sometimes	sometimes

6. Two possible solutions are shown below.

```
public static boolean testFairCoin(Scanner console) {
    int heads = 0;
    int total = 0;

    System.out.print("next flip? ");
    String flip = console.next();
    while (!flip.equals("done")) {
        if (flip.equals("heads")) {
            heads++;
        }
        total++;

        System.out.print("next flip? ");
        flip = console.next();
    }

    double pct = 100.0 * heads / total;
    System.out.println("was heads " + pct + "% of the time");

    return (pct >= 45 && pct <= 55);
}

public static boolean testFairCoin(Scanner console) {
    int heads = 0;
    int tails = 0;

    String flip = "";
    while (!flip.equals("done")) {
        System.out.print("next flip? ");
        flip = console.next();

        if (flip.equals("heads")) {
            heads++;
        } else if (flip.equals("tails")) {
            tails++;
        }
    }

    double pct = (double) heads / (heads + tails);
    System.out.println("was heads " + (pct * 100) + "% of the time");

    return (pct >= .45 && pct <= .55);
}
```

7. Two possible solutions are shown below.

```
public static void busyDay(int numMeetings, Random rand) {
    int totalTime = 0;
    int longest = 0;

    for (int i = 0; i < numMeetings; i++) {
        int meeting = rand.nextInt(46) + 15;
        totalTime += meeting;
        longest = Math.max(longest, meeting);

        System.out.println("Scheduled new " + meeting + "-min meeting; " +
            "total time now " + (totalTime / 60) + "h " +
            (totalTime % 60) + "m");
    }

    System.out.println("Longest meeting was " + longest + " minutes");
}

public static void busyDay(int numMeetings, Random rand) {
    int minutes = 0;
    int hours = 0;
    int longest = 0;

    for (int i = 0; i < numMeetings; i++) {
        int meeting = rand.nextInt(46) + 15;
        minutes += meeting;
        if (minutes >= 60) {
            hours++;
            minutes -= 60;
        }
        longest = Math.max(longest, meeting);
        System.out.println("Scheduled new " + meeting + "-min meeting; " +
            "total time now " + hours + "h " +
            minutes + "m");
    }

    System.out.println("Longest meeting was " + longest + " minutes");
}
```

8. Three possible solutions are shown below.

```
public static boolean isMonotonic(int n, boolean incr) {
    int next = n % 10;
    n /= 10;
    while (n > 0) {
        int curr = n % 10;
        if ((curr >= next && incr) || (curr <= next && !incr)) {
            return false;
        }
        next = curr;
        n /= 10;
    }
    return true;
}
```

```
public static boolean isMonotonic(int n, boolean incr) {
    if (n < 10) {
        return true;
    }

    while (n > 9) {
        int curr = n % 10;
        int prev = n % 100 / 10;
        if ((curr >= prev && !incr) || (curr <= prev && incr)) {
            return false;
        }
        n /= 10;
    }
    return true;
}
```

```
public static boolean isMonotonic(int n, boolean incr) {
    if (incr) {
        int next = n % 10;
        n /= 10;
        while (n > 0) {
            int curr = n % 10;
            if (curr >= next) {
                return false;
            }
            next = curr;
            n /= 10;
        }
        return true;
    } else {
        int next = n % 10;
        n /= 10;
        while (n > 0) {
            int curr = n % 10;
            if (curr <= next) {
                return false;
            }
            next = curr;
            n /= 10;
        }
        return true;
    }
}
```