

# The `if/else` statement

**reading: 4.1, 4.6**

# Conditionals

- “If you eat your vegetables, then you can have dessert.”
- “If you do your homework, then you may go outside to play, or else you’ll be grounded for life.”


# The `if` statement

*Executes a block of statements only if a test is true*

```
if (test) {  
    statement;  
    ...  
    statement;  
}
```

- **Example:**


```
double gpa = console.nextDouble();  
if (gpa >= 3.0) {  
    System.out.println("Good job! Here's a cookie.");  
}
```



# The if/else statement

*Executes one block if a test is true, another if false*

```
if (test) {  
    statement(s);  
} else {  
    statement(s);  
}
```



- **Example:**

```
double gpa = console.nextDouble();  
if (gpa >= 3.0) {  
    System.out.println("Good job! Here's a cookie.");  
} else {  
    System.out.println("No cookie for you!");  
}
```

# Relational expressions

- `if` statements and `for` loops both use logical tests.

```
for (int i = 1; i <= 10; i++) { ...  
  if (i <= 10) { ...
```


- These are Boolean expressions, seen in Ch. 5.
- Tests use *relational operators*:

| Operator           | Meaning                  | Example                    | Value |
|--------------------|--------------------------|----------------------------|-------|
| <code>==</code>    | equals                   | <code>1 + 1 == 2</code>    | true  |
| <code>!=</code>    | does not equal           | <code>3.2 != 2.5</code>    | true  |
| <code>&lt;</code>  | less than                | <code>10 &lt; 5</code>     | false |
| <code>&gt;</code>  | greater than             | <code>10 &gt; 5</code>     | true  |
| <code>&lt;=</code> | less than or equal to    | <code>126 &lt;= 100</code> | false |
| <code>&gt;=</code> | greater than or equal to | <code>5.0 &gt;= 5.0</code> | true  |

# Misuse of `if`

- What's wrong with the following code?

```
Scanner console = new Scanner(System.in);
System.out.print("What percentage did you earn? ");
int percent = console.nextInt();
if (percent >= 90) {
    System.out.println("You got an A!");
}
if (percent >= 80) {
    System.out.println("You got a B!");
}
if (percent >= 70) {
    System.out.println("You got a C!");
}
if (percent >= 60) {
    System.out.println("You got a D!");
}
if (percent < 60) {
    System.out.println("You got an F!");
}
...
```




# Nested if/else

*Chooses between outcomes using many tests*

```
if (test) {  
    statement(s);  
} else if (test) {  
    statement(s);  
} else {  
    statement(s);  
}
```

- Example:

```
if (x > 0) {  
    System.out.println("Positive");  
} else if (x < 0) {  
    System.out.println("Negative");  
} else {  
    System.out.println("Zero");  
}
```






# Nested if/else/if

- If it ends with `else`, exactly one path must be taken.
- If it ends with `if`, the code might not execute any path.

```
if (test) {  
    statement(s);  
} else if (test) {  
    statement(s);  
} else if (test) {  
    statement(s);  
}
```

- Example:

```
if (place == 1) {  
    System.out.println("Gold medal!");  
} else if (place == 2) {  
    System.out.println("If you're not first, you're last!");  
} else if (place == 3) {  
    System.out.println("What comes after last place?");  
}
```



# Summary: `if` structures

- exactly 1 path (*mutually exclusive*)

```
if (test) {  
    statement(s);  
} else if (test) {  
    statement(s);  
} else {  
    statement(s);  
}
```

- 0 or 1 path (*mutually exclusive*)

```
if (test) {  
    statement(s);  
} else if (test) {  
    statement(s);  
} else if (test) {  
    statement(s);  
}
```

- 0, 1, or many paths (*independent tests; not exclusive*)

```
if (test) {  
    statement(s);  
}  
if (test) {  
    statement(s);  
}  
if (test) {  
    statement(s);  
}
```

# Which nested `if/else`?

- **(1) `if/if/if` (2) nested `if/else` (3) nested `if/else/if`**
  - Whether a user is lower, middle, or upper-class based on income.
    - **(2)** `nested if / else if / else`
  - Whether you made the dean's list ( $\text{GPA} \geq 3.8$ ) or honor roll (3.5-3.8).
    - **(3)** `nested if / else if`
  - Whether a number is divisible by 2, 3, and/or 5.
    - **(1)** `sequential if / if / if`
  - Computing a grade of A, B, C, D, or F based on a percentage.
    - **(2)** `nested if / else if / else if / else if / else`

# The if/else hammer

- Just because you learned a new construct does not mean that every new problem has to be solved using that construct!

```
int z;                int z = Math.max(x, y);  
if (x > y) {  
    z = x;  
} else {  
    z = y;  
}
```

---

```
double d = a;        double d = Math.min(a, Math.min(b, c));  
if (b < d) {  
    d = b;  
}  
if (c < d) {  
    d = c;  
}
```