

CSE 143

Dynamic Memory In Classes

[Chapter 4, p 156-157]

3/25/2001 N-1

Class Vector: Interface

```
class Vector {
public:
    Vector ( );
    bool isEmpty( );
    int length ( );
    void vectorInsert (int newPosition, Item newItem);
    Item vectorDelete (int position);
    Item vectorRetrieve (int position);
    ...
}
```

3/25/2001 N-2

Many Ways to Implement

- Version 1: With Fixed length arrays
 - Very efficient to access individual elements
 - Limited in size, flexibility
- Version 2: With a linked list (later)
 - Very flexible in size
 - Inefficient to access individual elements
 - Have to chase pointers down the list
- Here's a third way:
 - Use an array (for efficient access)
 - Make the array itself "dynamic"
 - Able to grow as needed

3/25/2001 N-3

Vector Implementation

```
class Vector {
public:
    // constructors and other methods, as before
private:
    Item *Items; // items[0..capacity] is space allocated for
                // this vector
    int size;    // items are stored in Items[0..size-1]
    int capacity; //current maximum array size

    // might need additional private helper functions

};
```

3/25/2001 N-4

Draw the picture!

3/25/2001 N-5

Vector Constructor

```
Vector::Vector() {
    // set up private variables
    capacity = DEFAULT_CAPACITY;
    size = 0;
    // allocate memory
    items = new Item[capacity];
    // what goes here?
}
```

Except for this, the public methods can be the same as for the fixed array implementation.
Exception: insert needs to insure there is room to add a new item.

3/25/2001 N-6

Useful Private Functions

```
class Vector {
public:
    // constructors and other methods
private:
    // data members here...
    // ensure the Vector can hold at least n elements
    void ensureCapacity(int n);
    // set size of the Vector to n elements
    void growArray(int n);
};
```

3/25/2001 N-7

ensureCapacity()

```
// ensure that Vector can hold at least n
// elements
void Vector::ensureCapacity(int n) {
    // return if existing capacity is ok
    if (capacity >= n)
        return;

    // out of space: double capacity
    int newCapacity = capacity * 2;
    if (newCapacity < n)
        newCapacity = n;

    // grow the array
    growArray(newCapacity);
}
```

3/25/2001 N-8

growArray()

```
// Set size of vector to newCapacity
void Vector::growArray(int newCapacity) {
    Item *newItems = new Item[newCapacity];
    assert(newItems != NULL);
    for (int i = 0; i < size; ++i)
        newItems[i] = items[i];
    ...
    items = newItems;
    capacity = newCapacity;
}
```

Have we forgotten anything?

3/25/2001 N-9

Now insert is easy!

```
// insert newItem at newPosition in Vector
void Vector::vectorInsert(int newPosition,
                          Item newItem) {
    // make room
    ensureCapacity(size+1);
    // shift data over
    for (int i=size; i > newPosition; --i)
        items[i] = items[i-1];
    // store the item
    size++;
    items[newPosition] = newItem;
}
```

3/25/2001 N-10

Issues with Dynamic Memory

- Using dynamic memory in classes raises issues
- Familiar dangers:
 - Dangling pointers, Uninitialized pointers, Memory leaks, etc.
- Some new complications
 - Many of them arise when objects are copied
 - Copied automatically when passed as params, etc.
 - Copied explicitly by programmer
 - Other dangers when objects are deleted
 - Explicitly deleted, or just go out of scope
 - C++ has some special features to help the situation

3/25/2001 N-11


Innocence Destroyed (I)

```
// assume Item == int
Vector v1, v2;
v1.vectorInsert(0, 30);
v1.vectorInsert(1, 4);
v2 = v1;
v2.vectorDelete(0);
```

• Draw the picture and weep!

3/25/2001 N-12

After v2=v1, Before v2.vectorDelete



How does v2.vectorDelete change the picture?

3/25/2001 N-13

Innocence Destroyed (II)

```
void add42 (Vector v) { //add 42 to front of vector
    v.vectorInsert(0, 42); }
```

//code in main

Vector v1;

v1.vectorInsert(0, 0);


add42(v1);

- v1 passed by value, so no harm done -- right??
- Draw the picture and weep!


3/25/2001 N-14

After v1.insert(0,0)

in main:



call add42:




3/25/2001 N-15

After v.insert(0, 42);...

in add42:



back in main...



3/25/2001 N-16

Innocence Destroyed (III)

```
void MyFunction () {
    Vector tempVector; //local variable
    // build a temporary vector for whatever reason
    ...
}
```

- When a function exits
 - local variables are automatically destroyed
 - so having a local Vector is no problem -- right?
- Draw the picture and weep!


3/25/2001 N-17

Local variable goes away...

tempVector (in MyFunction)



now back in main...



3/25/2001 N-18

The Culprit: "Shallow Copy"

- For structs and classes, all and only the member variables are copied
- When there's dynamic memory, that's not enough
 - Example: the `items` pointer value is copied, so the copy points to the same place
 - Can lead to surprises and bugs
- Solution: need a concept of "deep copy"

3/25/2001 N-19

More copy problems

- The problem with deep vs. shallow copying can also appear in these contexts:
 - Initialization in a variable declaration:

```
SomeClass f1;
SomeClass f2 = f1;
```
 - Passing a copy of an actual to a formal parameter (*pass-by-value*)
 - Returning an instance as the value of a function:

```
return someIntVector;
```

Why? because a function returns a new, temporary object
- By default, C++ performs such initializations using shallow copy semantics.

3/25/2001 N-20


Needed: Deep Copy

- A "deep copy" should make a complete new copy, including new dynamic memory
- A way to make the deep copy happen *automatically* when appropriate
 - `Vector v1 = v2;`
 - `v1 = v2;`
 - `func1(v1);`
 - `return v1;`
- PS: this won't solve the problem of cleaning up dynamic memory used by local variables
 - We'll get back to that

3/25/2001 N-21

"Deep copy"

- A deep copy makes a completely independent copy, by allocating more dynamic memory



3/25/2001 N-22

Deep copy for Vector

- Initialize the new vector to empty.
- For each element in the vector
 - add it to the new vector
- Could be a client function
 - `void copyVector (Vector &orig, Vector &newVec);`
 - use member functions like `length`, `retrieve`, `insert`, etc.
- Could be a public or private member function
 - `void Vector::copy (Vector &orig);`
 - copies from `orig` to current vector
 - use private data directly

3/25/2001 N-23

Making It Automatic

- Problem with `copyVector`: *must be called explicitly*
- We need it to happen *automatically* in certain cases
- Solution: C++ allows a "Copy Constructor"
 - Will be called automatically in certain cases where an object must be initialized from an existing object
- Compiler recognizes it as a constructor with a particular parameter list:
 - `classname (classname &)`
 - or `classname (const classname &)`

3/25/2001 N-24

Copy Constructor for listClass

```
class Vector {  
public:  
    Vector ();  
    Vector(Vector &);  
...  
}
```

- Compiler recognizes this as a copy constructor
- Will call **automatically** when
 - passing arguments by value
 - initializing variable with = in a variable declaration
 - copying a return value

3/25/2001 N-25

Inside the Copy Constructor

- It's just a function, it can do anything!
- But... what you normally write is a deep copy
- For our Vector copy constructor:
 - could call a previously defined copyVector function
 - could build the new copy directly
- If you don't define your own copy constructor, the compiler generates a default copy constructor
 - Does a *shallow* copy

3/25/2001 N-26

Look at the code:

```
Vector::Vector(Vector &other) { copy(other); }  
  
// private member function: replace this Vector  
// with a deep copy of other  
void Vector::copy(Vector &other) {  
    // set up private variables  
    capacity = other.capacity;  
    size = other.size;  
    // allocate memory  
    items = new Item[capacity];  
    assert(items != NULL);  
    // copy data  
    for (int i = 0; i < size; ++i)  
        items[i] = other.items[i];  
}
```

3/25/2001 N-27

Technicalities of '='

Vector MyVector = YourVector;

is NOT THE SAME AS

Vector MyVector;

MyVector = YourVector;

- The difference in technical terms:
 - in the first case, the object is being created
 - in the second case, the object already exists
- To handle the latter case, we have to define an "overloaded assignment operator"
 - Syntax: **Vector & Vector::operator = (Vector &other);**
 - The code for this function could (should) perform a deep copy.

3/25/2001 N-28

Detour: *this*

- A reserved word in C++
- Means "a pointer to the current object"
- Like a hidden parameter to member functions
 - `int Vector::length(Vector *this) { ... }`
 - only exists in member functions!
- Can use like any other pointer
 - `Vector *vp = this;`
 - `if (vp == this) ...`
 - `return this->size;`
 - `this->capacity = this->capacity * 2;`
 - `this->length()`

3/25/2001 N-29

Overloaded operator =

Four important steps:

1. Test for same object:
 - `if (&other != this) { /* copy code */ }`
2. Delete old dynamically allocated data
 - call `cleanup()` function if you have one, or
 - directly: `delete [] items;`
3. Copy new data
 - `copy()` if you have one
4. Return a reference to the current object:
 - `return *this;`

3/25/2001 N-30

And the code...

```
Vector & Vector::operator=(Vector &other) {
    if (&other != this) {
        cleanup();
        copy(other);
    }
    return *this;
}
// private member function
void Vector::cleanup() {
    delete [] items;
}
```

3/25/2001 N-31

Next Problem: Cleanup

- When a local goes away, only the local memory is released
 - Dynamic memory stays allocated
 - results in a memory leak
 - unless there is another pointer to the data
- One solution: write a function to delete the allocated dynamic memory
 - cleanup() function we used in operator =
 - For Vector, this would be simply `delete [] items;`
 - Drawback: you (or client) must remember to call the function

3/25/2001 N-32

C++ Solution: A "Destructor"

- Called **automatically** to de-construct the object
 - When it goes out of scope (e.g. end of function)
 - When `delete` operator used
- Can contain most any code
 - Normally it would contain code to release all dynamically allocated memory
- Special syntax identifies it:
 - `~classname ()`
 - no return value
 - no arguments allowed
- The compiler-generated default destructor does nothing.

3/25/2001 N-33

Vector Destructor

```
Vector::~~Vector()
{
    cleanup();
}
```

3/25/2001 N-34

Wise Advice

- When defining a class which uses dynamic memory, ALWAYS provide
 - a default constructor
 - a deep copy method (probably private)
 - a copy constructor (calls the deep copy method)
 - an overloaded assignment operator (calls the deep copy)
 - a destructor
- It may seem like unnecessary work, but will save you (and your readers and clients) from nasty surprises.

3/25/2001 N-35

Constructor Puzzle

Assume the class Vector has all of the following defined:
DC: default constructor; CC: copy constructor; op =: overloaded assignment operator; D: destructor

On each line, say if DC, CC, op =, or D is called.

```
Vector puzzlfunction (Vector & v1) { //line 1
    Vector v2; //line 2
    Vector v3 = v1; //line 3
    v2 = v1; //line 4
    v2.vectorInsert(1, 0); //line 5
    Vector * v4; //line 6
    v4 = new Vector; //line 7
    delete v4; //line 8
    printVector(v2); //line 9
    return (v2); //line 10 (tricky)
} // line 11
```

3/25/2001 N-36

More Wrinkles

- Classes within classes, i.e., member variables which are themselves classes
 - Have to know what order the constructors are called in
Answer: *bottom up*
 - Have to know what order destructors are called in
Answer: *top down*
 - Special syntax for calling non-default constructors of member variables within outer-level constructors
"member initializer list" in implementation
trivial examples p.172, 173
- Nothing is ever as simple as it seems in C++!

3/25/2001 N-37

Where We're Headed

- We know the C++ features for dynamic memory
- We know how to package ADTs that use dynamic memory
- Armed with this... we can begin to investigate a series of interesting and useful data structures and ADTs. For each one:
 - What the ADT is (abstractly)
 - How to implement (often more than one way)
 - Applications

3/25/2001 N-38