

CSE 143

Trees


[Chapter 10]

3/25/2001 W-1

Linear vs. Branching

- Our data structures so far are **linear**
 - Have a beginning and an end
 - Everything falls in order between the ends
 - Arrays, linked lists, queues, stacks, priority queues, etc.
- Everyday life has **branching** structures, too.
 - Family genealogy
 - Biology: phylum/genus/species
 - Company organization chart
 - Table of contents

3/25/2001 W-2




3/25/2001 W-3

Branching Structures in CS

- **Trees** are a common branching structure in CS
- We've seen already:
 - Class hierarchies
 - Call graphs
 - Recursive function traces
- PS: Some of these won't quite be "trees" under our official definition
 - The org chart was not a tree (go back later and see why)

3/25/2001 W-4

A Tree



3/25/2001 W-5

What's in a Node?

- Answer: anything you want!
- Could have a tree of ints, tree of students, animals, appointments, etc.
 - All nodes will be of the same (base) type
- For simplicity, we often label the nodes with a single letter or an integer

3/25/2001 W-6

Formal Textbook Definition

- A *general tree* T is either empty, or is a set of nodes such that T is partitioned into disjoint subsets:
 1. A subset with a single node r (called the root)
 2. Subsets that are themselves general trees (these are called the subtrees of T).
- Notes:
 - This definition is recursive!
 - The nodes are not defined. They can be anything, and still satisfy the definition.

3/25/2001 W-7


Tree Terminology

- *Empty tree*: tree with no nodes
- *Child* of a node u
 - Any node reachable from u by 1 edge pointing away from u
 - Nodes can have zero, one, or more children
- *Leaf*: a node with no children
- If b is a child of a , then a is the *parent* of b
 - All nodes except root have exactly one parent
 - *Root* has no parent

3/25/2001 W-8

Descendants

- *Descendant* of a node (recursive definition)
 1. P is a descendant of P for any node P
 2. If C is a child of P , and P is a descendant of A , then C is a descendant of A
- Puzzle: neither rule states explicitly that if C is a child of P , C is also a descendant of P . Is it? Do we need another rule?
- Example:
 - what are the descendants of j ?
 - Of what is l a descendant?



3/25/2001 W-9

Ancestors


- *Ancestor* of a node
 - Definition: If D is a descendant of A , then A is an ancestor of D
- Example: j , k , and l are ancestors of l



3/25/2001 W-10

Subtree Terminology


- *Subtree*
 - Any node of a tree, with all of its descendants
 - Puzzle: is $b-c$ a subtree of the tree starting at a ? Is it a tree?



3/25/2001 W-11

Height and Level


- *Level or depth* (recursive definition)
 - Level of root node is 1
 - Level of any node other than root is one greater than level of its parent
- *Height*
 - Height of a tree is maximum of all depths of its leaves
 - Height of empty tree is defined to be 0
- **Warning**: Definitions vary
 - Some textbooks define level of the root node as 0,
 - so root node height would be 0, empty tree height would be -1



3/25/2001 W-12

Binary Trees

- A *binary tree* is a tree each of whose nodes has no more than two children
 - The two children are called the *left child* and *right child*
 - The trees which start with these children are called the *left subtree* and the *right subtree*
 - See textbook for formal recursive definition



3/25/2001 W-13

Importance of Binary Trees

- Binary trees are widely used in Computer Science
- Much easier to represent (find a good data structure for) than general trees
- Much easier to manipulate (write and implement algorithms) than general trees
- Turns out that any general tree can be represented using a binary tree.
 - Won't discuss in this course

3/25/2001 W-14

Binary Tree as an ADT

- Textbook lists 18 operations!
 - constructors and destructors
 - bool isEmpty
 - return/set root data
 - attach left or right child nodes
 - attach left or right subtrees
 - detach left or right subtrees
 - return a copy of left or right subtree
 - traversals (more late)

3/25/2001 W-15

Implementing A Binary Tree


- Using an array
 - Efficient
 - See textbook 452-453 for details
 - won't discuss further in this course
 - Drawbacks: not flexible in terms of size; wastes space if tree is unbalanced
- Using dynamic memory
 - Similar to linked list implementation
 - Two pointers, one each for left and right subtrees
 - See textbook 455ff for details
 - Will use in this course

3/25/2001 W-16

Binary Tree Data Structure

- Binary tree node (for a tree of **ints**):


```
struct BTreeNode {
    int item;
    BTreeNode *left;
    BTreeNode *right;
};
```
- Keep a **root** pointer to the root node
 - Analogous to *head* pointer for a linked list
 - Empty tree has a NULL root
 - will usually omit NULL pointers when drawing pictures
- This example shows node for a tree of **ints**
 - but "item" could be any type, even a class object



3/25/2001 W-17

Example: Counting Nodes

- Base case: Empty tree has zero nodes
- Recursive case: Nonempty tree has one node (the root) **plus** nodes in left subtree **plus** nodes in right subtree

```
// return # of nodes in tree with given root
int CountNodes(BTreeNode *root)
{
    if ( root == NULL )
        return 0;    // base case
    else
        return 1 + CountNodes(root->left)
                + CountNodes(root->right);
}
```

3/25/2001 W-18

Binary Trees and Recursion

```
struct BTreeNode {
    int item;
    BTreeNode *left;
    BTreeNode *right;
};
```

- Note the recursive data structure
- Algorithms often are recursive as well
- Don't fight it! Recursion is going to be the natural way to express the algorithms
 - Challenge: code CountNodes without using recursion

3/25/2001 W-19

Finding the Height

- Base case: Empty tree has height 0
- Recursive case: Nonempty tree has height 1 more than maximum height of left and right subtrees

```
// returns height of tree with given root
int Height(BTreeNode *root) {
    if ( root == NULL )
        return 0;
    else
        return 1 + max(Height(root->left),
                       Height(root->right));
}
```

3/25/2001 W-20

Analyses

- What is running time of these algorithms?
 - Time to execute for one node: $O(1)$
 - Number of recursive calls: $O(N)$
 - N is the number of nodes in tree
 - There's no way to miss any node
 - There's no way to get to any node twice
 - Each node is called from its parent, and a node has only one parent

3/25/2001 W-21

Exercises

Do try these at home!

- 1. Find the sum of all the values (items) in a binary tree of integers
- 2. Find the smallest value in a B.T. of integers
- 3. (A little harder) Count the number of leaf nodes in a B.T.
- 4. (A little harder) Find the average of all the values in a B.T. (one approach: think in terms of a "kickoff" function)

3/25/2001 W-22

Recursive Tree Searching

- How to tell if a data item is in a binary tree?

```
// true iff "item appears in tree with given root"
bool find(BTreeNode *root, int item) {
    if ( root == NULL )
        return false;
    else if ( root->data == item )
        return true;
    else
        return ( find(root->left, item) ||
                 find(root->right, item) );
}
```

3/25/2001 W-23

Complexity of Find

- What is the running time of this algorithm?
 - Worst case: Has to visit every node in the tree, $O(N)$
- Can we do better?
 - Answer: not without changing the data structure
 - We will shortly look at a binary *search* tree
 - Items will have an order, which will make searching more efficient.
 - But first we take up another topic: traversals.

3/25/2001 W-24

Tree Traversal

- Functions to count nodes, find height, sum, etc. systematically “visit” each node
- This is called a *traversal*
 - We also used this word in connection with lists.
- Traversal is a common pattern in many algorithms
 - The processing done during the “visit” varies with the algorithm
- What order should nodes be visited in?
 - Many are possible
 - Three have been singled out as particularly useful: *preorder, postorder, and inorder*

3/25/2001 W-25

Pre and Post Order Traversals

- **Preorder** traversal:
 - “Visit” the (current) node *first*
 - i.e., do what ever processing is to be done
 - Then, (recursively) do preorder traversal on its children, left to right
- **Postorder** traversal:
 - First, (recursively) do postorder traversals of children, left to right
 - Visit the node itself *last*
- PS: These algorithms make sense for non-binary trees, too.

3/25/2001 W-26


Inorder

- Unlike pre- and post-, makes sense only for binary trees
- **Inorder** traversal:
 - (Recursively) do inorder traversal of left child
 - Then visit the (current) node
 - Then (recursively) do inorder traversal of right child

3/25/2001 W-27

Example of Tree Traversal

Assume this question: in what order are the nodes visited, if we start the process at the root?



Preorder:


Inorder:

Postorder:

3/25/2001 W-28

More Practice

What about this tree?



Preorder:

Inorder:

Postorder:

3/25/2001 W-29

Two Traversals for Printing

```

void printInOrder(BTreeNode* t) {
    if (t != NULL) {
        printInOrder(t->left);
        cout << t->data << " ";
        printInOrder(t->right);
    }
}
  
```

```

void printPreOrder(BTreeNode* t) {
    if (t != NULL) {
        cout << t->data << " ";
        printPreOrder(t->left);
        printPreOrder(t->right);
    }
}
  
```

3/25/2001 W-30

Traversing to Delete

- Use a postorder traversal to delete all the nodes in a tree

```
// delete binary tree with root t
void deleteTree(BTreeNode* t) {
    if (t != NULL) {
        deleteTree(t->left);
        deleteTree(t->right);
        delete t;
    }
}
```

- Puzzler: Would inorder or preorder work just as well??

3/25/2001 W-31

Analysis of Tree Traversal

- How many recursive calls?
 - Two for every node in tree (plus one initial call);
 - $O(N)$ in total for N nodes
- How much time per call?
 - Depends on complexity $O(V)$ of the visit
 - For printing and most other types of traversal, visit is $O(1)$ time
- Multiply to get total
 - $O(N) * O(V) = O(N*V)$
- Does tree shape matter?

3/25/2001 W-32

Sidebar: Syntax and Expression Trees


- Computer programs have a hierarchical structure
 - All statements have a fixed form
 - Statements can be ordered and nested almost arbitrarily (nested if-then-else)
- Can use a structure known as a *syntax tree* to represent programs
 - Trees capture hierarchical structure

3/25/2001 W-33

A Syntax Tree

Consider the C++ statement:

```
if ( a == b + 1 ) x = y; else ...
```



3/25/2001 W-34

Syntax Trees

- Compilers usually use syntax trees when compiling programs
 - Can apply simple rules to check program for syntax errors
 - Easier for compiler to translate and optimize than text file
- Process of building a syntax tree is called *parsing*

3/25/2001 W-35


Binary Expression Trees

- A *binary expression tree* is a syntax tree used to represent meaning of a mathematical expression
 - Normal mathematical operators like +, -, *, /
- Structure of tree defines result
- Easy to evaluate expressions from their binary expression tree

3/25/2001 W-36

Example

$5 * 3 + (9 - 1) / 4 - 1$



3/25/2001 W-37

Expression Magic

- Traverse in postorder for postfix notation!
 $5\ 3\ * \ 9\ 1\ - \ 4\ /\ + \ 1\ -$
- Traverse in preorder for prefix notation
 $- \ + \ * \ 5\ 3\ /\ - \ 9\ 1\ 4\ 1$
- Traverse in inorder for infix notation
 $5\ * \ 3\ + \ 9\ - \ 1\ /\ 4\ - \ 1$
 - Note that operator precedence may be wrong!
 - Correction: add parentheses at every step $(((5*3) + ((9 - 1) / 4)) - 1)$

3/25/2001 W-38

Trees Summary (1)

- Tree as new hierarchical ADT
 - Recursive definition
 - recursive data structure
- Tree terminology
 - Nodes; Root node, leaf nodes
 - Children, parents, ancestors, descendants
 - Depth of node, height of tree
 - Subtrees

3/25/2001 W-39

Trees Summary (2)

- Binary Trees
 - Either 0, 1, or 2 children at any node
 - Recursive functions to manipulate them
- Binary Tree Implementation
 - Via node with two pointers
- Tree Traversals
 - Preorder traversal
 - Postorder traversal
 - Inorder traversal (binary trees only)
- Expression and Syntax Trees

3/25/2001 W-40