



# Abstraction in Programming

- •The type int is an abstraction for a way of interpreting bits in memory as a number
- A struct is an abstraction of a collection of related data items
- •A *function* is a programmer-designed abstraction for some computation
- •A *module* is a programmer-designed abstraction that groups related functions and data together and provides an interface

06/24/01 D-3

## Why Abstraction? • Abstractions help in managing complexity • Don't need to know details, just interface • Treat abstractions as "black box" components to build upon • Know what inputs go into box, and what outputs come out, but not what goes on inside the box • Hierarchical or layered decomposition

### Review: Types vs. Instances

### Types

- General category
- Usually few in number
- •Some built in (int, char, double, etc.)
- Programmer-defined (arrays, structs, enums, classes, etc.)

### Instances

- Particular variables, parameters, etc.
- May have many instances of a given type

06/24/01 D-5



•Grade Transcript: Add, remove classes and grades, change grades, etc.

06/24/01 D-6

06/24/01 D-4

### Type = Data + Operations

### •More Examples:

#### Automatic Teller Machine

Data: cash available, machine status Operations: get account information, dispense cash, confiscate card, ...

#### Telephone network switch

Data: line status, call information Operations: set up and break down calls, send billing information, test circuits,...

06/24/01 D-7













## Great Ideas, but...

- •How do we actually get modularity, abstraction, ADTs, black boxes, etc. in our programs?
- Terminology: "Encapsulation" means wrapping up the data and operations together in a clean package
- Historical note: for many years programmers have struggled to do this.
- Recent programming languages make it (much) easier.
  Next topic: the key feature of C++ which helps
- achieve these modularity goals

06/24/01 D-15