

CSE 143 Java

Applications of Trees



3/14/2003

(c) 1997-2003 University of Washington

15-1

Overview

- Applications of traversals
- Syntax trees
- Expression trees
- Postfix expression evaluation
- Infix expression conversion and evaluation

3/14/2003

(c) 1997-2003 University of Washington

15-2

Traversals (Review)

- **Preorder** traversal:
 - "Visit" the (current) node first
i.e., do what ever processing is to be done
 - Then, (recursively) do preorder traversal on its children, left to right
 - **Postorder** traversal:
 - First, (recursively) do postorder traversals of children, left to right
 - Visit the node itself last
 - **Inorder** traversal:
 - (Recursively) do inorder traversal of left child
 - Then visit the (current) node
 - Then (recursively) do inorder traversal of right child
- Footnote: pre- and postorder make sense for all trees; inorder only for binary trees

3/14/2003

(c) 1997-2003 University of Washington

15-3

Two Traversals for Printing

```
public void printInOrder(BTreeNode t) {  
    if (t != null) {  
        printInOrder(t.left);  
        system.out.println(t.data + " ");  
        printInOrder(t.right);  
    }  
}
```

```
public void printPreOrder(BTreeNode t) {  
    if (t != null) {  
        system.out.println(t.data + " ");  
        printPreOrder(t.left);  
        printPreOrder(t.right);  
    }  
}
```

3/14/2003

(c) 1997-2003 University of Washington

15-4

Traversing to Delete

- Use a postorder traversal to delete all the nodes in a tree

```
// delete binary tree with root t
void deleteTree(BTreeNode t) {
    if (t != null) {
        deleteTree(t.left);
        deleteTree(t.right);
        t=null;
    }
}
```

- Puzzler: Would inorder or preorder work just as well??

3/14/2003

(c) 1997-2003 University of Washington

15-5

Analysis of Tree Traversal

- How many recursive calls?
 - Two for every node in tree (plus one initial call);
 - $O(N)$ in total for N nodes
- How much time per call?
 - Depends on complexity $O(V)$ of the visit
 - For printing and many other types of traversal, visit is $O(1)$ time
- Multiply to get total
 - $O(N) * O(V) = O(N*V)$
- Does tree shape matter?

3/14/2003

(c) 1997-2003 University of Washington

15-6

Syntax and Expression Trees

- Computer programs have a hierarchical structure
 - All statements have a fixed form
 - Statements can be ordered and nested almost arbitrarily (nested if-then-else)
- Can use a structure known as a *syntax tree* to represent programs
 - Trees capture hierarchical structure

3/14/2003


(c) 1997-2003 University of Washington

15-7

A Syntax Tree

Consider the Java statement:

```
if ( a == b + 1 ) x = y; else ...
```



3/14/2003

(c) 1997-2003 University of Washington

15-8

Syntax Trees

- An entire .java file can be viewed as a tree
- Compilers build syntax trees when compiling programs
 - Can apply simple rules to check program for syntax errors
 - Easier for compiler to translate and optimize than text file
- Process of building a syntax tree is called *parsing*

3/14/2003

(c) 1997-2003 University of Washington

15-9

Binary Expression Trees

- A *binary expression tree* is a syntax tree used to represent meaning of a mathematical expression
 - Normal mathematical operators like +, -, *, /
- Structure of tree defines result
- Easy to evaluate expressions from their binary expression tree (as we shall see)


3/14/2003

(c) 1997-2003 University of Washington

15-10

Example

5 * 3 + (9 - 1) / 4 - 1



3/14/2003

(c) 1997-2003 University of Washington

15-11

Infix, Prefix, Postfix Expressions

5 * 3

- **Infix:** binary operators are written between operands
- **Postfix:** operator after the operands
- **Prefix:** operator before the operands

3/14/2003

(c) 1997-2003 University of Washington

15-12

Expression Tree Magic

- Traverse in postorder to get postfix notation!
 $5\ 3\ *\ 9\ 1\ -\ 4\ /\ +\ 1\ -$
- Traverse in preorder to get prefix notation
 $-\ +\ *\ 5\ 3\ /\ -\ 9\ 1\ 4\ 1$
- Traverse in inorder to get infix notation
 $5\ *\ 3\ +\ 9\ -\ 1\ /\ 4\ -\ 1$
- Note that infix operator precedence may be wrong! Correction:
add parentheses at every step
 $(((5*3) + ((9 - 1) / 4)) - 1)$

3/14/2003

(c) 1997-2003 University of Washington

15-13

More on Postfix

- $3\ 4\ 5\ *\ -$ means same as $(3\ (4\ 5\ *)\ -)$
 - infix: $3 - (4 * 5)$
- Parentheses aren't needed!
 - When you see an operator:
both operands must already be available.
Stop and apply the operator, then go on
- Precedence is implicit
 - Do the operators in the order found, period!
- Practice converting and evaluating:
 - $1\ 2\ +\ 7\ *\ 2\ \%$
 - $(3\ +\ (5\ /\ 3) *\ 6) - 4$

3/14/2003

(c) 1997-2003 University of Washington

15-14

Why Postfix?

- Does not require parentheses!
- Some calculators make you type in that way
- Easy to process by a program
 - simple and efficient algorithm

3/14/2003

(c) 1997-2003 University of Washington

15-15

Postfix Evaluation Algorithm

- Create an empty stack
 - Will hold tokens
- Read in the next "token" (operator or data)
 - If data, push it on the data stack
 - If (binary) operator:
call it "op"
Pop off the most recent data (B) and next most recent (A) from the stack
Perform the operation $R = A\ op\ B$
Push R on the stack
- Continue with the next token
- When finished, the answer is the stack top.
- Simple, but works like magic!

3/14/2003

(c) 1997-2003 University of Washington

15-16

Check Your Understanding

- According to the algorithm, 3 5 - means
 - 3 - 5 ? or
 - 5 - 3 ?
- If data stack is ever empty when data is needed for an operation:
 - Then the original expression was bad
 - Why? Give an example
- If the data stack is not empty after the last token has been processed and the stack popped:
 - Then the original expression was bad
 - Why? Give an example

3/14/2003

(c) 1997-2003 University of Washington

15-17

Example: 3 4 5 - *

Draw the stack at each step!

- Read 3. Push it (because it's data)
- Read 4. Push it.
- Read 5. Push it.
- Read -. Pop 5, pop 4, perform 4 - 5. Push -1
- Read *. Pop -1, pop 3, perform 3 * -1. Push -3.
- No more tokens. Final answer: pop the -3.
 - note that stack is now empty

3/14/2003

(c) 1997-2003 University of Washington

15-18

Algorithm: converting in- to post-

- Create an empty stack to hold operators
- Main loop:
 - Read a token
 - If operand, output it immediately
 - If '(', push the '(' on stack
 - If operator
 - hold it aside temporarily
 - if stack top is an op of => precedence: pop and output
 - repeat until '(' is on top or stack is empty
 - push the new operator
 - If ')', pop and output until '(' has been popped
- Repeat until end of input
- Pop and output rest of stack

3/14/2003

(c) 1997-2003 University of Washington

15-19

Magic Trick

- Suppose you had a bunch of numbers, and inserted them all into an initially empty BST.
- Then suppose you traversed the tree in-order.
- The nodes would be visited in order of their values. In other words, the numbers would come out sorted!
- Try it!
- This algorithm is called **TreeSort**

3/14/2003

(c) 1997-2003 University of Washington

15-20

Tree Sort

- $O(N \log N)$ most of the time
 - Time to build the tree, plus time to traverse
 - When is it not $O(N \log N)$?
- Trivial to program if you already have a binary search tree class
- Note: not an "in-place" sort
 - The original tree is left in as-is, plus there is a new sorted list of equal size
 - Is this good or bad?
 - Is this true or not true of other sorts we know?

3/14/2003

(c) 1997-2003 University of Washington

15-21

Preview of CSE326/373: Balanced Search Trees

- Cost of basic binary search operations
 - Dependent on tree height
 - $O(\log N)$ for N nodes if tree is balanced
 - $O(N)$ if tree is very unbalanced
- Can we ensure tree is always balanced?
 - Yes: `insert` and `delete` can be modified to keep the tree pretty well balanced
 - Several algorithms and data structures exist
 - Details are complicated
 - Results in $O(\log N)$ "find" operations, even in worst case

3/14/2003

(c) 1997-2003 University of Washington

15-22