

# CSE 143

## Computer Programming II

# Searching and Sorting



# Outline

1 Binary Search

2 Merge Sort

## Search for 24 in a

a: 

?	?	?	?	?	?	?
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]

---

a: 

?	?	?	50	?	?	?
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]

a: 

?	?	?	X	X	X	X
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]

a: 

?	10	?	X	X	X	X
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]

a: 

X	X	?	X	X	X	X
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]

a: 

X	X	12	X	X	X	X
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]

**So, 24 is not in a!**

## Observation

Each time we check an element in the array, Binary Search rules out **half of the remaining possibilities**. If the array is of length  $n$ , we can do this  $\log_2(n)$  times before getting to one element. So, Binary Search is  $\mathcal{O}(\log(n))$ .

## Using Binary Search in Java

- `Arrays.binarySearch(int[] a, int k);`
- `Collections.binarySearch(int[] a, int k);`


```
1 private static boolean binarySearch(List<Integer> list, int value,
2                                     int lo, int hi) {
3     /* Handle the case where the list is empty */
4     if (lo == hi) {
5         return false;
6     }
7
8     /* The base case is when there is only one element left to check */
9     if (lo == hi - 1) {
10        return list.get(lo) == value;
11    }
12
13    /* Otherwise, figure out of the answer is on the left
14     * or the right, and recurse */
15    int mid = (lo + hi)/2;
16    if (value < list.get(mid)) {
17        /* Since our value is smaller, get rid of the right side
18         * of the array (including mid) */
19        return binarySearch(list, value, lo, mid);
20    }
21    else {
22        /* Since our value is bigger or equal, get rid of everything
23         * smaller than mid */
24        return binarySearch(list, value, mid, hi);
25    }
}
```

## Idea

Keep a finger on the last element we've handled from each list. Figure out which of the elements we're pointing to is smaller. Put the smaller one in the result and move that finger right. Keep on going until both fingers are past the last elements of their lists.

## Code

```
1 public static List<Integer> merge(List<Integer> list1, List<Integer> list2) {
2     List<Integer> result = new ArrayList<Integer>(list1.size() + list2.size());
3     int i1 = 0;
4     int i2 = 0;
5     while (i1 + i2 < list1.size() + list2.size()) {
6         Integer a = null, b = null;
7         if (i1 < list1.size()) { a = list1.get(i1); }
8         if (i2 < list2.size()) { b = list2.get(i2); }
9         if (a != null && (b == null || a < b)) {
10            result.add(a);
11            i1++;
12        }
13        else {
14            result.add(b);
15            i2++;
16        }
17    }
18    return result;
19 }
```



merge









merge







merge



sort 

30	10	15	5	35	25	20	80
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]	a[7]

5	10	15	30
a[0]	a[1]	a[2]	a[3]

sort 

35	25	20	80
a[4]	a[5]	a[6]	a[7]



merge



sort 

30	10	15	5	35	25	20	80
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]	a[7]

5	10	15	30
a[0]	a[1]	a[2]	a[3]

sort 

35	25	20	80
a[4]	a[5]	a[6]	a[7]

25	35
a[4]	a[5]

sort

30	10	15	5	35	25	20	80
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]	a[7]

5	10	15	30
a[0]	a[1]	a[2]	a[3]

sort

35	25	20	80
a[4]	a[5]	a[6]	a[7]

25	35
a[4]	a[5]

sort

20	80
a[6]	a[7]

20
a[6]

80
a[7]

merge

20	80
a[6]	a[7]





sort

30	10	15	5	35	25	20	80
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]	a[7]

5	10	15	30
a[0]	a[1]	a[2]	a[3]

sort

35	25	20	80
a[4]	a[5]	a[6]	a[7]

25	35
a[4]	a[5]

20	80
a[6]	a[7]

merge

20	25	35	80
a[4]	a[5]	a[6]	a[7]

sort

30	10	15	5	35	25	20	80
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]	a[7]

5	10	15	30
a[0]	a[1]	a[2]	a[3]

20	25	35	80
a[4]	a[5]	a[6]	a[7]

sort

30	10	15	5	35	25	20	80
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]	a[7]

5	10	15	30
a[0]	a[1]	a[2]	a[3]

20	25	35	80
a[4]	a[5]	a[6]	a[7]

merge

5	10	15	20	25	30	35	80
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]	a[7]

5	10	15	20	25	30	35	80
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]	a[7]

## Idea

Break the list into two equal pieces. Sort the left piece; sort the right piece. Use our previous algorithm to merge the two sorted pieces together.

## Code

```
1 public static void mergesort(List<Integer> list) {
2     if (list.size() > 1) {
3         int mid = list.size() / 2;
4         List<Integer> left = list.subList(0, mid);
5         List<Integer> right = list.subList(mid, list.size());
6
7         mergesort(left);
8         mergesort(right);
9
10        List<Integer> merged = merge(left, right);
11        for (int i = 0; i < merged.size(); i++) {
12            list.set(i, merged.get(i));
13        }
14    }
15 }
```