

# CSE 143X: Accelerated Computer Programming I/II

---

## Final Exam Cheat Sheet

### Constructing Collections

```
List<Integer> list = new ArrayList<Integer>();  
Queue<Double> queue = new LinkedList<Double>();  
Stack<String> stack = new Stack<String>();  
Set<String> words = new HashSet<String>();  
Map<String, Integer> counts = new TreeMap<String, Integer>();
```

### List<E> Methods

add(value)	appends value at end of list
add(index, value)	inserts given value at given index, shifting subsequent values right
contains(value)	returns true if the given value is found in the collection
remove(index)	removes/returns value at given index, shifting subsequent values left
get(index)	returns the value at given index
set(index, value)	replaces data at given index with given value
indexOf(value)	returns first index where given value is found in list (-1 if not found)
clear()	removes all elements of the list
size()	returns the number of elements in list
isEmpty()	returns true if the list has no elements
toString()	returns a string representation of the list such as "[10, -2, 43]"
equals(list)	returns true if given list contains the same elements

### Stack<E> Methods

push(value)	places the given value on top of the stack
pop()	removes the top value from the stack and returns it; throws a EmptyStackException if the stack is empty
peek()	returns the top value from the stack without removing it; throws a EmptyStackException if the stack is empty
size()	returns the number of elements in the stack
isEmpty()	returns true if the stack has no elements

### Queue<E> Methods

add(value)	places the given value at the back of the queue
remove()	removes the value from the front of the queue and returns it; throws a NoSuchElementException if the queue is empty
peek()	returns the front value from the queue without removing it; returns null if the queue is empty
size()	returns the number of elements in the queue
isEmpty()	returns true if the queue has no elements

## Set<E> Methods

add(value)	adds the given <b>value</b> to the set
contains(value)	returns true if the given <b>value</b> is found in the set
remove(value)	removes the given <b>value</b> from the set
clear()	removes all elements of the set
size()	returns the number of elements in the set
isEmpty()	returns true if there are no elements in the set
toString()	returns a String representation of the set's elements such as "[1, 2, 3]"
equals(set)	returns true if given <b>set</b> contains the same elements

## Map<K, V> Methods

put(key, value)	adds a mapping from the given <b>key</b> to the given <b>value</b>
get(key)	returns the value mapped to the given <b>key</b> (null if none)
containsKey(key)	returns true if the map contains a mapping from the given <b>key</b>
remove(key)	removes any existing mapping for the given <b>key</b>
keySet()	returns a Set of all keys in the map
values()	returns a Collection of all values in the map
clear()	removes all key/value pairs from the map
size()	returns the number of key/value pairs in the map
isEmpty()	returns true if there are no key/value pairs
toString()	returns a String representation of the map such as "{a=90, d=60, c=70}"
equals(map)	returns true if given <b>map</b> contains the same elements

## Iterator<E> Methods

hasNext()	returns true if there are more elements to be read from collection
next()	gets and returns the next element from the collection; throws a NoSuchElementException if there are no elements left

## String Methods

charAt(i)	returns the character in this String at index <b>i</b>
length()	returns the number of characters in this String
contains(str)	returns true if this String contains <b>str</b> 's characters
startsWith(str)	returns true if this String begins with <b>str</b> 's characters
endsWith(str)	returns true if this String ends with <b>str</b> 's characters
equals(str)	returns true if this String is the same as <b>str</b>
indexOf(str)	returns the first index in this String where <b>str</b> begins (-1 if not found)
substring(i, j)	returns a new string with the characters from this String from index <b>i</b> (inclusive) to <b>j</b> (exclusive)
toLowerCase()	returns a new String with all lowercase letters
toUpperCase()	returns a new String with all uppercase letters