Lecture 20a

## Autumn 2015



## Accelerated Computer Programming I/II

CSE 143X: Accelerated Computer Programming I/II

## **Recursive Backtracking**



## Outline

1 Words & Permutations

2 Solving Mazes

## Definition (Recursive Backtracking)

**Recursive Backtracking** is an attempt to find solution(s) by building up partial solutions and abandoning them if they don't work.


#### Recursive Backtracking Strategy

- If we found a solution, stop looking (e.g. return)
- Otherwise for each possible choice *c*...
  - Make the choice c
  - Recursively continue to make choices
  - Un-make the choice c (if we got back here, it means we need to continue looking)

## Words & Permutations

#### All Words

Find all length n strings made up of a's, b's, and c's.



To do this, we build up partial solutions as follows:

- The only length 0 string is ""; so, we're done.
- Otherwise, the three choices are a, b, and c:
  - Make the choice letter
  - Find all solutions with one fewer letter recursively.
  - Unmake the choice (to continue looking).

```
private static void words(int length) {
1
 2
      String[] choices = {"a", "b", "c", "d"};
 3
      // The empty string is the only word of length 0
4
      if (length == 0) {
5
         print();
6
       }
      else {
         // Try appending each possible choice to our partial word.
9
          for (String choice : choices) {
10
            choose(choice);
                                                     // Add the choice
11
            words(length -1);
                                                     // Recurse on the rest
12
            unchoose();
                                                     // Undo the choice
13
14
      }
15 }
```

### Accumulators

```
private static void words(String acc, int length) {
1
2
      String[] choices = {"a", "b", "c", "d"};
 3
      // The empty string is the only word of length 0
4
      if (length == 0) {
5
         print();
6
       }
      else {
8
          for (String choice : choices) {
9
            acc += choice;
10
            words(acc, length - 1);
11
            acc = acc.substring(0, acc.length() - 1);
12
          }
13
14 }
```

## **Recursion Reminder**

#### Solving Recursion Problems

- Figure out what the pieces of the problem are.
- What is the base case? (the smallest possible piece of the problem)
- Solve one piece of the problem and recurse on the rest.

#### paintbucket Review

- A piece of the problem is **one surrounding set of squares**
- The base case is we hit a non-white cell
- To solve one piece of the problem, we color the cell and go left, right, up, and down

## Solving a Maze

Solving a maze is a lot like paintbucket. What is the difference?

Instead of filling everything in, we want to stop at dead ends!

If you were in a maze, how would you solve it?

- Try a direction.
- Every time you go in a direction, draw an X on the ground.
- If you hit a dead end, go back until you can go in another direction.

#### This is recursive backtracking!

```
public boolean canSolveMaze(int x, int y) {
1
2
      if (isGoal(x, y)) {
3
          return true;
4
5
      else if (inBounds(x, y) && isPassage(x, y)) {
6
          return solveMaze(x + 1, y) ||
                 solveMaze(x - 1, y) ||
8
                 solveMaze(x, y + 1) ||
9
                solveMaze(x, y - 1);
10
```

## Solving a Maze

```
public static boolean solveMaze(Point p) {
 1
 2
      // We found a path to the goal!
      if (p.isGoal()) {
4
         p.makeVisited(panel);
         return true;
6
      }
8
      // If the point is a valid part of a path to the solution...
9
      if (!p.is00B() && p.isPassage(panel)) {
10
         p.makeVisited(panel); // Choose this point
11
         panel.sleep(120);
12
         if (solveMaze(p.getLeft()) || // Try each direction
13
             solveMaze(p.getRight()) || // until we get a
14
             solveMaze(p.getAbove()) || // solution.
15
             solveMaze(p.getBelow())) {
16
            return true;
17
          }
18
         panel.sleep(200);
19
                                        // Undo the choice
         p.makeDeadEnd(panel);
20
      3
      return false;
21
22 }
```

The most important part is figuring out what the choices are.

It can help to draw out a tree of choices

Make sure to undo your choices after the recursive call.

You will still always have a base case.

Lecture 20b


Autumn 2015



## Accelerated Computer Programming I/II

CSE 143X: Accelerated Computer Programming I/II

# **Recursive Backtracking Recursive Backtracking**



## Outline

1 NQueens

2 Sentence Splitter

## Definition (Recursive Backtracking)


**Recursive Backtracking** is an attempt to find solution(s) by building up partial solutions and abandoning them if they don't work.

#### Recursive Backtracking Strategy

- If we found a solution, stop looking (e.g. return)
- Otherwise for each possible choice *c*...
  - Make the choice c
  - Recursively continue to make choices
  - Un-make the choice c (if we got back here, it means we need to continue looking)

The **NQueens** problem is the challenge to place n queens on a chess board so that none of them are attacking each other.

We will begin by solving this problem using for loops, and then we will solve it much more elegantly using recursive backtracking.



## Implementing a Tiny Piece of Google

#### When you enter a query with no spaces like thisisasentence into Google:

thisisasentence							Ŷ	٩
Web	Maps	Shopping	Images	News	More -	Search tools		
About 101,000 results (0.53 seconds)								
Did you mean: <i>this is a sentence</i>								

It fixes it into this is a sentence using recursive backtracking.

#### Sentence Splitting

Given an input string, sentence, containing **no spaces**, write a method:

public static String splitSentence(String sentence)

that returns sentence split up into words.

#### Sentence Splitting

Given an input string, sentence, containing **no spaces**, write a method:

public static String splitSentence(String sentence)

that returns sentence split up into words.

To do recursive backtracking, we need to answer these questions:

- What are the choices we're making incrementally?
- How do we "undo" a choice?
- What are the base case(s)?

It helps to answer these questions for a particular input. So, pretend we're working with:

thisisasentence

Given an input string, sentence, containing **no spaces**, write a method:

public static String splitSentence(String sentence)

that returns sentence split up into words.

To do recursive backtracking, we need to answer these questions:

- What are the choices we're making incrementally? ... which character to split at
- How do we "undo" a choice?
  - $\ldots$  re-combine a string by the char we split at
- What are the base case(s)?
  - $\ldots$  our left choice isn't a word and our right choice IS a word

It helps to answer these questions for a particular input. So, pretend we're working with:

thisisasentence

When doing recursive backtracking, we need to differentiate between:

- finding a result
- failing to find a result (e.g., backtracking)

Generally, we do this by treating null as a failure. For example:

- On the input, "thisisasentence", none of the recursive calls should return "thisis", because it isn't a word.
- If we get down to an empty string, that would indicate a failure; so, we'd return null

## **Sentence Splitter Solution**

```
1
   public String splitSentence(String sentence) {
 2
      // The entire sentence is a dictionary word!
 3
      if (words.contains(sentence)) {
 4
         return sentence:
 5
6
      // Try splitting at every character until we find one that works...
8
      for (int i = sentence.length() - 1; i > 0; i--){
9
         String left = sentence.substring(0, i);
10
         String right = sentence.substring(i, sentence.length());
11
12
         // If the left isn't a word, don't bother recursing.
13
         // If it is, split the remainder of the sentence recursively.
14
         if (words.contains(left)) {
15
             right = splitSentence(right);
16
             // Since the left was a word, if the right is also an answer,
17
            // then we found an answer to the whole thing!
18
            if (right != null) {
19
                return left + " " + right;
20
21
22
            // Undo our choice by going back to sentence
23
         }
24
25
      return null;
26 }
```