

Solution to CSE143X Section #13 Problems 2

1.	Method Call	Output Produced	
	-----	-----	
	mystery(2);	2+	
	mystery(5);	52+-	
	mystery(7);	731---	
	mystery(18);	8942+++	
	mystery(21);	1052+-+	
2.	One possible solution appears below.		
	<pre>public String undouble(String s) {     if (s.length() &lt; 2) {         return s;     } else if (s.charAt(0) == s.charAt(1)) {         return s.charAt(0) + undouble(s.substring(2));     } else {         return s.charAt(0) + undouble(s.substring(1));     } }</pre>		
3.	Statement	Output	
	-----	-----	
	var1.method2()	Box 2	
	var2.method2()	Jar 2	
	var3.method2()	Cup 2/Box 2	
	var4.method2()	Jar 2	
	var5.method2()	compiler error	
	var6.method2()	Pill 2	
	var1.method3()	Box 2/Box 3	
	var2.method3()	compiler error	
	var3.method3()	Cup 2/Box 2/Box 3	
	var4.method3()	Jar 2/Box 3	
	((Cup)var1).method1()	runtime error	
	((Jar)var2).method1()	Jar 1	
	((Cup)var3).method1()	Cup 1	
	((Cup)var4).method1()	runtime error	
	((Jar)var4).method2()	Jar 2	
	((Box)var5).method2()	Box 2	
	((Pill)var5).method3()	compiler error	
	((Jar)var2).method3()	Jar 2/Box 3	
	((Cup)var3).method3()	Cup 2/Box 2/Box 3	
	((Cup)var5).method3()	runtime error	
4.	before	after	code
	-----+-----+-----	-----+-----+-----	-----
	p->[1]->[2]	p->[1]->[2]->[3]	p.next.next = q;
			q = null;
	q->[3]	q	
	-----+-----+-----	-----+-----+-----	-----
	p->[1]	p->[2]->[1]	ListNode temp = q;
			q = q.next;
	q->[2]->[3]	q->[3]	temp.next = p;
			p = temp;
	-----+-----+-----	-----+-----+-----	-----

4.	before	after	code
	p->[1]->[2]	p->[2]->[4]	p.next.next = q.next;
			q.next = null;
	q->[3]->[4]	q->[1]->[3]	ListNode temp = p;
			p = p.next;
			temp.next = q;
			q = temp;
	p->[1]	p->[2]->[1]->[4]	p.next = q.next.next;
			q.next.next = null;
	q->[2]->[3]->[4]->[5]	q->[5]->[3]	ListNode temp = p;
			p = q;
			q = temp.next.next;
			q.next = p.next;
			p.next = temp;
			temp.next.next = null;

5. One possible solution appears below.

```
public void removeMax() {
    if (size == 0) {
        throw new IllegalStateException();
    }
    int max = 0;
    for (int i = 1; i < size; i++) {
        if (elementData[i] > elementData[max]) {
            max = i;
        }
    }
    for (int i = max; i < size - 1; i++) {
        elementData[i] = elementData[i + 1];
    }
    size--;
}
```

6. One possible solution appears below.

```
public void makePalindrome(Stack<Integer> s) {
    Queue<Integer> q = new LinkedList<>();
    while (!s.isEmpty()) {
        q.add(s.pop());
    }
    for (int i = 0; i < q.size(); i++) {
        int n = q.remove();
        q.add(n);
        s.push(n);
    }
    int oldSize = q.size();
    for (int i = 0; i < oldSize; i++) {
        int n1 = q.remove();
        int n2 = s.pop();
        if (n1 == n2) {
            q.add(n1);
        }
    }
    while (!q.isEmpty()) {
        s.push(q.remove());
    }
}
```