


CSE 190 M
Practice Midterm Exam 1 Key

1. HTML/CSS Interpreting

heading

A paragraph



A second heading

Another
paragraph

2. HTML/CSS Programming

```
<div>

</div>
```

```
<div class="dialogue">
<h2 class="vader">VADER</h2>
<p class="vader">If you only knew the power of the dark side. Obi-Wan never told
```

```
<h2 class="luke">LUKE</h2>
<p class="luke">He told me enough! It was you who killed him.</p>
```

```
<h2 class="vader">VADER</h2>
<p class="vader">No. I am your father.</p>
```

```
<h2 class="luke">LUKE</h2>
<p class="luke">No. No. That's not true! <span class="impossible">That's impos
```

```
<h2 class="vader">VADER</h2>
<p class="vader">Search your feelings. <strong>You know it to be true.</strong><
</div>
```

```
div.dialogue {
    width: 50%;
    margin-left: auto;
    margin-right: auto;
}
```

```
.luke, .vader {
    margin: 0px;
}
```

```
.vader {
    text-align: right;
}
```

```
.luke {
    text-align: left;
}
```

```
span.impossible {
    color: red;
}
```

```
.character {
    width: 20%;
    float: right;
}
```

3. Javascript Programming

```
window.onload = function() {
    var chars = ["Garfield", "Odie", "Nermal", "Pooky", "Jon"];
    for (var i = 0; i < chars.length; i++) {
        var option = document.createElement("option");
        option.textContent = option.value = chars[i];
        $("characters").appendChild(option);
    }
    setChar("garfield");

    $("characters").onchange = changeChar;
}

function changeChar() {
    setChar(this.value.toLowerCase());
}

function setChar(character) {
    $("comic").src = "images/" + character + ".jpg";
}
```