


CSE 154

LECTURE 23: XML



Storing structured data in arbitrary text formats (bad)

```
My note:
BEGIN
  FROM: Alice Smith (alice@example.com)
  TO: Robert Jones (roberto@example.com)
  SUBJECT: Tomorrow's "Birthday Bash" event!
  MESSAGE (english):
    Hey Bob,
    Don't forget to call me this weekend!
  PRIVATE: true
END
```

XML

- Many apps make up their own custom text format for storing structured data.
- We could also send a file like this from the server to browser with Ajax.
- What's wrong with this approach?

XML: A better way of storing data

```
<?xml version="1.0" encoding="UTF-8"?>
<note private="true">
  <from>Alice Smith (alice@example.com) </from>
  <to>Robert Jones (roberto@example.com) </to>
  <subject>Tomorrow's "Birthday Bash" event!</subject>
  <message language="english">
    Hey Bob, Don't forget to call me this weekend!
  </message>
</note>
```

XML

- **eXtensible Markup Language (XML)** is a format for storing nested data with tags and attributes
- essentially, it's HTML, but you can make up any tags and attributes you want
- lots of existing data on the web is stored in XML format

Anatomy of an XML file

```
<?xml version="1.0" encoding="UTF-8"?>           <!-- XML prolog -->
<note private="true">                             <!-- root element -->
  <from>Alice Smith (alice@example.com)</from>
  <to>Robert Jones (roberto@example.com)</to>
  <subject>Tomorrow's "Birthday Bash" event!</subject>
  <message language="english">
    Hey Bob, Don't forget to call me this weekend!
  </message>
</note>
```

XML

- begins with an `<?xml ... ?>` header tag (**prolog**)
- has a single **root element** (in this case, `note`)
- tag, attribute, and comment syntax is just like HTML

Uses of XML

- XML data comes from many sources on the web:
 - **web servers** store data as XML files
 - **databases** sometimes return query results as XML
 - **web services** use XML to communicate
- XML is the *de facto* universal format for exchange of data
- XML languages are used for [music](#), [math](#), [vector graphics](#)
- popular use: [RSS](#) for news feeds & podcasts

What tags are legal in XML?

- *any tags you want!* examples:
 - a library might use tags `book`, `title`, `author`
 - a song might use tags `key`, `pitch`, `note`
- when designing XML data, *you* choose how to best represent the data
 - large or complex pieces of data become tags
 - smaller details and metadata with simple types (integer, string, boolean) become attributes

```
<measure number="1">
  <attributes>
    <divisions>1</divisions>
    <key><fifths>0</fifths></key>
    <time><beats>4</beats></time>
    <clef>
      <sign>G</sign><line>2</line>
    </clef>
  </attributes>
  <note>
    <pitch>
      <step>C</step>
      <octave>4</octave>
    </pitch>
    <duration>4</duration>
    <type>whole</type>
  </note>
</measure>
```

XML


XML and Ajax

- web browsers can display XML files, but often you instead want to fetch one and analyze its data
- the XML data is fetched, processed, and displayed using Ajax
 - (XML is the "X" in "Ajax")
- It would be very clunky to examine a complex XML structure as just a giant string!
- luckily, the browser can break apart (**parse**) XML data into a set of objects
 - there is an XML DOM, similar to the HTML DOM



Fetching XML using Ajax (template)

```
var ajax = new XMLHttpRequest();
ajax.onload = functionName;
ajax.open("GET", url, true);
ajax.send();
...
function functionName() {
  do something with this.responseXML;
}
```



- `this.responseText` contains the data in plain text (a string)
- `this.responseXML` is a parsed XML DOM tree object
 - it has methods very similar to HTML DOM objects

Interacting with XML DOM nodes

To get an array of nodes:

```
var elms = node.getElementsByTagName("tag");  
var elms = node.querySelectorAll("selector"); // all elements  
var elm  = node.querySelector("selector");   // first element
```

 XML


To get the text inside of a node:

```
var text = node.textContent; // or,  
var text = node.firstChild.nodeValue;
```

 XML

To get the value of a given attribute on a node:

```
var attrValue = node.getAttribute("name");
```

 XML

Differences from HTML DOM

Don't usually use `getElementById` because XML nodes don't have IDs or classes.

```
var div = document.getElementById("main");
```

JS

Can't get/set the text inside of a node using `innerHTML`:

```
var text = div.innerHTML;
```

JS

Can't get an attribute's value using `.attributeName`:

```
var imageUrl = document.getElementById("myimage").src;
```

JS

Ajax XML DOM example

```
<?xml version="1.0" encoding="UTF-8"?>
<employees>
  <lawyer money="99999.00" />
  <janitor name="Ed"> <vacuum model="Hoover" /> </janitor>
  <janitor name="Bill">no vacuum, too poor</janitor>
</employees>
```

XML

```
// how much money does the lawyer make?
var lawyer = this.responseXML.querySelector("lawyer");
var salary = parseFloat(lawyer.getAttribute("money")); // 99999.0
// array of 2 janitors
var janitors = this.responseXML.querySelectorAll("janitor");
var vacModel = janitors[0].querySelector("vacuum").getAttribute("model");
var excuse = janitors[1].textContent; // "no vacuum, too poor"
```

- How would we find out the first janitor's name? (*use the Console*)
- How would we find out how many janitors there are?
- How would we find out how many janitors have vs. don't have vacuums?

Exercise: Animal game

- Write a program that guesses which animal the user is thinking of. The program will arrive at a guess based on the user's responses to yes or no questions. The questions come from a web app named animalgame.php.

The Animal Game

Think of an animal, then let me guess it!

Question	Answer
Can it fly?	<input data-bbox="1564 979 1681 1045" type="button" value="Yes"/> <input data-bbox="1564 1115 1681 1180" type="button" value="No"/>

Practice problem: Animal game (cont'd)

The data comes in the following format:

```
<node nodeid="id">
  <question>question text</question>
  <yes nodeid="id" />
  <no nodeid="id" />
</node>
```

XML

```
<node nodeid="id">
  <answer>answer text</answer>
</node>
```


XML

- to get a node with a given id: `animalgame.php?nodeid=id`
- start by requesting the node with `nodeid` of 1 to get the first question

Attacking the problem

- Questions we should ask ourselves:
- How do I retrieve data from the web app? (what URL, etc.)
- Once I retrieve a piece of data, what should I do with it?
- When the user clicks "Yes", what should I do?
- When the user clicks "No", what should I do?
- How do I know when the game is over? What should I do in this case?

Debugging responseXML in Firebug



- can examine the entire XML document, its node/tree structure

Full list of XML DOM properties

- properties:
 - **nodeName, nodeType, nodeValue, attributes**
 - **firstChild, lastChild, childNodes, nextSibling, previousSibling, parentNode**
- methods:
 - **getElementById, getElementsByTagName, querySelector, querySelectorAll, getAttribute, hasAttribute, hasChildNodes**
 - **appendChild, insertBefore, removeChild, replaceChild**
- [full reference](#)

Schemas and Doctypes

- "rule books" describing which tags/attributes you want to allow in your data
- used to *validate* XML files to make sure they follow the rules of that "flavor"
 - the W3C HTML validator uses an HTML schema to validate your HTML (related to `<!DOCTYPE html>` tag)
- these are optional; if you don't have one, there are no rules beyond having well-formed XML syntax
- for more info:
 - [W3C XML Schema](#)
 - [Document Type Definition \(DTD\)](#) ("doctype")

Exercise: Late day distribution

- Write a program that shows how many students turn homework in late for each assignment.
- Data service
here: <http://webster.cs.washington.edu/cse154/hw/hw.php>
 - parameter: `assignment=hwN`