

Sharing, mutability, and immutability

Ruth Anderson

UW CSE 160

Spring 2018

Copying and mutation

```
list1 = ["e1", "e2", "e3", "e4"]
list2 = list1
list3 = list(list1)    # make a copy; also "list1[:]"
print list1, list2, list3
list1.append("e5")
list2.append("e6")
list3.append("e7")
print list1, list2, list3
list1 = list3
list1.append("e8")
print list1, list2, list3
```

Variable reassignment vs. Object mutation

- Reassigning a variable changes a *binding*, it does not change (mutate) any **object**

Reassigning is **always** done via the syntax:

```
myvar = expr
```

```
size = 6
```

```
list2 = list1
```

Changes what the variables *size* and *list2* are bound to

- Mutating (changing) an object does not change any **variable** binding

Two syntaxes:

```
left_expr = right_expr
```

```
expr.method(args...)
```

Examples:

```
mylist[3] = myvalue
```

```
mylist.append(myvalue)
```

Changes something about the *object* that *mylist* refers to

Example: Variable reassignment or Object mutation?

```
def no_change(lst):  
    """does NOT modify what lst refers to,  
    instead re-binds lst"""  
    lst = lst + [99]  
  
def change_val(lst):  
    """modifies object lst refers to"""  
    lst[0] = 13  
  
def append_val(lst):  
    """modifies object lst refers to"""  
    lst.append(99)  
  
lst2 = [1, 2]  
no_change(lst2)  
change_val(lst2)  
append_val(lst2)
```

[See in python tutor](#)

New and old values

- Every **expression** evaluates to a value
 - It might be a new value
 - It might be a value that already exists
- A **constructor** evaluates to a **new** value:

```
[3, 1, 4, 1, 5, 9]
```

```
[3, 1, 4] + [1, 5, 9]
```

```
mylist = [[3, 1], [4, 1]]
```


Here the right hand side of = is a constructor

- An **access** expression evaluates to an **existing** value:


```
mylist[1]
```
- What does a function call evaluate to?

An aside: List notation

- Possibly misleading notation:



- More accurate, but more verbose, notation:



Aside: Object identity

- An object's **identity** never changes
- Can think of it as its **address in memory**
- Its value of the object (the thing it represents) may change

```
mylist = [1, 2, 3]
otherlist = mylist
mylist.append(4)
```

```
mylist is otherlist           ⇒ True
    mylist and otherlist refer to the exact same object
```

```
mylist == [1, 2, 3, 4]       ⇒ True
    The object mylist refers to is equal to the object [1,2,3,4]
    (but they are two different objects)
```

```
mylist is [1, 2, 3, 4]       ⇒ False
    The object mylist refers to is not the exact same object
    as the object [1,2,3,4]
```

Moral: Use == to check for equality, NOT is

Object type and variable type

- An **object's** type never changes
- A **variable** can get rebound to a value of a different type

Example: The variable `a` can be bound to an int or a list

`a = 5`

5 is always an int

`a = [1, 2, 3, 4]`



[1, 2, 3, 4] is always a list

- A **type** indicates:
 - what operations are allowed
 - the set of representable values
 - `type(object)` returns the type of an object

New datatype: tuple

A tuple represents an ordered sequence of values

Example:



Tuple operations

Constructors

- Literals: Use parentheses

```
("four", "score", "and", "seven", "years")
```

```
(3, 1) + (4, 1) => (3, 1, 4, 1)
```

Queries

- Just like lists:

```
tup = ("four", "score", "and", "seven", "years")
```

```
print tup[0] -> "four"
```

```
print tup[-1] -> "years"
```

Mutators

- **None!**

Immutable datatype

- An immutable datatype is one that doesn't have any functions in the third category:
 - Constructors
 - Queries
 - Mutators: **None!**
- Immutable datatypes:
 - int, float, boolean, string, function, tuple, *frozenset*
- Mutable datatypes:
 - list, dictionary, set

Remember: Not every value may be placed in a set

- Set elements must be **immutable** values
 - int, float, bool, string, *tuple*
 - *not*: list, set, dictionary
- The set itself is **mutable** (e.g. we can add and remove elements)
- **Goal**: only set operations change the set
 - after “`myset.add(x)`”, `x in myset` \Rightarrow True
 - `y in myset` always evaluates to the same value
 - Both conditions should hold until `myset` is changed
- **Mutable elements can violate these goals**
- **Aside**: *frozenset* must contain immutable values and is itself immutable (cannot add and remove elements)

Remember: Not every value is allowed to be a key in a dictionary

- Keys must be **immutable** values
 - int, float, bool, string, *tuple of immutable types*
 - *not*: list, set, dictionary
- The dictionary itself is **mutable** (e.g. we can add and remove elements)
- **Goal**: only dictionary operations change the keyset
 - after “`mydict[x] = y`”, `mydict[x] ⇒ y`
 - if `a == b`, then `mydict[a] == mydict[b]`These conditions should hold until `mydict` is changed
- **Mutable keys can violate these goals**

Python's *Data Model*

- All data is represented by *objects*
- Each object has:
 - an *identity*
 - Never changes
 - Think of this as address in memory
 - Test with `is` (but you rarely need to do so)
 - a *type*
 - Never changes
 - a *value*
 - Can change for *mutable* objects
 - Cannot change for *immutable* objects
 - Test with `==`

Mutable and Immutable Types

- Immutable datatypes:
 - int, float, boolean, string, function, tuple, *frozenset*
- Mutable datatypes:
 - list, dictionary, set

Note: a set is mutable, but a *frozenset* is immutable

Tuples are immutable

[See in python tutor](#)

Lists are mutable

```
def updaterecord(record, position, value):  
    """Change the value at the given position"""  
    record[position] = value
```

```
mylist = [1, 2, 3]  
mytuple = (1, 2, 3)  
updaterecord(mylist, 1, 10)  
print mylist  
updaterecord(mytuple, 1, 10)  
print mytuple
```


Increment Example

```
def increment(uniqewords, word):
    """increment the count for word"""
    if word in uniqewords:
        uniqewords[word] = uniqewords[word] + 1
    else:
        uniqewords[word] = 1

mywords = dict()
increment(mywords, "school")
print mywords

def increment(value):
    """increment the value???"
    value = value + 1

myval = 5
increment(myval)
print myval
```

Increment Example (cont.)

```
>>> def increment(uniqewords, word):  
...     """increment the count for word"""  
...     if word in uniqewords:  
...         uniqewords[word] = uniqewords[word] + 1  
...     else:  
...         uniqewords[word] = 1
```

```
>>> mywords = dict()  
>>> increment(mywords, "school")  
>>> print mywords  
{'school': 1}
```

```
>>> def increment(value):  
...     """increment the value???"  
...     value = value + 1  
>>> myval = 5  
>>> increment(myval)  
>>> print myval  
5
```