

Testing

Rob Thompson

UW CSE 160

Winter 2021

Testing

- Programming to analyze data is powerful
- It's useless (or worse!) if the results are not correct
- **Correctness is far more important than speed**

Famous examples

- Ariane 5 rocket (1996)
 - fault in the software in the inertial navigation system ([link](#))
- Therac-25 radiation therapy machine (1986/1987)
 - Fatal overdose due to software bugs and no external controls ([link](#))



Testing does not prove correctness

“Program testing can be used to show the presence of bugs, but never to show their absence!”

- Edsger Dijkstra

- Testing can only increase our confidence in program correctness.
- Exhaustive testing (e.g. testing all possible inputs) is generally not possible
- Instead we have to be smart about testing

Testing your program

- How do you know your program is right?
 - Compare its output to a correct output
- How do you know a correct output?
 - Real data is big
 - You wrote a computer program because it is not convenient to compute it by hand
- Use small inputs so you can compute the expected output by hand
 - We did this in HW2 and HW3 with small data sets

Testing parts of your program

- Often called “unit testing”
- Testing that the output of individual functions is correct.

Testing ≠ debugging

- **Testing:** determining **whether** your program is correct
 - Doesn't say **where** or **how** your program is incorrect
- **Debugging:** locating the specific defect in your program, and fixing it
 - 2 key ideas:
 - divide and conquer
 - the scientific method

What is a test?

- A test consists of:
 - an **input** (sometimes called “test data”)
 - expected output
- Example test for **sum**:
 - input: [1, 2, 3]
 - expected output: result is 6
 - write the test as: `sum([1, 2, 3]) == 6`
- Example test for **sqrt**:
 - input: 3.14
 - expected output: result is within 0.00001 of 1.772
 - ways to write the test:
 - `sqrt(3.14) - 1.772 < 0.00001 and sqrt(3.14) - 1.772 > -0.00001`
 - `-0.00001 < sqrt(3.14) - 1.772 < 0.00001`
 - `math.abs(sqrt(3.14) - 1.772) < 0.00001`

Test results

- The test **passes** if the boolean expression evaluates to **True**
- The test **fails** if the boolean expression evaluates to **False**
- Use the **assert** statement:

```
assert sum([1, 2, 3]) == 6  
assert math.abs(sqrt(3.14) - 1.772) < 0.00001
```
- **assert True** does nothing
- **assert False** crashes the program
 - and prints a message

Where to write test cases

- At the **top level**: is run every time you load your program

```
def hypotenuse(a, b):  
    ... body of hypotenuse ...  
    assert hypotenuse(3, 4) == 5  
    assert hypotenuse(5, 12) == 13
```

(A few of these are in HW5)
- In a **test function**: is run when you invoke the function

```
def hypotenuse(a, b):  
    ... body of hypotenuse ...  
def test_hypotenuse():  
    assert hypotenuse(3, 4) == 5  
    assert hypotenuse(5, 12) == 13  
# test_hypotenuse()
```

(As in HW 3)

Assertions are not just for test cases

- Use assertions throughout your code
- Documents what you think is true about your algorithm
- Lets you know immediately when something goes wrong
 - The longer between a code mistake and the programmer noticing, the harder it is to debug

Assertions make debugging easier

- Common, but unfortunate, course of events:
 - Code contains a mistake (incorrect assumption or algorithm)
 - Intermediate value (e.g., in local variable, or result of a function call) is incorrect
 - That value is used in other computations, or copied into other variables
 - Eventually, the user notices that the overall program produces a wrong result
 - Where is the mistake in the program? It could be anywhere.
- Suppose you had 10 assertions evenly distributed in your code
 - When one fails, you can localize the mistake to 1/10 of your code (the part between the last assertion that passes and the first one that fails)

Where to write assertions

- **Function entry:** are arguments of expected type/size/value/shape?
 - Place blame on the caller before the function fails
- **Function exit:** is result correct?
- Places with tricky or interesting code
- Assertions are ordinary statements; e.g., can appear within a loop:

```
for n in myNumbers:  
    assert type(n) == int or type(n) == float
```

Where *not* to write assertions

- Don't clutter the code
 - (Same rule as for comments)
- Don't write assertions that are certain to succeed
 - The existence of an assertion tells a programmer that it might possibly fail

```
a = 5
assert a == 5 # Not needed!
```
- Don't need to write an assertion if the following code would fail informatively:

```
assert type(name) == str
print("Hello, " + name)
```
- Write assertions where they may be useful for debugging

What to write assertions about

- Results of computations
- Correctly-formed data structures
 - `assert 0 <= index < len(mylist)`
 - `assert len(list1) == len(list2)`

When to write tests

- Two possibilities:
 - Write code first, then write tests
 - Write tests first, then write code
- It's best to **write tests first**
- If you write the **code first**, you remember the implementation while writing the tests
 - You are likely to make the same mistakes that you made in the implementation (e.g. assuming that negative values would never be present in a list of numbers)
- If you write the **tests first**, you will think more about the functionality than about a particular implementation
 - You might notice some aspect of behavior that you would have made a mistake about, some special case of input that you would have forgotten to handle

Write the whole test

- A common **mistake**:
 1. Write the function
 2. Make up test **inputs**
 3. Run the function
 4. Use the result as the expected output – **BAD!!**
- You didn't write a full test: only half of a test!
 - Created the tests inputs, but not the expected output
- The test does not determine whether the function is correct
 - Only determines that it continues to be as correct (or incorrect) as it was before

Coming up with good test cases

- Think about and test “corner cases”
 - `abs (val)`

 - `find_max (lst)`

Coming up with good test cases

- Think about and test “corner cases”
 - Numbers:
 - int vs. float values (remember not to test for equality with floats)
 - Zero
 - Negative values
 - Lists:
 - Empty list
 - Lists containing duplicate values (including all the same value)
 - Lists in ascending order/descending order
 - Mix of types in list (if specification does not rule out)

Tests outside of function body are for behavior described in the specification

```
def roots(a, b, c):  
    """Returns a list of the two roots of  $ax^2 + bx + c$ ."""
```

What is wrong with this test?

```
assert roots(1, 0, -1) == [-1, 1]
```

- Does the **specification** imply that this should be the order these two roots are returned?
- Assertions inside a routine can be used for implementation-specific behavior

Tests prevent you from introducing errors when you modify a function body

- **Abstraction:** the implementation details do not matter
- As long as the specification of the function remains the same, tests of the external behavior of the function should still apply.
- Preventing introducing errors when you make a change is called “regression testing”

Testing Approaches

- **Black box testing** - Choose test data *without* looking at the implementation, just test behavior mentioned in the specification
- **Glass box (white box, clear box) testing** - Choose test data *with* knowledge of the implementation. Test that all paths through your code are exercised and correct. Examples:
 - If statement with several elifs, make sure your test cases will execute all branches
 - For loop, test if it is executed never, once, >1, max times

Don't write meaningless tests

```
def mean(numbers):  
    """Returns the average of the argument list.  
    The argument must be a non-empty list of numbers."""  
    return sum(numbers)/len(numbers)
```

Unnecessary tests. **Don't write these:**

```
mean([1, 2, "hello"])  
mean("hello")  
mean([])
```

Finally: Be aware that tests might not reveal all existing/possible errors

Tests might not reveal an error

```
# Example for Python 2, not Python 3
def mean(numbers):
    """Returns the average of the argument list.
       The argument must be a non-empty list of numbers."""
    return sum(numbers)/len(numbers)
# Tests
assert mean([1, 2, 3, 4, 5]) == 3
assert mean([1, 2.1, 3.2]) == 2.1
```

This implementation is elegant, but **wrong (in Python 2)**!

```
mean([1, 2, 3, 4])
```


What to test?

```
def isBigger(x, y):  
    """ Assumes x and y are ints.  
        Returns True if x is greater than y,  
        and False otherwise.  
    """
```