

CSE 160 Section 7 Solutions

1. `{1, 6, 3, 9, 5, 2, 4}` (note values in random order)

2.
 - a. `print(set_one & set_two)` (The intersection is: `{'a', 'c', 'd'}`)
 - b. `print(set_one | set_two)` (The union is: `{'a', 'b', 'c', 'd', 'e', 'f', 'g'}`)
 - c. `print(set_one - set_two)` (The difference is: `{'b', 'e', 'f'}`)
 - d. `print(set_two - set_one)` (The difference is: `{'g'}`)

3.

```
def all_unique_words(file_name):  
    f = open(file_name, "r") # "r" is optional  
    unique_words = set()  
    for line in f:  
        words = line.split()  
        for word in words:  
            unique_words.add(word)  
    return len(unique_words)
```

4. `[('Sam', 5, 6), ('Ann', 7, 8), ('Fred', 3, 5), ('Zeke', 5, 3), ('Mary', 3, 5)]`
`[('Ann', 7, 8), ('Sam', 5, 6), ('Fred', 3, 5), ('Mary', 3, 5), ('Zeke', 5, 3)]`

5.

```
from operator import itemgetter  
  
def find_oldest(age_list):  
  
    sort_name = sorted(age_list, key=itemgetter(0))  
  
    sort_age = sorted(sort_name, key=itemgetter(1), reverse=True)  
  
    oldest_age = sort_age[0][1]  
  
    ret_list = []  
  
    for pair in sort_age:  
  
        if(pair[1] == oldest_age):  
  
            ret_list.append(pair)  
  
        else:
```

```
        return ret_list # return early since it is sorted

    return ret_list
```

6. def two_stops_away(graph, stop):

```
    result = set()

    next_stops = get_next_stops(graph, stop)

    for next_stop in next_stops:

        next_next_stops = get_next_stops(graph, next_stop)

        result = result | next_next_stops

    # remove the given stop

    result.remove(stop)

    return result
```

7.

- a. The code tries to mutate a tuple, but tuples are immutable - the values stored in a tuple cannot be changed.

b. **One possible solution:**

```
def likes_per_user(yips):
    likes = {}
    for yip in yips:
        name = yip['name']
        if yip['name'] not in likes:
            likes[name] = 0
        likes[name] = likes[name] + yip['likes']
    result = []
    for name in likes:
        result.append((name, likes[name]))
    return result

yips = get_yips()
likes = likes_per_user(yips)
print(likes)
```