Full Name:

Email Address (UW Net ID):

@uw.edu

Section:

CSE 160 Spring 2024 - Final Exam

Instructions:

- You have **110 minutes** to complete this exam. This exam has been written with an expectation of taking approximately 50-60 minutes, however you have the full 110 minutes to complete it.
- The exam is **closed book**, including no calculators, computers, phones, watches or other electronics.
- You are allowed a single sheet of notes for yourself.
- We also provide a syntax reference sheet.
- Turn in *all sheets* of this exam, together and in the same order when you are finished.
- A couple of extra pages have been provided to you at the end of the exam. You may use these as scratch paper.
- When time has been called, you must put down your pencil and stop writing.
 - Points will be deducted if you are still writing after time has been called.
- You may only use parts and features of Python that have been covered in class up to this point.
- You may ask questions by raising your hand, and a TA will come over to you.

Good luck!

Question	Торіс
Question 1	Errors
Question 2	Testing
Question 3	Reading Code
Question 4	Dictionaries
Question 5	Classes

Page 2

Question 1) While going to your TA's office hours for HW 6, you ask for help in understanding the following error message (the full directory is truncated by '...'):

For reference this is the .csv file which you passed in as your data:

```
country, country code, measure, 1995, 1996, 1997, 1998, 1999, 2000
Canada, CAN, consumption, 22.62, 23.41, 23.23, 24.1, 24.97, 23.49
Canada, CAN, farmed, 65207, 72376, 81676, 91046, 112916, 127665
Canada, CAN, population, 29137000, 29442000, 29746000, 30020000, 30270000, 30530000
Canada, CAN, wild caught, 948410, 1195329, 1274391, 1291796, 1277027, 1121610
```

A. What is the name of the function containing the error?

with open(filename) as csv file:

30|

Here are some numbered lines from the function which caused the error, with most of the actual code not shown.

```
31|
               csv reader = csv.DictReader(csv file)
321
               . . .
33|
               . . .
34 |
                . . .
35|
                . . .
361
               . . .
371
               . . .
38|
               . . .
391
               . . .
401
               . . .
```

B. At the line where the error occurred, write out the code that caused the error after the ... (don't worry about indentation). You should only fill in **one** line.

```
Page 3
```

C. Given what you know about csv.DictReader and the data shown on the previous page, why might this error have occurred? (hint: what is the default data type of the values inside a csv.DictReader object?)

D. In two lines or less, write code that would also produce a KeyError. It does not have to be relevant to this problem, any KeyError will suffice.

Phew! Now that you have figured out this error hopefully a question about HW 6 doesn't appear on the final...

Question 2) During the Midterm, you helped a vet clinic write a function for their dog's weights. For reference, it had the following header and docstring:

```
def avg_weight(patient_data):
    '''
    The function average_weight() finds the average weight of dogs in order to
    track the changes in canine obesity over time. It takes in a list of
    dictionaries (patient_data), looks at dogs' weights, and returns a float
    that represents the average dog (Canine) weight. These dictionaries are in
    the form {"Patient": -, "Weight": -, "Species": -}. With no dogs present,
    return 0.0. Valid species values are "Canine", "Feline", and "Avian".
    '''
```

This function has not been tested though and now needs to be. Write three tests along with an explanation of what each test is focusing on. Each test must test distinctly different aspects of the function.

Note: Inputs and outputs must be specified in the test and a clear and precise reason must be given to achieve full points. The test data you come up with should be as short and concise as possible in order to validate the thing you are trying to test.

Reason

Question 3) Consider the function below. It has a handful of issues, bugs, or errors. On the following page, identify the line number that has a problem, state why it's an error, and describe how to fix it.

```
def determine winner(votes):
       ...
      Determine the Eurovision winner based on the votes from
      different countries.
      Inputs:
      votes (dict): A dictionary where keys are country names and values
                     are dictionaries of contestant names and the
  corresponding
                     points given by that country to them.
      Example Input:
        votes = {
            'France': {'Contestant A': 12, 'Contestant B': 10},
            'Germany': {'Contestant A': 8, 'Contestant C': 6},
            'Italy': {'Contestant B': 7, 'Contestant C': 4, 'Contestant A':
        2}
        }
      Returns:
           The name of the contestant with the highest total score (string)
       . . .
1.
      total scores = {}
2.
      winner = None
3.
      max vote = None
4.
5.
      for scores in votes.items():
           for contestant in scores():
6.
7.
               points = scores[contestant]
               if contestant not in total scores:
8.
                   total scores[contestant] = points
9.
10.
                  total scores[contestant] += points
11.
12.
         for contestant in total scores.keys():
13.
              temp score = total scores[contestant]
14.
              if (max score < temp score or max score = None)
15.
                 max score = temp_score
16.
                 winner = contestant
17.
18.
         return winner
```

```
Page 6
```

Issue 1)

Line Number:

Why is it an issue?

Describe the fix:

Issue 2)

Line Number:

Why is it an issue?

Describe the fix:

Issue 3)

Line Number:

Why is it an issue?

Describe the fix:

Question 4) Suppose you are a quantitative financial analyst interested in the overall performance of various stocks in your stock profile.

Consider an input dictionary mapping stock codes (strings) to their values (list of floats) over the past *N* months, where *N* is any number of months (and could be different for every stock). Write a function stock_stats(stock_dict) that returns a *new* dictionary mapping stock codes to a dictionary containing the all-time mean, median, and mean absolute deviation. The new dictionary should be sorted alphabetically by key. (**Note:** even though dictionaries are considered "unordered," Python will maintain the keys in the order that they were inserted in.)

For example,

stock_stats(stock_dict)

Output:

```
{
    'AAPL': {'mean': 184.64, 'median': 188.68, 'absdev': 7.41},
    'GOOG': {'mean': 176.17, 'median': 176.44, 'absdev': 0.44},
    'MSFT': {'mean': 404.21, 'median': 407.48, 'absdev': 19.71}
}
```

Mean absolute deviation is calculated as the sum of the differences between each value in the list and the list's mean, over the number of values in the list. More formally:

 $\frac{\sum_{0}^{n-1} \left| x_i - m \right|}{n}$

where x_i is the "i-th" (by index) item from the list, *m* is the list's mean, and *n* is the number of items in the list. For this problem, you may use the sum function to get the sum of a list.

Write your answer to this question on the following page.

def stock_stats(stock_dict):

Your Answer for Question 4 goes here:

Question 5:

You are given the following class 'Bookshop' initialized with a name, city, and starting inventory. The class also contains methods (member functions) that allow you to add, remove, update, and search for books.

```
class Bookshop():
   def init (self, name, city):
       ...
       Creates a Bookshop with a given name and city, both strings.
       ...
       self.name = name
       self.city = city
       self.inventory = []
       print('Started a new bookshop in', city + ':', name + '!')
   def remove book(self, title):
       . . .
       Removes a book from the inventory by title.
       Parameters: title: Title of the book to remove.
       Returns: True if title is found, otherwise returns False.
       . . .
       for book in self.inventory:
           if book['title'] == title:
               self.inventory.remove(book)
               print('Book "' + title + '" removed from the inventory.')
               return True
       print('Book "' + title + '" not found in the inventory.')
       return False
   def add book(self, title, author, price, stock):
       ...
       Adds a new book to the inventory.
       Parameters:
           title: Title of the book.
           author: Author of the book.
           price: Price of the book.
           stock: Number of copies available.
       ...
       self.inventory.append({"title": title, "author": author,
                              "price": price, "stock": stock})
       print('Book "' + title + '" by, author, 'added to the inventory.')
   def list inventory (self):
       . . .
       Lists all the books in the inventory.
       Returns: A list of all books in the inventory.
       ...
       if not self.inventory:
           return 'The inventory is empty.'
       return self.inventory
```

A) Many books in the book store will be written by the same author, and we might want to know which authors are represented in this store. Write a new method, unique_authors, that returns a list of the authors sorted by last name. For this problem, you may assume that all author names are in the format "First Last", that is: only a single space between given and surname, the latter being what to sort by.

def unique_authors(self):
 '''
 Returns a list, ordered by last name, of the unique author names.
 '''
 # Your solution to Question 5(a) goes here:

- B) Write a new method, update_stock, for the Bookshop class that updates the inventory quantity for a given title. The function header and docstring are provided below. In addition to the input/return requirements specified in the docstring, update_stock needs to:
 - Change a book's quantity (stock) to the new value, then return True.
 - Return False if the given title doesn't exist in the inventory.
 - Print "Stock for book "{title}" updated to {new_stock}." when the update is successful (replacing {title} and {new stock} with those variables respectively).
 - When the update is not successful (e.g., the book is not found), print "Book "{title}" not found in the inventory." replacing {title} with the title of the book.

```
def update_stock(self, title, new_stock):
    '''
    Updates the stock of a specific book.
    Returns: True if update is successful (title exists),
        otherwise returns False (title does not exist)
    Parameters:
    title: Title of the book.
    new_stock: New stock quantity.
    '''
    # Your solution to Question 5(b) goes here:
```

C) For this problem, write code that would produce the following output:

Started a new bookshop in Seattle: Ada's Technical Books!
Book "The Plot Thickens" by Paige Turner added to the inventory.
Book "Bug Off" by Deb Ugger added to the inventory.
[{'title': 'The Plot Thickens', 'author': 'Paige Turner', 'price': 17.99,
'stock': 10}, {'title': 'Bug Off', 'author': 'Deb Ugger', 'price': 20.0,
'stock': 5}]
['Paige Turner', 'Deb Ugger']
Stock for book "Bug Off" updated to 2.
Book "The Plot Thickens" removed from the inventory.
[{'title': 'Bug Off', 'author': 'Deb Ugger', 'price': 20.0, 'stock': 2}]

That is,

- Creates a new Bookshop
- Adds two books to the inventory.
- Prints the bookshop's inventory.
- Prints the known unique authors.
- Makes a couple of inventory changes.
- Prints the inventory again.

Your code must use the Bookshop class as defined at the beginning of this problem. You may assume that the functions you wrote in parts A and B of this problem are complete and correct (no matter what you actually wrote for them). This answer does not require any new functions or methods.

Extra Credit)

Draw an illustration that depicts how much better your summer will be now that you know Python.