

Name: \_\_\_\_\_

Email Address (UW Net ID): \_\_\_\_\_@uw.edu

Section: \_\_\_\_\_

## CSE 160 Spring 2023 - Midterm Exam

### Instructions:

- You have **40 minutes** to complete this exam.
- The exam is **closed book**, including no calculators, computers, phones, watches or other electronics.
- You are allowed a single sheet of notes for yourself.
- We also provide a syntax reference sheet.
- Turn in *all sheets* of this exam, together and in the same order when you are finished.
- When time has been called, you must put down your pencil and stop writing.
  - **Points will be deducted if you are still writing after time has been called.**
- You may only use parts and features of Python that have been covered in class.
- All questions assume Python version 3.7, as we have been using all quarter.
- You may ask questions by raising your hand, and a TA will come over to you.

**Good luck!**

Question	Points
Question 1	
Question 2	
Question 3	
Question 4	
Question 5	
<b>TOTAL</b>	

1. [ 6 pts ] For each of the below expressions, write what the expression evaluates to and the type of that value.

Expression	Evaluation	Type
<code>11 / 2</code>	5.5	float
<code>2 + 11</code>	13	int
<code>11 % 2 == 0 or not False</code>	True	bool
<code>not(len('hello') &lt; 5 and 10.5 &gt; 2)</code>	True	bool
<code>'hello'[1] + str(3 * 7.0)</code>	"e21.0"	str
<code>a = 10 b = 'hello' {"a": 1, 1: "a", "b": b}['b'] [2] + f[1]</code>	"la"	str

Level	Category	Operators
7(high)	exponent	**
6	multiplication	*,/,//,%
5	addition	+,-
4	relational	==,!=,<=,>=,>,<
3	logical	not
2	logical	and
1(low)	logical	or

2. Write a function `tricky_function(arr)` that modifies a given list in the following way: at index `i`, if the value at index `i` is divisible by 3, then the function should multiply the value at index `i` by its index; otherwise leave the value as it is.

**Examples:**

```
tricky_function ([0, 1, 2, 3, 4, 5, 6, 7, 8]) = [0, 1, 2, 9, 4, 5, 36, 7, 8]
```

```
tricky_function ([2, 1, 21, 7, 4, 5, 4, 7, 18]) = [2, 1, 21, 21, 4, 5, 24, 7, 18]
```

```
tricky_function ([2, 3, 2]) = [2, 3, 2]
```

```
tricky_function ([1, 1, 1, 1]) = [1, 1, 1, 1]
```

**Possible/Example Answer(s):**

```
def tricky_function(numbers: list[int]) -> numbers: list[int]
    for i in range(len(numbers)):
        if i % 3 == 0:
            numbers[i] = numbers[i] * i
    return numbers
```

3. Write a function `join(list1, list2)` that, given two lists of characters `list1` and `list2`, returns the number of pairs in `list1` and `list2` whose values are equal.

Examples:

```
join ([a,b,c,e], [a,a,e,b,c,c,d]) = 6  
*[[a,a], [a,a], [b,b], [c,c], [c,c], [e,e,]]
```

```
join ([a,a], [a,a]) = 4  
*[[a,a], [a,a], [a,a], [a,a]]
```

```
join ([a,b,c], [a,b,c]) = 3  
*[[a,a], [a,a], [b,b], [c,c]]
```

```
join ([x,y,z], [a,a,e,b,c,c,d]) = 0  
*[]
```

**Possible/Example Answer(s):**

```
def join(list1: list[char], list2: list[char]) -> numbers: int  
    count = 0  
    for i in range(len(list1)):  
        for j in range(len(list2)):  
            if list1[i] == list2[j]:  
                count += 1  
    return count
```

4. After running this snippet of code, what will this function print?

```
def foo(n1, n2, n3, b, s, d):
    if n1 % 2 == 0 or not b:
        print("A")
    elif str(n2 * n3) == 21.0:
        print("B")
    else:
        print("C")
    if d["b"][2] + s[1] == "LA":
        print("D")
    if d["a"] == n1 - n2:
        print("E")
    else:
        print("F")

a = 11;
b = "hello"
c = False
d = 10.5
e = 2
f = { "a": 1, 1: "a", "b": b }

foo(a, d, e, c, b, f)
foo(17, 21, 1, True, "hallo", {"a": 1, 1: "a", "b": "hello"})
foo(0, 3, 7.0, False, "hallo", {"a": -3, 1: "a", "b": "hallo"})
```

**Example Answer(s):**

A  
F  
C  
F  
A  
E

5. Write a function `max_consecutive_sum` that, given a list of integers, returns the absolute value of the smallest sum between two consecutive numbers in the list. Return -1 if the length of the list is less than or equal to 1.

**Examples:**

```
max_consecutive_sum ([36, 45, 7]) = 81
```

```
max_consecutive_sum ([3]) = -1
```

```
max_consecutive_sum ([2, 3, 2]) = 5
```

```
max_consecutive_sum ([1, 1, 1, 1]) = 2
```

**Possible/Example Answer(s):**

```
def max_consecutive_sum(numbers: list[int]) -> int:
    max = 0
    for i in range(0, len(numbers) - 1):
        sum = numbers[i] + numbers[i + 1]
        if sum > max:
            max = sum
    return max
```