

Name: _____

Email Address (UW Net ID): _____@uw.edu

Section: _____

CSE 160 Spring 2023 - Final Exam

Instructions:

- You have **110 minutes** to complete this exam.
- The exam is **closed book**, including no calculators, computers, phones, watches or other electronics.
- You are allowed a single sheet of notes for yourself.
- We also provide a syntax reference sheet.
- Turn in *all sheets* of this exam, together and in the same order when you are finished.
- When time has been called, you must put down your pencil and stop writing.
 - **Points will be deducted if you are still writing after time has been called.**
- You may only use parts and features of Python that have been covered in class.
- All questions assume Python version 3.7, as we have been using all quarter.
- You may ask questions by raising your hand, and a TA will come over to you.
- If we discover typos or useful clarifications during the exam, we will add them to an Errata document presented on the screens.

Good luck!

1. Read the following code and traceback. Then, in the space below, explain the cause of the error

Code Snippet	Traceback
<pre>1 def foo(): 2 l = list() 3 odd_numbers = [1, 3, 5, 7, 9] 4 even_numbers = [2, 4, 6, 8, 10] 5 l.append(odd_numbers) 6 l.append(even_numbers) 7 baz(l, None) 8 bar(l) 9 10 11 def bar(l): 12 d = dict() 13 d["odd_numbers"] = l[0] 14 d["even_numbers"] = l[1] 15 d["numbers"] = l 16 baz(l, d) 17 18 19 def baz(l, d): 20 s = set() 21 if d is not None: 22 s.add(tuple(d.keys())) 23 s.add(d["numbers"][1]) 24 else: 25 s.add(l[0][0]) 26 27 28 def main(): 29 foo() 30 31 32 if __name__ == "__main__": 33 print("Welcome to the Final!") 34 main()</pre>	<pre>Welcome to the CSE 160 Final! Traceback (most recent call last): File ".../error.py", line 34, in <module> main() File ".../error.py", line 29, in main foo() File ".../error.py", line 8, in foo bar(l) File ".../error.py", line 16, in bar baz(l, d) File ".../error.py", line 23, in baz s.add(d["numbers"][1]) TypeError: unhashable type: 'list'</pre>

On **line 23** in **function baz**, the code snippet is attempting to **add a list(d["numbers"][1]) to a set(s)**. Since **lists are not immutable**, they cannot be added as elements to a set.

2. For parts 1 and 2 of this question, consider the following code:

```
moe = 5.5

def eeny(num):
    if (num - 5) > 0:
        return meeny(moe)
    else:
        return meeny(num) * 20

def meeny(moe):
    if moe % 2 == 0:
        return miny(2, 6) * 2
    else:
        return miny(moe, 3) * 20

def miny(num, moe):
    if moe * num > 12:
        return 12
    else:
        return moe * num
```

Part 1:

For each of the following, what will print out?

Code	Output
<code>print(eeny(10))</code>	240
<code>print(eeny(4))</code>	480
<code>print(eeny(-1))</code>	-1200

Part 2:

Provide another example call to `eeny()` that would print out the number 480. **Note:** You may not use any of the calls to `eeny` from the previous question. E.g., you cannot write `print(eeny(10))`, but you could write `print(eeny(9))`.

Any even number less than 4

3. Write a function `divisible` that, given two lists of integers `products` and `factors`, *returns* the number of ints in `products` divisible by any one of the factors.

Examples:

`divisible([36, 45, 7], [3, 11])` returns 2

Explanation: 36 is divisible by 3 and 45 is divisible by 3

`divisible([36, 45, 7], [3, 5])` returns 2

Explanation: 36 is divisible by 3 and 45 is divisible by 3 or 5, but is still only counted once

`divisible([36, 45, 48], [2, 3, 6])` returns 3

Explanation: 36 is divisible by 2,3, and 6; 45 is divisible by 3; 48 is divisible by 2, 3 and 6

`divisible([36, 45, 48], [7, 11])` returns 0

Explanation: None of the numbers are divisible by 7 or 11

Even if a product is divisible by multiple factors, it should only be counted once (see examples 2 and 3).

```
def divisible(products, factors):  
    # Write your code below this line  
    count = 0  
    for num in products:  
        has_factor = False  
        for factor in factors:  
            if num % factor == 0:  
                has_factor = True  
        if has_factor:  
            count += 1  
    return count
```

4. Write 3 test cases for the following function that test 3 different cases. Please specify what the cases are testing (as in, why they are different from the other two tests) as well as the value of the input variables. Remember to clearly define the input you will use to call the function!

```
def find_common(TA_food, TA1, TA2):
    """
    Parameters:
        TA_food: dictionary where the keys are TAs, and the
        values are a set of the TA's favorite food
        TA1: a string representing a TA in TA_food
        TA2: a string representing another TA in TA_food

    Returns: a set of the food items that both TAs like. If
    the two TAs do not have any common favorite foods, return
    an empty set.

    Example:
    >>> TA_food = {'Sneh': {'pizza', 'pasta'}, 'Zoe':
{'pizza', 'sushi'}, 'Sierrah': {'Apple pie', 'chicken
teriyaki'}}
    >>> find_common(TA_food, 'Sneh', 'Zoe')
    {'sushi', 'pizza'}
    """
```

normal case - there are multiple common items

```
assert find_common({'Sneh': {'pizza', 'sushi', 'pasta'}, 'Zoe': {'pizza', 'sushi', 'chicken
teriyaki'}, 'Sierrah': ['Apple pie', 'chicken teriyaki']}, 'Sneh', 'Zoe') == {'sushi', 'pizza'}
```

There is one common item

```
assert find_common({'Sneh': {'pizza', 'sushi', 'pasta'}, 'Zoe': {'pizza', 'sushi', 'chicken
teriyaki'}, 'Sierrah': ['Apple pie', 'chicken teriyaki']}, 'Sierrah', 'Zoe') == {'chicken teriyaki'}
```

There are no common items

```
assert find_common({'Sneh': {'pizza', 'sushi', 'pasta'}, 'Zoe': {'pizza', 'sushi', 'chicken
teriyaki'}, 'Sierrah': ['Apple pie', 'chicken teriyaki']}, 'Sneh', 'Sierrah') == {}
```

5. A researcher has written the function below to be able to find how many times a specific string repeats in a list:

```
def CountTotals(list, i):  
    count = 0  
    for current_string in list:  
        if current_string == i:  
            count += 1  
    return count
```

What three main style issues should the researcher fix, and give an example of what should be changed to fix the issues.

Style Issue	Example Fix
CountTotals is not in under_snake_case	Change CountTotals to count_totals
i variable is not descriptive	Changing i to "string_to_find"
No Docstring	Add docstring: """Function count_totals takes in a list of strings, and a string to find. Computes the total count of the string to find, and returns an integer describing the count. """

6. For parts 1 and 2 of this question, you will write and use a class designed to store information about certain kinds of songs.

Part 1: Complete the missing two class functions below. The descriptions for each function are provided in the docstrings.

```
class EurovisionSong:
    def __init__(self, name, length, country):
        """
        length is given in seconds (int)
        name and country are given as strings
        """
        # Fill in the initialization for the three provided
attributes:

        self.name = name

        self.length = length

        self.country = country

    def get_length(self):
        """
        Returns the length of the song as a tuple (hours,
        minutes, seconds).
        For example:
        >>> s = EurovisionSong("Heart of Steel", 154,
        "Ukraine")
        >>> s.get_length()
        (0, 2, 34)
        """
        # Write your implementation here:

        minutes = str(self.length // 60)

        seconds = str(self.length % 60)

        return (minutes + " minutes and " + seconds + " seconds")
```


Part 2: Write a function that takes a list of EurovisionSong instances and returns a dictionary mapping country names (keys) to the name of the longest song for that country.

For example

```
songs = [  
    EurovisionSong("Ein bisschen Frieden", 197, "Germany"),  
    EurovisionSong("Fairytale", 183, "Norway"),  
    EurovisionSong("Hard Rock Hallelujah", 204, "Finland"),  
    EurovisionSong("Waterloo", 169, "Sweden"),  
    EurovisionSong("Satellite", 173, "Germany"),  
    EurovisionSong("La det swinge", 180, "Norway")  
]  
map_songs(songs)
```

would return

```
{  
    "Germany": "Ein bisschen Frieden"  
    "Norway": "Fairytale",  
    "Finland": "Hard Rock Hallelujah"  
    "Sweden": "Waterloo"  
}
```

```
def map_songs(songs):  
    # Write your implementation here:  
  
    song_dict = {}  
  
    for song in songs:  
  
        if song.country not in song_dict:  
  
            song_dict[song.country] = []  
  
            song_dict[song.country].append(song.name)  
  
    return song_dict
```

7. We've written the following function to help us find the longest name in a text file listing the names of some CSE160 staff members:

```
def longest_name(data):  
    """  
    Returns the longest name in the given parameter file. If  
    there is a  
    tie for longest name, returns the first name with the  
    longest length.  
    """  
    myfile = open(data)  
  
    longest_name = None  
  
    for persons in myfile:  
        for person in persons.split():  
            if longest_name is None or len(persons) >  
len(longest_name):  
                longest_name = person  
  
    myfile.close()  
    return longest_name
```

When we run

```
print(longest_name("data.txt"))
```

... where the file named "data.txt" has the following contents

```
Fitz Zoe  
Paolo Mark Annalisa  
Sneh Amanda Erica
```

... the code prints "Erica", which has 5 letters, while the longest name we are looking for is "Annalisa", which has 8 letters. Take a look at the function's implementation and circle which line of code is causing the bug. Then, below, explain how we can fix the bug so that our code produces the correct output.

The line `if longest_name is None or len(persons) > len(longest_name):` is causing the bug. This is because the variable `persons` is used rather than the variable `person`. `persons` represents the full line of the text file that we're looking at, while `person` is the name of the specific person that we want to check the length of.

In order to correct this bug, we can change `persons` in this line to `person`.

Extra Credit (1pt)

Draw a pokemon. Drawing anything for this question gets you the point.

Which problem did you hate the most?