

Full Name: [Edited for CSE 160 26wi]

Email Address (UW Net ID): _____@uw.edu

Section: _____

CSE 160 Autumn 2024 - Final Exam

Instructions:

- You have **110 minutes** to complete this exam.
- The exam is **closed book**, including no calculators, computers, phones, watches or other electronics.
- You are allowed a single sheet of notes for yourself.
- We also provide a syntax reference sheet.
- Turn in *all sheets* of this exam, together and in the same order when you are finished.
- Be sure to read the entire question prompt before answering.
- When time has been called, you must put down your pencil and stop writing.
 - **Points will be deducted if you are still writing after time has been called.**
- You may only use parts and features of Python that have been covered in class up to this point.
- You may ask questions by raising your hand, and a TA will come over to you.

Good luck!

Question	Topic
Question 1	Errors
Question 2	Files and CSV
Question 3	Data Structures
Question 4	Functions
Question 5	Dictionaries
Question 6	Classes

Question 1) For each of the following snippets of code, draw a line from the snippet to the TypeError message that it would result in. An example of code that would cause each specific error is also shown for your information. You do not have to match the specific line of code.

```
animals = ["husky", "duck", "cougar"]
first_letters = {}
for word in range(len(animals)):
    letter = word[0]
    if letter not in first_letters:
        first_letters[letter] = 0
    first_letters[letter] += 1
```

TypeError: 'int' object is not subscriptable

(not subscriptable means not able to be indexed or accessed with brackets)

Example: `1[1]`

```
race_finishes = [8, 9, 11]
teams = ["A", "B", "C"]
leaderboard = {}
for time in race_finishes:
    for team in time:
        leaderboard[team] = time
```

TypeError: list indices must be integers or slices, not float

Example: `[1, 2][1.5]`

```
race_finishes = [8.1, 9.5, 10.0]
teams = ["A", "B", "C"]
leaderboard = {}
for time in race_finishes:
    for team in teams:
        leaderboard[team] = race_finishes[time]
```

TypeError: 'int' object is not iterable

(not iterable means unable to be looped over)

Example: `for i in 3:`

Question 2) For this problem, you will write a function called `parse_grocery_list` that takes a single string argument that is the path to a CSV file and returns a dictionary. An example of the contents of the file is on the left, and an example of the returned dictionary is on the right:

```
code,category,name,amount,price
1234,fruit,apple,5,2
4321,fruit,banana,3,1
5678,vegetable,carrot,6,1
8765,fruit,orange,1,2
1357,vegetable,broccoli,3,1
```

```
{
  1234: {
    "category": "fruit",
    "name": "apple",
    "amount": 5,
    "price": 2
  },
  ...
}
```

Each line represents a single grocery store item. The `code` value is expected to be a unique integer (no two items will ever have the same code). And the others (`category`, `name`, `amount`, and `price`) are non-unique.

Notes and hints:

- `csv.DictReader` takes a file (not a file path!) and returns a list of dictionaries.
- `code`, `amount`, and `price` should be converted to integers.

```
import csv
def parse_grocery_list(filepath):
    # Write your solution to question 2 here!
```


Question 4) Consider these three functions and then for each of the function calls below, write what the function would return

```
def mystery(a, b):  
    n = 0  
    for i in range(-1 * b):  
        n += a  
    return n  
  
def another(m, n):  
    for i in range(len(m) + 1):  
        m.append(n)
```

```
def final(j, k):  
    n = mystery(j, k)  
    if n > 0:  
        m = []  
        another(m, k)  
        return m  
    else:  
        return k - n
```

Function Call	Return
<code>final(-2, -3)</code>	
<code>final(-3, 2)</code>	
<code>final(3, -1)</code>	

Question 5) A person is comparing furniture prices at different stores. They use a nested dictionary to store the information.

The outer dictionary stores store names as keys. Each store maps to another dictionary containing furniture items and their prices.

The structure is as follows:

```
furniture_data = {  
    "Store Name": {  
        "Item Name": price,  
        "Item Name": price  
    }  
}
```

Example:

```
furniture_data = {  
    "IKEA": {"Sofa": 799, "Dining Table": 299, "Bed Frame": 450},  
    "Wayfair": {"Sofa": 850, "Dining Table": 320, "Bed Frame": 499},  
    "Local Furniture Co": {"Sofa": 920, "Dining Table": 280, "Bed Frame": 510}  
}
```

- a. Write a function called `cheapest_item_overall(furniture_data)` that returns a tuple containing:
 - The store name
 - The item name
 - The price of the cheapest furniture item across all stores.

- b. Write a function called `add_item(furniture_data, store_name, item, price)` that adds a new furniture item and price to a specific store. If the store does not exist, print "Store not found".

Question 6) Read the class written on the following two pages. It is missing some necessary code, indicated by underscores (_____). Using the code already written, the docstrings, and the print output (see separate page), fill in the blank lines of code to finish the class. Hint: read through the entire class before starting to fill in the missing code!

An example usage of this class, with the matching output, is given as a separate page.

```
class FlyLab:
    """
    Grow your own flies! The FlyLab class starts a new home for your
    flies which you can multiply by feeding them food.
    """
    def __init__(self, _____):
        """
        Initializes the fields for the FlyLab class. The number of
        flies to start out must be specified whenever an instance is
        created.
        """
        self.flies = flies
        self.budget = 0
        self.food = _____
        self.prices = {"compost": 1, "syrup": 2, "fruit": 5}

    def add_budget(self, amount):
        """Adds money to the budget and prints out a message."""
        self.budget += amount
        print("You added", _____, "dollars to your fly lab! You now
              have", _____, "dollars")
```


Prompts and example output for Question 6:

An example usage of the class is listed below. Each line of code (indicated by >>>) was run one line at a time and the output (if there was any) was printed immediately below it.

```
>>> my_flies = FlyLab(100)
```

```
>>> my_flies.add_budget(7)
```

```
You added 7 dollars to your fly lab! You now have 7 dollars
```

```
>>> my_flies.feed_flies()
```

```
You don't have enough food
```

```
>>> my_flies.buy_food("fruit")
```

```
You added one fruit to your fly lab! Your current food inventory is: ['fruit']
```

```
>>> my_flies.buy_food("caviar")
```

```
Your requested item doesn't exist
```

```
>>> my_flies.buy_food("syrup")
```

```
You added one syrup to your fly lab! Your current food inventory is: ['fruit', 'syrup']
```

```
>>> my_flies.buy_food("compost")
```

```
You don't have enough money to buy this
```

```
>>> my_flies.feed_flies()
```

```
You fed your flies fruit
```

```
Your flies multiplied and you now have 200 flies!
```

```
>>> my_flies.feed_flies()
```

```
You fed your flies syrup
```

```
Your flies multiplied and you now have 400 flies
```