

CSE 303

Concepts and Tools for Software Development

Magdalena Balazinska

Winter 2010

Lecture 15 – The C Preprocessor


Tools: introduction to the linker

Where We Are

- After today, we will have covered
 - Linux (just an introduction to Linux)
 - Shell scripts and utilities
 - Programming in C
 - Several tools: debugger, version control, linker
- This week and in future weeks, we will cover
 - More tools: make
 - C++
 - Introduction to software engineering

Steps Involved in Creating a C Program

- Preprocessing occurs before compilation
- Use `gcc -E` to perform only preprocessing



C Preprocessor

- All preprocessor directives begin with pound sign: #
- Three main uses of C preprocessor
 - Include files
 - Define symbolic constants and macros
 - Compile parts of code conditionally

Preprocessor: Including Files

- The `#include` *directive*
 - Causes a copy of a specified file to be included in place of the directive
 - File is itself preprocessed before being included
- `#include <filename>`
 - Search in pre-defined system include file directories (these directories are implementation dependent)
 - Used for standard libraries
- `#include "filename"`
 - Search in local directory

Compiler -I option

- `gcc -I dir ...`
 - Add the directory `dir` to the list of directories to be searched for header files
 - Directories named by `-I` are searched before the standard system include directories
- **Example** `include.c, includeA.h, headers/
includeB.h`

Preprocessor: Defining Constants

- The `#define` *directive*
 - Creates symbolic constants and macros
- `#define id text`
 - All subsequent occurrences of `id` are replaced with `text` *before program is compiled*
- `#define BUFFER_SIZE 4096`
- `#define DEFAULT_FILE "output.txt"`
- **Examples:** `constant.c`
 - `stdbool.h` **defines** `bool`, `true`, **and** `false`
 - `stddef.h` **define** `NULL`

Preprocessor: Defining Macros

- A lot like constants, but can take *arguments*
- During preprocessing
 - Step 1: Arguments are substituted
 - Step 2: Macro is *expanded*
- `#define SUM(x,y) ((x) + (y))`
- Then
 - `int a = SUM(3,4);`
 - Becomes `int a = ((3) + (4));`
- Examples: `macro.c`

More about Macros

- Try to avoid them if you can
 - It is better to use functions!
 - Your goal: clarity and correctness
 - Do not worry about optimization until you know that something is a bottleneck
- Use them only when truly needed

```
#define PRINT(x) \  
printf("%s:%d %s\n", __FILE__, __LINE__, x);
```

- (`__FILE__` and `__LINE__` are predefined macros that expand to the current file and line number)

Preprocessor: Conditional Constructs

- Preprocessor supports other useful statements
 - `#if`, `#else`, `#endif`, `#ifdef`, `etc.`
- These statements enable programmers to control
 - Execution of preprocessor directives
 - Compilation of program code
 - By switching various statements on or off

Typical Usage 1

- Ensure header files are included only once

```
#ifndef INCLUDEA_H
```

```
#define INCLUDEA_H
```

```
... content of includeA.h ...
```

```
#endif
```

- Check if symbolic name is already defined
- If not, then define it
- **Example:** `include2.c`, `includeA.h`, `includeB.h`, **and** `includeC.h`

Typical Usage 2

- Conditional compilation

```
#ifdef DEBUG
```

```
#define PRINT(x) printf("%s", x);
```

```
#else
```

```
#define PRINT(x)
```

```
#endif
```

- **Example:** conditional.c

- gcc `-D DEBUG` conditional.c

- gcc conditional.c

- Other usage: adapt code to architecture, OS

Typical Usage 2 (Example 2)


- **Example:** `fancy-conditional.c`
 - `gcc -D LOG_LEVEL=2 fancy-conditional.c`
 - `gcc -D LOG_LEVEL=1 fancy-conditional.c`
 - `gcc fancy-conditional.c`

Useful macro: `assert` (in `assert.h`)

- **Usage:** `assert(expression)`
 - If value of expression is true, nothing happens
 - If value of expression is false, `assert` prints an error message and calls `abort`
- Especially useful for
 - Testing preconditions (example stack not empty)
- Example: `assert.c`
- Disable asserts by **defining** `NDEBUG`
 - `gcc -D NDEBUG assert.c`

Steps Involved in Creating a C Program

- Compiler transforms source code (.c files) into machine language code, a.k.a. object code (.o files)
- Use `gcc -c` to stop after compiling




The Goal of the Linker

- Use option `-c` to produce the `.o` file
- Compiled code (`.o` file) is not “runnable”
- **We have to link it with other code to make an executable**
 - Where is the code for `printf` and `malloc`?
 - We only included the header files...
 - Need to find that code and put it in executable
 - That is what the linker does
- Normally, `gcc/g++` hides this from you

Steps Involved in Creating a C Program

- Linker transforms compiled code (.o files) into executable programs



Linking Overview

- If a C/C++ file uses but **does not define** a function (or global variable), then the `.o` has “**undefined references**”
 - Note: declarations do not count, only definitions
- **Linker takes multiple `.o` files and “patches them” to include the references**
- Executable has no unresolved references
- Linker is called `ld`, but we will not invoke it directly. We will use `gcc...` more next lecture

Readings

- Programming in C
 - Chapter 13
 - Chapter 18, section on “Debugging with the preprocessor”
 - Appendix C “Compiling programs with gcc”
- Scheme through the man page for gcc
 - `man gcc`