

CSE 303


Concepts and Tools for Software Development

Magdalena Balazinska
Winter 2010
Lecture 19 – Inheritance
(virtual functions and abstract classes)

Where We Are

- We have already covered the introduction to C++
 - Basic syntax (hello world), namespaces
 - Basics of defining and using classes
 - Allocating objects on the stack and on the heap
 - Copy constructors, call-by-value, and call-by-reference
 - Started talking about inheritance
- Today, we will discuss inheritance in greater depth
 - Casting in C++
 - Virtual functions
 - Abstract classes

Our Inheritance Example



Last Time

- Last time we examined this example to see
 - Inheritance syntax
 - Access specifiers (public, protected, and private) and what they mean with subclasses
 - What happens when we construct or destroy objects
- Next questions are
 - How to cast pointers
 - What happens when a class overrides a function of its parent class... not always what you think!

C-Style Type Casting

- With inheritance, we often want to cast between pointers to different classes in our class hierarchy
- C-style type casting is dangerous
- Compiler lets you do almost what you want
 - Example: can cast a `void*` to `int`
 - Example2: can cast any `(A*)` to a `(B*)`
 - Even if `A` and `B` are unrelated
- You must be careful
- You must know what you are doing
- Hence, this can be error-prone

New C++ Cast Operators

- Four new cast operators
 - `static_cast`
 - `dynamic_cast`
 - `const_cast`
 - `reinterpret_cast`
- They make programmer's intent more clear
- Basic syntax example

```
double b;  
int a = static_cast<int>(b);
```

static_cast and dynamic_cast

- `static_cast`
 - Basic cast operator as we know it (or almost)
 - Can change binary representation of converted expr.
 - For pointers to classes, checks **types at compile time**
 - Classes must only be related to each other
- `dynamic_cast`
 - Can only be used with pointers
 - **Checks object types at runtime**
 - Use this operator for casting pointers to objects within a class hierarchy (classes must be polymorphic)
- **Example:** `cast_operators()` in `main.cc`

const_cast and reinterpret_cast

- `const_cast`
 - Only removes or adds `const` qualifier
 - We will talk about the `const` qualifier in a few lectures
- `reinterpret_cast`
 - Enables arbitrary pointer casts
 - **Unsafe and not portable**
 - At least it is clear that cast is dangerous
- No need to know these last two for cse303
- But I encourage you to experiment with them

Function Overriding

- Derived class can **override** parent member function
- It simply declares a member function with
 - Same name as function in parent class
 - Same parameters
 - Example: `toString`
- To access parent member function from derived class, use the scope resolution operator
 - `Property::toString()`
- What is the difference between **overloading** and **overriding**?

Virtual Functions

- Gotcha with method overriding
 - By default, the **invoked function is selected statically, at compile time based on pointer type**
- **To enable dynamic binding and dispatching, must declare a function to be virtual**
 - **virtual** void toString2 ();
 - Once a function is virtual, it remains virtual all the way down the class hierarchy
 - Nevertheless, declare it as virtual in all classes
- **Examples:** `overriding_catch()`

Virtual Destructor

- **Make all destructors virtual**
- Problem illustration (Y derives from X)

```
Y *ptrY = new Y();
```

```
X *ptrX = ptrY; // Implicit cast
```


```
delete ptrX;
```

- Without a virtual destructor, call to `delete ptrX` calls destructor for X, even if `ptrX` points to a subtype Y
- A virtual destructor solves this problem

Polymorphism

- Virtual member functions enable polymorphism
 - Accessing a virtual member function through a **base-class pointer** produces **different results depending on runtime type of object**
- To support polymorphism at runtime (i.e., dynamic binding), the C++ compiler builds several data structures at compile time
 - For each class that has at least one virtual function, it builds a **virtual function table (vtable)**


Virtual Function Table (vtable)



Abstract Classes

- In C++, there is no notion of interfaces
- Instead, we must use **abstract classes**
 - An abstract class cannot be instantiated
 - To make a class **abstract**, declare one member function as **pure virtual**
 - **virtual** float getValue() = 0;
- An abstract class can provide a partial implementation (ex: Property class)
- A class with **only pure virtual member functions** is called a **pure abstract class** (ex: Element class)
 - A pure abstract class constitutes a true interface

Virtual Function Table (vtable)



Pure Abstract Class Example

```
class Element { // Pure abstract class
public:
    virtual int compare(const Element& other) = 0;
    virtual void print() = 0;
};

// Using multiple inheritance
class House: public Property, public Element {
...
virtual int compare(const Element& other) { ... }
virtual void print() { ... }
...
};
```

C++ Inheritance Summary

- C++ distinguishes between
 - Static binding by default
 - Dynamic binding for virtual member functions
- C++ allows multiple inheritance
- No notion of interface
- Instead (pure) abstract classes
- Explicit casting with four types of operators

Readings

- Carefully study the code that accompanies today's lecture