

CSE 311 Foundations of Computing I

Autumn 2011
Lecture 1
Propositional Logic

About the course

- From the CSE catalog:
 - **CSE 311 Foundations of Computing I (4)**
Examines fundamentals of logic, set theory, induction, and algebraic structures with applications to computing; finite state machines; and limits of computability. Prerequisite: CSE 143; either MATH 126 or MATH 136.
- What I think the course is about:
 - Foundational structures for the practice of computer science and engineering

Why this material is important

- Language and formalism for expressing ideas in computing
- Fundamental tasks in computing
 - Translating imprecise specification into a working system
 - Getting the details right

Topic List

- Logic/boolean algebra: hardware design, testing, artificial intelligence, software engineering
- Mathematical reasoning/induction: algorithm design, programming languages
- Number theory: cryptography, security, algorithm design
- Relations/relational algebra: databases
- Finite state machines: Hardware and software design, automatic verification
- Turing machines: Halting problem

Administration

- Instructors
 - Richard Anderson
 - Paul Beame
- Teaching Assistants
 - Eric Wu, Kristin Weber, Ben Birbaum, Patrick Williams
- Quiz sections
 - Thursday
- Text: Rosen, Discrete Mathematics
 - 7th Edition
 - 6th Edition
 - 5th Edition
- Homework
 - Due Wednesdays
- Exams
 - Midterm, Friday, Nov 4
 - Final, Monday, Dec 12, 2:30-4:20 pm or 4:30-6:20
 - This is the original time for the A section
- All course information posted on the web
- Sign up for the course mailing list

Propositional Logic

Propositions

- A statement that has a truth value
- Which of the following are propositions?
 - The Washington State flag is red
 - It snowed in Whistler, BC on January 4, 2011.
 - Rick Perry won the Iowa straw poll
 - Space aliens landed in Roswell, New Mexico
 - Turn your homework in on Wednesday
 - Why are we taking this class?
 - If n is an integer greater than two, then the equation $a^n + b^n = c^n$ has no solutions in non-zero integers a , b , and c .
 - Every even integer greater than two can be written as the sum of two primes
 - This statement is false
- Propositional variables: p, q, r, s, \dots
- Truth values: **T** for true, **F** for false

Compound Propositions

- Negation (not) $\neg p$
- Conjunction (and) $p \wedge q$
- Disjunction (or) $p \vee q$
- Exclusive or $p \oplus q$
- Implication $p \rightarrow q$
- Biconditional $p \leftrightarrow q$

Truth Tables

p	$\neg p$

p	q	$p \wedge q$

p	q	$p \vee q$

p	q	$p \oplus q$

x-or example: "you may have soup or salad with your entree"

Understanding complex propositions

- Either Harry finds the locket and Ron breaks his wand or Fred will not open a joke shop

Atomic propositions
 h : Harry finds the locket
 r : Ron breaks his wand
 f : Fred opens a joke shop

$(h \wedge r) \oplus \neg f$

Understanding complex propositions with a truth table

h	r	f	$h \wedge r$	$\neg f$	$(h \wedge r) \oplus \neg f$

Aside: Number of binary operators

- How many different binary operators are there on atomic propositions?

$p \rightarrow q$

p	q	$p \rightarrow q$

- Implication
 - p implies q
 - whenever p is true q must be true
 - if p then q
 - q if p
 - p is sufficient for q
 - p only if q

If pigs can whistle then horses
can fly

**Converse, Contrapositive,
Inverse**

- Implication: $p \rightarrow q$
- Converse: $q \rightarrow p$
- Contrapositive: $\neg q \rightarrow \neg p$
- Inverse: $\neg p \rightarrow \neg q$
- Are these the same?

Example
 p : "x is divisible by 2"
 q : "x is divisible by 4"

Biconditional $p \leftrightarrow q$

- p iff q
- p is equivalent to q
- p implies q and q implies p

p	q	$p \leftrightarrow q$

English and Logic

- You cannot ride the roller coaster if you are under 4 feet tall unless you are older than 16 years old
 - q : you can ride the roller coaster
 - r : you are under 4 feet tall
 - s : you are older than 16

$(r \wedge \neg s) \rightarrow \neg q$