

# CSE 311 Foundations of Computing I

Lecture XX

RSA Encryption and Decryption

Spring 2013

1

## Public Key Encryption/Decryption

- Bob wants people to be able to send him secret messages so he creates
  - An encryption key PK which he makes public along with an encryption algorithm  $E_{PK}$
  - A decryption key SK which he keeps secret along with a decryption algorithm  $D_{SK}$
  - Requirement:  $D_{SK}(E_{PK}(m))=m$
- If Alice wants to send a message  $m$  to Bob she
  - Computes  $C=E_{PK}(m)$  and sends it to Bob
  - Bob computes  $D_{SK}(C)$  which equals  $m$

2

## Public Key Encryption/Decryption

- First developed in 1976 by Diffie-Hellman using number theory problems
- Rivest-Shamir-Adleman (RSA) came up with a simpler number theory-based method that is in use today

3

## RSA Encryption/Decryption

- Bob choose two random large prime numbers  $p$  and  $q$  and computes  $N=pq$ 
  - Usually  $p$  and  $q$  are 512 or 1024 bits long
  - We won't worry about how Bob does this
- Bob chooses a some big odd number  $e < N$
- $PK=(e,N)$ :  $E_{PK}(m)=m^e \bmod N$ 
  - Computable quickly using fast modular exponentiation
- $SK=(d,p,q)$ :  $D_{SK}(C)=C^d \bmod N$  where  $d$  depends on  $e, p$ , and  $q$ 
  - Computable quickly using fast modular exponentiation
- We need that  $(m^e)^d=m^{ed} \equiv m \pmod{N}$ 
  - How does Bob find such a  $d$ ?

4

## Modular Equations and $\mathbb{Z}_N^*$

Recall: If  $\gcd(a,N)=1$  then we can solve  $ax \equiv b \pmod{N}$  for a unique value  $x$  between 0 and  $N-1$

Idea: Apply Euclid's algorithm for  $\gcd(a,N)$  and then substitute back to write  $1=sa+tN$  where  $0 < s < N$

Then  $sa \equiv 1 \pmod{N}$  so  $x \equiv sax \equiv sb \pmod{N}$

Definition: Let  $\mathbb{Z}_N^* = \{a : 0 < a < N \text{ and } \gcd(a,N)=1\}$

We will show that properties of  $\mathbb{Z}_N^*$  will help us understand exponentiation modulo  $N$

5

## Properties of

$$\mathbb{Z}_N^* = \{a : 0 < a < N \text{ and } \gcd(a,N)=1\}$$

- (Multiply) If  $a, b \in \mathbb{Z}_N^*$  then  $ab \pmod{N} \in \mathbb{Z}_N^*$ 
  - Since  $a$  and  $b$  don't have any common factor with  $N$ ,  $ab$  won't have any common factor with  $N$
  - Taking it mod  $N$  won't change that
- (Divide) If  $a, b \in \mathbb{Z}_N^*$  then there is a unique  $x \in \mathbb{Z}_N^*$  such that  $ax \equiv b \pmod{N}$ 
  - By the usual Euclid's algorithm we can write  $1=sa+tN$  for some  $s, t$  with  $0 < s < N$ . ( $a^{-1} \equiv s \pmod{N}$ )
  - Therefore  $s \in \mathbb{Z}_N^*$  and so  $x = sb \pmod{N} \in \mathbb{Z}_N^*$

6

For  $N=pq$ , how many elements in  $\mathbb{Z}_N^* = \{a : 0 < a < N \text{ and } \gcd(a,N)=1\}$ ?

- $N=pq$  and both  $p$  and  $q$  are prime numbers
  - Only elements between 0 and  $N-1$  not in  $\mathbb{Z}_N^*$  are divisible by  $p$  or by  $q$ 
    - There are  $q$  different multiples of  $p$
    - There are  $p$  different multiples of  $q$
    - Only 0 is a multiple of both
  - Total is  $N-p-q+1=pq-p-q+1=(p-1)(q-1)$
- Standard notation: We write  $\phi(N) = |\mathbb{Z}_N^*|$

7

## Euler's Theorem and RSA

**Theorem:** For every  $a \in \mathbb{Z}_N^*$ ,  $a^{\phi(N)} \equiv 1 \pmod{N}$

More generally, for any  $a \in \mathbb{Z}_N^*$  and integer  $k \geq 0$ ,

$$a^k \equiv a^{k \bmod \phi(N)} \pmod{N}$$

In RSA we want  $d$  such that  $a^{de} \equiv a^1 \pmod{N}$

i.e. find a  $d$  such that:  $1 = de \bmod \phi(N)$

equivalently, solve:  $ex \equiv 1 \pmod{(p-1)(q-1)}$

Can do this if  $\gcd(e, (p-1)(q-1)) = 1$ .

8

**Theorem:** For every  $a \in \mathbb{Z}_N^*$ ,  $a^{\phi(N)} \equiv 1 \pmod{N}$

Proof:


Let  $a \in \mathbb{Z}_N^*$  and consider function  $f_a: \mathbb{Z}_N^* \rightarrow \mathbb{Z}_N^*$  given by  $f_a(x) = ax \pmod{N}$

- Output of  $f_a$  is in  $\mathbb{Z}_N^*$  by Multiplication property
- $f_a$  is 1-1 by Division property since  $ab \pmod{N} = ac \pmod{N}$  implies  $b \equiv c \pmod{N}$ .

We now look at the product of all elements in  $\mathbb{Z}_N^*$  modulo  $N$  in two different ways

9

## Graph of $f_a$



Therefore, mod  $N$ ,  
product of all  $x$  for  $x \in \mathbb{Z}_N^* \equiv$  product of all  $ax$  for all  $x \in \mathbb{Z}_N^*$

10

## In equations

$$\prod_{x \in \mathbb{Z}_N^*} x \equiv \prod_{x \in \mathbb{Z}_N^*} ax \pmod{N}$$

$$\equiv a^{\phi(N)} \prod_{x \in \mathbb{Z}_N^*} x \pmod{N}$$

$\prod_{x \in \mathbb{Z}_N^*} x \pmod{N} \in \mathbb{Z}_N^*$  by Multiplicative property  
so we can divide both sides by it to get

$$1 \equiv a^{\phi(N)} \pmod{N}$$



11

## Constraints on RSA

- The message has to be in  $\mathbb{Z}_N^*$ 
  - Rule out message 0 and for the rest, you will never see a message divisible by  $p$  or  $q$
- The exponent  $e$  has to have  $\gcd(e, (p-1)(q-1))=1$ 
  - E.g.  $p, q$  will be odd so  $e$  can't be even
  - Bob can check this when he chooses  $e$  and make sure this doesn't happen

12