CSE 311: Foundations of Computing I

Section: Regular Expressions, CFGs, Relations Solutions

Regular Expressions

(a) Write a regular expression that matches base 10 numbers (e.g., there should be no leading zeroes).

Solution:

$$0 \cup ((1 \cup 2 \cup 3 \cup 4 \cup 5 \cup 6 \cup 7 \cup 8 \cup 9)(0 \cup 1 \cup 2 \cup 3 \cup 4 \cup 5 \cup 6 \cup 7 \cup 8 \cup 9)^*)$$

(b) Write a regular expression that matches all base-3 numbers that are divisible by 3.

Solution:

$$0 \cup ((1 \cup 2)(0 \cup 1 \cup 2)^* 0)$$

(c) Write a regular expression that matches all binary strings that contain the substring "111", but not the substring "000".

Solution:

$$(01 \cup 001 \cup 1^*)^*(0 \cup 00 \cup \varepsilon)111(01 \cup 001 \cup 1^*)^*(0 \cup 00 \cup \varepsilon)$$

CFGs

Construct CFGs for the following languages:

(a) All binary strings that end in 00.

Solution:

$$\mathbf{S} \to 0\mathbf{S} \mid 1\mathbf{S} \mid 00$$

(b) All binary strings that contain at least three 1's.

Solution:

$$\mathbf{S} \to \mathbf{TTT}$$
$$\mathbf{T} \to 0\mathbf{T} \mid \mathbf{T}0 \mid 1\mathbf{T} \mid 1$$

(c) All binary strings with an equal number of 1's and 0's.

Solution:

$$\mathbf{S} \to 0\mathbf{S}1\mathbf{S} \mid 1\mathbf{S}0\mathbf{S} \mid \varepsilon$$
$$\mathbf{S} \to \mathbf{SS} \mid 0\mathbf{S}1 \mid 1\mathbf{S}0 \mid \varepsilon$$

Relations

(a) Draw the transitive-reflexive closure of $\{(1, 2), (2, 3), (3, 4)\}$.

Solution:



(b) Suppose that R is reflexive. Prove that $R \subseteq R^2$.

Solution: Suppose $(a, b) \in R$. Since R is reflexive, we know $(b, b) \in R$ as well. Since there is a b such that $(a, b) \in R$ and $(b, b) \in R$, it follows that $(a, b) \in R^2$. Thus, $R \subseteq R^2$.

(c) Consider the relation $R = \{(x, y) \ : \ x = y + 1\}$ on $\mathbb{N}$. Is R reflexive? Transitive? Symmetric? Anti-symmetric?

Solution: It isn't reflexive, because $1 \neq 1 + 1$; so, $(1, 1) \notin R$. It isn't symmetric, because $(2, 1) \in R$ (because $2 = 1 + 1$), but $(1, 2) \notin R$, because $1 \neq 2 + 1$. It isn't transitive, because note that $(3, 2) \in R$ and $(2, 1) \in R$, but $(3, 1) \notin R$. It is anti-symmetric, because consider $(x, y) \in R$ such that $x \neq y$. Then, $x = y + 1$ by definition of R. However, $(y, x) \notin R$, because $y = x - 1 \neq x + 1$.

(d) Consider the relation $S = \{(x, y) \ : \ x^2 = y^2\}$ on $\mathbb{R}$. Prove that S is reflexive, transitive, and symmetric.

Solution: Consider $x \in \mathbb{R}$. Note that by definition of equality, $x^2 = x^2$; so, $(x, x) \in R$; so, R is reflexive.

Consider $(x, y) \in R$. Then, $x^2 = y^2$. It follows that $y^2 = x^2$; so, $(y, x) \in R$. So, R is symmetric.

Suppose $(x, y) \in R$ and $(y, z) \in R$. Then, $x^2 = y^2$, and $y^2 = z^2$. Since equality is transitive, $x^2 = z^2$. So, $(x, z) \in R$. So, R is transitive.