


CSE 311: Foundations of Computing

Lecture 20: Context-Free Grammars, Relations and Directed Graphs



Parse Trees

Suppose that grammar **G** generates a string **x**

- A *parse tree* of **x** for **G** has
 - Root labeled **S** (start symbol of **G**)
 - The children of any node labeled **A** are labeled by symbols of **w** left-to-right for some rule **A** \rightarrow **w**
 - The symbols of **x** label the leaves ordered left-to-right


S \rightarrow 0S0 | 1S1 | 0 | 1 | ϵ

S

0S0

1S1



Parse tree of 01110



Simple Arithmetic Expressions

$E \rightarrow E + E \mid E * E \mid (E) \mid x \mid y \mid z \mid 0 \mid 1 \mid 2 \mid 3 \mid 4$
 $\mid 5 \mid 6 \mid 7 \mid 8 \mid 9$

Two parse trees for 2+3*4



Building precedence in simple arithmetic expressions

- **E** – expression (start symbol)
- **T** – term **F** – factor **I** – identifier **N** - number


$$\underline{\mathbf{E}} \rightarrow \mathbf{T} \mid \mathbf{E} + \mathbf{T}$$

$$\underline{\mathbf{T}} \rightarrow \mathbf{F} \mid \mathbf{T} * \mathbf{F}$$

$$\mathbf{F} \rightarrow (\mathbf{E}) \mid \mathbf{I} \mid \mathbf{N}$$

$$\mathbf{I} \rightarrow x \mid y \mid z$$

$$\mathbf{N} \rightarrow 0 \mid 1 \mid 2 \mid 3 \mid 4 \mid 5 \mid 6 \mid 7 \mid 8 \mid 9$$



Handwritten expression: $2 + 3 * 4$. The expression is written in purple ink. A bracket is drawn under the '3 * 4' part, indicating that multiplication is performed first. Another bracket is drawn under the '2' part, indicating that the result of the multiplication is added to 2.

Building precedence in simple arithmetic expressions

- **E** – expression (start symbol)
- **T** – term **F** – factor **I** – identifier **N** - number

E \rightarrow **T** | **E**+**T**


T \rightarrow **F** | **T*****F**

F \rightarrow (**E**) | **I** | **N**

I \rightarrow x | y | z

N \rightarrow 0 | 1 | 2 | 3 | 4 |
5 | 6 | 7 | 8 | 9

$1 + (2 + 3)$ $((1 + 2) + 3)$



Backus-Naur Form (The same thing...)

BNF (Backus-Naur Form) grammars

- Originally used to define programming languages
- Variables denoted by long names in angle brackets, e.g.
 - <identifier>, <if-then-else-statement>,
<assignment-statement>, <condition>
 - ::= used instead of \rightarrow

BNF for C (no <...> and uses : instead of ::=)

```
statement:
  ((identifier | "case" constant-expression | "default") ":")*
  (expression? ";" |
  block |
  "if" "(" expression ")" statement |
  "if" "(" expression ")" statement "else" statement |
  "switch" "(" expression ")" statement |
  "while" "(" expression ")" statement |
  "do" statement "while" "(" expression ")" ";" |
  "for" "(" expression? ";" expression? ";" expression? ")" statement |
  "goto" identifier ";" |
  "continue" ";" |
  "break" ";" |
  "return" expression? ";"
  )

block: "{" declaration* statement* "}"

expression:
  assignment-expression%

assignment-expression: (
  unary-expression (
    "=" | "*=" | "/=" | "%=" | "+=" | "-=" | "<<=" | ">>=" | "&=" |
    "^=" | "|="
  )
  ) * conditional-expression

conditional-expression:
  logical-OR-expression ( "?" expression ":" conditional-expression )?
```

Parse Trees

Back to middle school:

$\langle \text{sentence} \rangle ::= \langle \text{noun phrase} \rangle \langle \text{verb phrase} \rangle$

$\langle \text{noun phrase} \rangle ::= \langle \text{article} \rangle \langle \text{adjective} \rangle \langle \text{noun} \rangle$

$\langle \text{verb phrase} \rangle ::= \langle \text{verb} \rangle \langle \text{adverb} \rangle \mid \langle \text{verb} \rangle \langle \text{object} \rangle$

$\langle \text{object} \rangle ::= \langle \text{noun phrase} \rangle$


Parse:

The yellow duck squeaked loudly

The red truck hit a parked car




Relations and Directed Graphs



Relations

Let A and B be sets,

A **binary relation from A to B** is a subset of $A \times B$



$\{(a, b) \mid a \in A, b \in B\}$

A handwritten purple line connects the text "A subset of $A \times B$ " from the box above to the set notation $\{(a, b) \mid a \in A, b \in B\}$.

Let A be a set,

A **binary relation on A** is a subset of $A \times A$

Relations You Already Know!

\geq on \mathbb{N}

That is: $\{(x,y) : x \geq y \text{ and } x, y \in \mathbb{N}\}$

$<$ on \mathbb{R}

That is: $\{(x,y) : x < y \text{ and } x, y \in \mathbb{R}\}$

$=$ on Σ^*

That is: $\{(x,y) : x = y \text{ and } x, y \in \Sigma^*\}$

\subseteq on $\mathcal{P}(U)$ for universe U

That is: $\{(A,B) : A \subseteq B \text{ and } A, B \in \mathcal{P}(U)\}$

More Relation Examples

$$R_1 = \{(a, 1), (a, 2), (b, 1), (b, 3), (c, 3)\}$$

$$R_2 = \{(x, y) \mid \underline{x \equiv y \pmod{5}} \}$$

$$R_3 = \{(\underline{c_1}, c_2) \mid c_1 \text{ is a prerequisite of } c_2 \}$$

$$R_4 = \{(\underline{s}, c) \mid \text{student } s \text{ has taken course } c \}$$

Properties of Relations

Let R be a relation on A .

R is **reflexive** iff $(a,a) \in R$ for every $a \in A$

R is **symmetric** iff $(a,b) \in R$ implies $(b,a) \in R$

R is **antisymmetric** iff $(a,b) \in R$ and $a \neq b$ implies $(b,a) \notin R$

R is **transitive** iff $(a,b) \in R$ and $(b,c) \in R$ implies $(a,c) \in R$

Which relations have which properties?

\geq on \mathbb{N} :

$<$ on \mathbb{R} :

$=$ on Σ^* :

\subseteq on $\mathcal{P}(U)$:

$R_2 = \{(x, y) \mid x \equiv y \pmod{5}\}$:

$R_3 = \{(c_1, c_2) \mid c_1 \text{ is a prerequisite of } c_2\}$:

| <u>R</u> | <u>S/A</u> | <u>T</u> |
|----------|------------|----------|
| T | A | T |
| F | A | T |
| T | S | T |
| T | A | T |
| T | S | T |
| F | A | F |

R is **reflexive** iff $(a, a) \in R$ for every $a \in A$

R is **symmetric** iff $(a, b) \in R$ implies $(b, a) \in R$

R is **antisymmetric** iff $(a, b) \in R$ and $a \neq b$ implies $(b, a) \notin R$

R is **transitive** iff $(a, b) \in R$ and $(b, c) \in R$ implies $(a, c) \in R$

Which relations have which properties?

\geq on \mathbb{N} : Reflexive, Antisymmetric, Transitive

$<$ on \mathbb{R} : Antisymmetric, Transitive

$=$ on Σ^* : Reflexive, Symmetric, Transitive

\subseteq on $\mathcal{P}(U)$: Reflexive, Antisymmetric, Transitive

$R_2 = \{(x, y) \mid x \equiv y \pmod{5}\}$: Reflexive, Symmetric, Transitive

$R_3 = \{(c_1, c_2) \mid c_1 \text{ is a prerequisite of } c_2\}$: Antisymmetric

R is **reflexive** iff $(a, a) \in R$ for every $a \in A$

R is **symmetric** iff $(a, b) \in R$ implies $(b, a) \in R$

R is **antisymmetric** iff $(a, b) \in R$ and $a \neq b$ implies $(b, a) \notin R$

R is **transitive** iff $(a, b) \in R$ and $(b, c) \in R$ implies $(a, c) \in R$

Combining Relations

Let R be a relation from A to B .

Let S be a relation from B to C .

$$R \subset A \times B$$
$$S \subset B \times C$$

The **composition** of R and S , $S \circ R$ is the relation from A to C defined by:

$$\underline{S \circ R} = \{ (a, c) \mid \exists b \text{ such that } \underline{(a, b)} \in R \text{ and } \underline{(b, c)} \in S \} \subset \underline{A \times C}$$

Intuitively, a pair is in the composition if there is a “connection” from the first to the second.

Examples

$(a,b) \in \text{Parent}$ iff b is a parent of a

$(a,b) \in \text{Sister}$ iff b is a sister of a

When is $(x,y) \in \text{Sister} \circ \text{Parent}$? $\equiv \text{Aunt}$

$\exists z \ (x,z) \in \text{Parent} \wedge (z,y) \in \text{Sister}$

When is $(x,y) \in \text{Parent} \circ \text{Sister}$?

$$S \circ R = \{(a, c) \mid \exists b \text{ such that } (a,b) \in R \text{ and } (b,c) \in S\}$$

Examples

Using the relations: Parent, Child, Brother, Sister, Sibling, Father, Mother, Husband, Wife express:

Uncle: b is an uncle of $a \equiv \text{Brother} \circ \text{Parent}$

Cousin: b is a cousin of $a \equiv$

$\text{Child} \circ \text{Sibling} \circ \text{Parent}$



Powers of a Relation

$$\begin{aligned} \underline{R^2} &= R \circ R \\ &= \{(a, c) \mid \exists b \text{ such that } (a, b) \in R \text{ and } (b, c) \in R\} \end{aligned}$$

$$\underline{R^0} = \{(\underline{a, a}) \mid a \in A\} \quad \text{“the equality relation on } A\text{”}$$

$$R^1 = R = \underline{R^0 \circ R}$$


$$\underline{R^{n+1}} = R^n \circ R \quad \text{for } n \geq 0$$

Matrix Representation

Relation R on $A = \{a_1, \dots, a_p\}$

$$m_{ij} = \begin{cases} 1 & \text{if } (a_i, a_j) \in R \\ 0 & \text{if } (a_i, a_j) \notin R \end{cases}$$

$\{ (1, 1), (1, 2), (1, 4), (2, 1), (2, 3), (3, 2), (3, 3), (4, 2), (4, 3) \}$



| | 1 | 2 | 3 | 4 |
|---|---|---|---|---|
| 1 | 1 | 1 | 0 | 1 |
| 2 | 1 | 0 | 1 | 0 |
| 3 | 0 | 1 | 1 | 0 |
| 4 | 0 | 1 | 1 | 0 |

$R \rightarrow$

Directed Graphs

$G = (V, E)$

V – vertices

E – edges, ordered pairs of vertices


*binary
relation
on
vertices*

Path: v_0, v_1, \dots, v_k with each (v_i, v_{i+1}) in E

Simple Path: none of v_0, \dots, v_k repeated

Cycle: $v_0 = v_k$

Simple Cycle: $v_0 = v_k$, none of v_1, \dots, v_k repeated



Directed Graphs

$G = (V, E)$

V – vertices


E – edges, ordered pairs of vertices

Path: v_0, v_1, \dots, v_k with each (v_i, v_{i+1}) in E

Simple Path: none of v_0, \dots, v_k repeated

Cycle: $v_0 = v_k$

Simple Cycle: $v_0 = v_k$, none of v_1, \dots, v_k repeated



Directed Graphs

$G = (V, E)$

V – vertices


E – edges, ordered pairs of vertices

Path: v_0, v_1, \dots, v_k with each (v_i, v_{i+1}) in E

Simple Path: none of v_0, \dots, v_k repeated

Cycle: $v_0 = v_k$

Simple Cycle: $v_0 = v_k$, none of v_1, \dots, v_k repeated



Directed Graphs

$G = (V, E)$

V – vertices


E – edges, ordered pairs of vertices

Path: v_0, v_1, \dots, v_k with each (v_i, v_{i+1}) in E

Simple Path: none of v_0, \dots, v_k repeated

Cycle: $v_0 = v_k$


Simple Cycle: $v_0 = v_k$, none of v_1, \dots, v_k repeated



Representation of Relations

Directed Graph Representation (Digraph)


$\{(\underline{a}, b), (a, a), (b, a), (c, a), (c, d), (c, e), (d, e)\}$



Representation of Relations

Directed Graph Representation (Digraph)

$\{(a, b), (a, a), (b, a), (c, a), (c, d), (c, e), (d, e)\}$



Relational Composition using Digraphs

If $S = \{(2, 2), (2, 3), (3, 1)\}$ and $R = \{(1, 2), (2, 1), (1, 3)\}$



Compute $S \circ R$



Relational Composition using Digraphs

If $S = \{(2, 2), (2, 3), (3, 1)\}$ and $R = \{(1, 2), (2, 1), (1, 3)\}$



Compute $S \circ R$



Relational Composition using Digraphs

If $S = \{(2, 2), (2, 3), (3, 1)\}$ and $R = \{(1, 2), (2, 1), (1, 3)\}$


Compute $S \circ R$



Paths in Relations and Graphs

Defn: The **length** of a path in a graph is the number of edges in it (counting repetitions if edge used $>$ once).

Let R be a relation on a set A . There is a path of length n from a to b if and only if $(a,b) \in R^n$

Hand-drawn purple underlines are present under the variable a and the expression $(a,b) \in R^n$. A purple bracket is drawn below the text, spanning from the underlined a to the underlined expression.

Connectivity In Graphs

Defn: Two vertices in a graph are **connected** iff there is a path between them.

Let R be a relation on a set A . The **connectivity** relation R^* consists of the pairs (a,b) such that there is a path from a to b in R .

$$R^* = \bigcup_{k=0}^{\infty} R^k$$

Note: The text uses the wrong definition of this quantity. What the text defines (ignoring $k=0$) is usually called R^+

How Properties of Relations show up in Graphs

Let R be a relation on A .


R is **reflexive** iff $(a,a) \in R$ for every $a \in A$

R is **symmetric** iff $(a,b) \in R$ implies $(b,a) \in R$

R is **antisymmetric** iff $(a,b) \in R$ and $a \neq b$ implies $(b,a) \notin R$

R is **transitive** iff $(a,b) \in R$ and $(b,c) \in R$ implies $(a,c) \in R$


Transitive-Reflexive Closure



Add the **minimum possible** number of edges to make the relation transitive and reflexive.

The **transitive-reflexive closure** of a relation R is the connectivity relation R^*

Transitive-Reflexive Closure



Relation with the **minimum possible** number of **extra edges** to make the relation both transitive and reflexive.

The **transitive-reflexive closure** of a relation R is the connectivity relation R^*

n -ary Relations

Let A_1, A_2, \dots, A_n be sets. An **n -ary** relation on these sets is a subset of $A_1 \times A_2 \times \dots \times A_n$.

Relational Databases

STUDENT

| Student_Name | ID_Number | Office | GPA |
|--------------|-----------|--------|------|
| Knuth | 328012098 | 022 | 4.00 |
| Von Neuman | 481080220 | 555 | 3.78 |
| Russell | 238082388 | 022 | 3.85 |
| Einstein | 238001920 | 022 | 2.11 |
| Newton | 1727017 | 333 | 3.61 |
| Karp | 348882811 | 022 | 3.98 |
| Bernoulli | 2921938 | 022 | 3.21 |

Relational Databases

STUDENT

| Student_Name | ID_Number | Office | GPA | Course |
|--------------|-----------|--------|------|--------|
| Knuth | 328012098 | 022 | 4.00 | CSE311 |
| Knuth | 328012098 | 022 | 4.00 | CSE351 |
| Von Neuman | 481080220 | 555 | 3.78 | CSE311 |
| Russell | 238082388 | 022 | 3.85 | CSE312 |
| Russell | 238082388 | 022 | 3.85 | CSE344 |
| Russell | 238082388 | 022 | 3.85 | CSE351 |
| Newton | 1727017 | 333 | 3.61 | CSE312 |
| Karp | 348882811 | 022 | 3.98 | CSE311 |
| Karp | 348882811 | 022 | 3.98 | CSE312 |
| Karp | 348882811 | 022 | 3.98 | CSE344 |
| Karp | 348882811 | 022 | 3.98 | CSE351 |
| Bernoulli | 2921938 | 022 | 3.21 | CSE351 |

What's not so nice?

Relational Databases

STUDENT

| Student_Name | ID_Number | Office | GPA |
|--------------|-----------|--------|------|
| Knuth | 328012098 | 022 | 4.00 |
| Von Neuman | 481080220 | 555 | 3.78 |
| Russell | 238082388 | 022 | 3.85 |
| Einstein | 238001920 | 022 | 2.11 |
| Newton | 1727017 | 333 | 3.61 |
| Karp | 348882811 | 022 | 3.98 |
| Bernoulli | 2921938 | 022 | 3.21 |

TAKES

| ID_Number | Course |
|-----------|--------|
| 328012098 | CSE311 |
| 328012098 | CSE351 |
| 481080220 | CSE311 |
| 238082388 | CSE312 |
| 238082388 | CSE344 |
| 238082388 | CSE351 |
| 1727017 | CSE312 |
| 348882811 | CSE311 |
| 348882811 | CSE312 |
| 348882811 | CSE344 |
| 348882811 | CSE351 |
| 2921938 | CSE351 |

Better

Database Operations: Projection

Find all offices: $\Pi_{\text{Office}}(\text{STUDENT})$

| Office |
|--------|
| 022 |
| 555 |
| 333 |

Find offices and GPAs: $\Pi_{\text{Office,GPA}}(\text{STUDENT})$

| Office | GPA |
|--------|------|
| 022 | 4.00 |
| 555 | 3.78 |
| 022 | 3.85 |
| 022 | 2.11 |
| 333 | 3.61 |
| 022 | 3.98 |
| 022 | 3.21 |

Database Operations: Selection

Find students with GPA > 3.9 : $\sigma_{\text{GPA} > 3.9}(\text{STUDENT})$

| Student_Name | ID_Number | Office | GPA |
|--------------|-----------|--------|------|
| Knuth | 328012098 | 022 | 4.00 |
| Karp | 348882811 | 022 | 3.98 |

Retrieve the name and GPA for students with GPA > 3.9:

$\Pi_{\text{Student_Name}, \text{GPA}}(\sigma_{\text{GPA} > 3.9}(\text{STUDENT}))$

| Student_Name | GPA |
|--------------|------|
| Knuth | 4.00 |
| Karp | 3.98 |

Database Operations: Natural Join

Student ⋈ Takes

| Student_Name | ID_Number | Office | GPA | Course |
|--------------|-----------|--------|------|--------|
| Knuth | 328012098 | 022 | 4.00 | CSE311 |
| Knuth | 328012098 | 022 | 4.00 | CSE351 |
| Von Neuman | 481080220 | 555 | 3.78 | CSE311 |
| Russell | 238082388 | 022 | 3.85 | CSE312 |
| Russell | 238082388 | 022 | 3.85 | CSE344 |
| Russell | 238082388 | 022 | 3.85 | CSE351 |
| Newton | 1727017 | 333 | 3.61 | CSE312 |
| Karp | 348882811 | 022 | 3.98 | CSE311 |
| Karp | 348882811 | 022 | 3.98 | CSE312 |
| Karp | 348882811 | 022 | 3.98 | CSE344 |
| Karp | 348882811 | 022 | 3.98 | CSE351 |
| Bernoulli | 2921938 | 022 | 3.21 | CSE351 |