CSE 311: Foundations of Computing

Lecture 21: DFAs and Finite State Machines with Output



Finite State Machines

- States
- Transitions on input symbols
- Start state and final states
- The "language recognized" by the machine is the set of strings that reach a final state from the start

Old State	0	1
s_0	s_0	s_1
s_1	s_0	s_2
s_2	s_0	s_3
s_3	s_3	s_3



Finite State Machines

- **Each machine designed for strings over some fixed alphabet Σ.**

- **Must have a transition defined from each state for *every* symbol in Σ.**

Old State	0	1
s_0	s_0	s_1
s_1	s_0	s_2
s_2	s_0	s_3
s_3	s_3	s_3



Strings over {0, 1, 2}

M_1: Strings with an even number of 2's



M_2: Strings where the sum of digits mod 3 is 0



Strings over {0, 1, 2}

M_1: Strings with an even number of 2's



M_2: Strings where the sum of digits mod 3 is 0



Strings over {0, 1, 2}

M_1: Strings with an even number of 2's



M_2: Strings where the sum of digits mod 3 is 0



What language does this machine recognize?



What language does this machine recognize?



The set of all binary strings with # of 1's ≡ # of 0's (mod 2)
(both are even or both are odd).

Can you think of a simpler description?

Strings over {0, 1, 2}

M_1: Strings with an even number of 2's



M_2: Strings where the sum of digits mod 3 is 0



Strings over {0,1,2} w/ even number of 2's and mod 3 sum 0



Strings over {0,1,2} w/ even number of 2's and mod 3 sum 0



Strings over {0,1,2} w/ even number of 2's OR mod 3 sum 0?



Strings over {0,1,2} w/ even number of 2's OR mod 3 sum 0



The set of binary strings with a 1 in the 3rd position from the start

The set of binary strings with a 1 in the 3rd position from the start



The set of binary strings with a 1 in the 3rd position from the end

3 bit shift register "Remember the last three bits"



The set of binary strings with a 1 in the 3rd position from the end



The set of binary strings with a 1 in the 3rd position from the end



The beginning versus the end





Adding Output to Finite State Machines

- So far we have considered finite state machines that just accept/reject strings
  - called "Deterministic Finite Automata" or DFAs
- Now we consider finite state machines that with output
  - These are the kinds used as controllers

Vending Machine

Enter 15 cents in dimes or nickels
Press S or B for a candy bar

Vending Machine, v0.1



Basic transitions on **N** (nickel), **D** (dime), **B** (butterfinger), **S** (snickers)

Vending Machine, v0.2



Adding output to states: N – Nickel, S – Snickers, B – Butterfinger

Vending Machine, v1.0



Adding additional "unexpected" transitions to cover all symbols for each state